

Table 3. Lifetime prevalence of ATOD use in 2006

	Grade Level						
	6th	7th	8th	9th	10th	11th	12th
	%	%	%	%	%	%	%
Alcohol	±1.7	±1.9	±1.9	±2.1	±2.1	±2.2	±2.5
Cigarettes	±1.3	±1.6	±1.2	±1.4	±1.5	±1.7	±2.1
Smokeless Tobacco	±0.6	±0.7	±0.8	±0.9	±1.0	±1.2	±1.5
Marijuana or Hashish	±0.5	±0.8	±1.0	±1.3	±1.5	±1.7	±2.0
Inhalants	±0.9	±1.0	±1.0	±1.0	±1.0	±1.1	±1.2
Ecstasy	±0.2	±0.4	±0.4	±0.6	±0.7	±0.8	±1.1
Rohypnol	±0.2	±0.3	±0.3	±0.3	±0.4	±0.4	±0.5
LSD or PCP	±0.2	±0.3	±0.4	±0.4	±0.5	±0.6	±0.8
Hallucinogenic Mushrooms	±0.3	±0.4	±0.5	±0.6	±0.8	±0.8	±1.1
GHB	±0.3	±0.3	±0.3	±0.3	±0.3	±0.3	±0.5
Ketamine	±0.2	±0.3	±0.3	±0.2	±0.3	±0.4	±0.5
Methamphetamine	±0.3	±0.4	±0.4	±0.5	±0.5	±0.5	±0.6
Cocaine	±0.3	±0.4	±0.5	±0.6	±0.8	±0.9	±1.2
Crack Cocaine	±0.3	±0.4	±0.4	±0.5	±0.5	±0.5	±0.6
Depressants	±0.3	±0.4	±0.6	±0.8	±0.9	±1.1	±1.3
Heroin	±0.2	±0.3	±0.3	±0.3	±0.3	±0.4	±0.4
Prescription Pain Relievers	±0.5	±0.6	±0.7	±0.8	±1.0	±1.1	±1.4
Prescription Amphetamines	±0.3	±0.4	±0.5	±0.6	±0.8	±0.9	±1.0
Steroids (without a doctor's order)	±0.3	±0.3	±0.3	±0.3	±0.4	±0.3	±0.5

Table 4. 30-day prevalence of ATOD use in 2006

	Grade Level						
	6th	7th	8th	9th	10th	11th	12th
	%	%	%	%	%	%	%
Alcohol	±0.9	±1.0	±1.2	±1.5	±1.6	±1.7	±2.1
Binge Drinking	±0.6	±0.7	±0.9	±1.2	±1.3	±1.5	±1.9
Cigarettes	±0.5	±0.6	±0.8	±1.0	±1.1	±1.2	±1.7
Smokeless Tobacco	±0.4	±0.5	±0.5	±0.7	±0.7	±0.8	±1.1
Marijuana or Hashish	±0.4	±0.6	±0.8	±1.0	±1.1	±1.3	±1.7
Inhalants	±0.6	±0.7	±0.6	±0.6	±0.5	±0.5	±0.5
Ecstasy	±0.2	±0.2	±0.3	±0.3	±0.4	±0.4	±0.6
Rohypnol	±0.2	±0.2	±0.2	±0.2	±0.2	±0.2	±0.3
LSD or PCP	±0.2	±0.2	±0.3	±0.3	±0.3	±0.3	±0.5
Hallucinogenic Mushrooms	±0.2	±0.3	±0.3	±0.4	±0.4	±0.3	±0.6
GHB	±0.2	±0.2	±0.2	±0.2	±0.2	±0.2	±0.3
Ketamine	±0.2	±0.1	±0.2	±0.1	±0.2	±0.2	±0.3
Methamphetamine	±0.2	±0.3	±0.3	±0.2	±0.2	±0.2	±0.3
Cocaine	±0.2	±0.2	±0.3	±0.3	±0.4	±0.5	±0.8
Crack Cocaine	±0.2	±0.2	±0.2	±0.3	±0.3	±0.2	±0.3
Depressants	±0.2	±0.3	±0.4	±0.5	±0.6	±0.6	±0.8
Heroin	±0.1	±0.1	±0.2	±0.2	±0.2	±0.2	±0.3
Prescription Pain Relievers	±0.3	±0.4	±0.5	±0.5	±0.6	±0.7	±0.9
Prescription Amphetamines	±0.2	±0.2	±0.3	±0.4	±0.4	±0.5	±0.5
Steroids (without a doctor's order)	±0.2	±0.2	±0.2	±0.2	±0.3	±0.3	±0.3

Note: Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks.

Table 5. Percentages of surveyed Florida youth who used alcohol in lifetime and past 30 days, by sex, race/ethnic group, age and grade—2000 to 2006

		Alcohol Use													
		Lifetime						Past 30 Days							
		2000 %	2001 %	2002 %	2003 %	2004 %	2005 %	2006 %	2000 %	2001 %	2002 %	2003 %	2004 %	2005 %	2006 %
Sex															
	Female	±0.8	±2.1	±0.8	±2.1	±0.8	±2.1	±0.8	±0.7	±2.0	±0.7	±2.0	±0.7	±2.0	±0.8
	Male	±0.8	±2.2	±0.8	±2.3	±0.8	±2.2	±0.9	±0.8	±2.1	±0.8	±2.2	±0.8	±2.0	±0.8
Race/Ethnic group															
	African American	±1.3	±3.3	±1.4	±3.5	±1.4	±3.4	±1.5	±1.1	±2.7	±1.1	±2.8	±1.1	±2.8	±1.2
	Hispanic/Latino	±1.4	±3.6	±1.6	±3.4	±1.5	±3.1	±1.5	±1.4	±3.5	±1.5	±3.2	±1.5	±2.9	±1.4
	White, non-Hispanic	±0.8	±2.2	±0.7	±2.3	±0.7	±2.3	±0.8	±0.8	±2.2	±0.7	±2.2	±0.7	±2.3	±0.8
Age															
	11	±1.4	±6.1	±2.2	±6.3	±2.3	±5.5	±2.3	±1.0	±4.0	±1.5	±4.2	±1.6	±3.5	±1.5
	12	±1.3	±3.6	±1.3	±3.7	±1.4	±3.6	±1.4	±1.0	±2.5	±0.9	±2.6	±0.9	±2.5	±1.0
	13	±1.3	±3.8	±1.3	±3.7	±1.4	±3.7	±1.4	±1.1	±3.2	±1.0	±2.9	±1.1	±3.0	±1.1
	14	±1.4	±3.7	±1.3	±3.8	±1.3	±3.8	±1.4	±1.4	±3.5	±1.2	±3.5	±1.2	±3.4	±1.3
	15	±1.5	±3.6	±1.4	±3.9	±1.3	±3.6	±1.4	±1.5	±3.7	±1.4	±3.8	±1.3	±3.6	±1.4
	16	±1.5	±3.7	±1.4	±3.9	±1.4	±3.7	±1.4	±1.6	±4.1	±1.5	±4.1	±1.5	±3.9	±1.5
	17	±1.6	±4.0	±1.5	±4.1	±1.6	±3.8	±1.6	±1.8	±4.6	±1.7	±4.6	±1.8	±4.4	±1.8
	18	±2.6	±5.2	±2.0	±5.2	±2.1	±5.1	±2.1	±2.8	±6.0	±2.3	±6.3	±2.4	±6.0	±2.5
Grade															
	6th	±1.2	±3.3	±1.2	±3.4	±1.2	±3.1	±1.2	±0.9	±2.4	±0.8	±2.4	±0.8	±2.2	±0.9
	7th	±1.3	±3.8	±1.3	±3.5	±1.4	±3.7	±1.3	±1.1	±3.1	±1.0	±2.8	±1.1	±2.8	±1.0
	8th	±1.3	±3.7	±1.3	±3.9	±1.4	±3.8	±1.4	±1.2	±3.4	±1.2	±3.4	±1.2	±3.4	±1.2
	9th	±1.5	±3.6	±1.4	±3.9	±1.3	±3.7	±1.5	±1.5	±3.6	±1.3	±3.8	±1.3	±3.6	±1.5
	10th	±1.5	±3.9	±1.4	±3.9	±1.4	±3.7	±1.5	±1.6	±4.2	±1.5	±4.1	±1.5	±3.9	±1.6
	11th	±1.6	±3.9	±1.5	±4.2	±1.6	±4.0	±1.6	±1.8	±4.5	±1.7	±4.5	±1.8	±4.4	±1.7
	12th	±1.6	±4.4	±1.7	±4.4	±1.8	±4.1	±1.8	±1.9	±5.2	±2.0	±5.2	±2.0	±4.9	±2.1
Overall Middle School		±0.7	±2.1	±0.7	±2.1	±0.8	±2.1	±0.8	±0.6	±1.7	±0.6	±1.7	±0.6	±1.7	±0.6
Overall High School		±0.8	±2.0	±0.8	±2.1	±0.8	±1.9	±0.8	±0.8	±2.1	±0.8	±2.2	±0.8	±2.1	±0.8
Total		±0.6	±1.5	±0.5	±1.5	±0.6	±1.5	±0.6	±0.5	±1.4	±0.5	±1.4	±0.5	±1.4	±0.5

Table 6. Percentage of surveyed Florida youth who used alcohol, and number of occasions in past 30 days, by sex, race/ethnic group, age and grade in 2006

		2006 Alcohol						
		Number of Occasions in Past 30 Days						
		0 %	1-2 %	3-5 %	6-9 %	10-19 %	20-39 %	40+ %
Sex								
	Female	±0.8	±0.6	±0.4	±0.3	±0.2	±0.1	±0.1
	Male	±0.8	±0.6	±0.4	±0.3	±0.3	±0.2	±0.2
Race/Ethnic group								
	African American	±1.2	±1.0	±0.5	±0.4	±0.3	±0.2	±0.2
	Hispanic/Latino	±1.4	±1.1	±0.7	±0.6	±0.4	±0.2	±0.3
	White, non-Hispanic	±0.8	±0.6	±0.5	±0.3	±0.3	±0.2	±0.2
Age								
	11	±1.5	±1.2	±0.5	±0.5	±0.2	±0.3	±0.3
	12	±1.0	±0.8	±0.4	±0.2	±0.2	±0.1	±0.1
	13	±1.1	±0.9	±0.5	±0.4	±0.3	±0.2	±0.2
	14	±1.3	±1.1	±0.7	±0.4	±0.3	±0.2	±0.3
	15	±1.4	±1.2	±0.8	±0.6	±0.5	±0.3	±0.3
	16	±1.5	±1.3	±0.9	±0.7	±0.6	±0.3	±0.4
	17	±1.8	±1.5	±1.1	±0.9	±0.7	±0.4	±0.4
	18	±2.5	±2.0	±1.6	±1.4	±1.2	±0.7	±0.7
Grade								
	6th	±0.9	±0.7	±0.4	±0.2	±0.2	±0.1	±0.2
	7th	±1.0	±0.9	±0.4	±0.3	±0.3	±0.2	±0.2
	8th	±1.2	±1.0	±0.6	±0.5	±0.4	±0.2	±0.3
	9th	±1.5	±1.2	±0.8	±0.5	±0.5	±0.3	±0.3
	10th	±1.6	±1.3	±0.9	±0.7	±0.5	±0.3	±0.3
	11th	±1.7	±1.4	±1.0	±0.8	±0.7	±0.4	±0.4
	12th	±2.1	±1.7	±1.4	±1.2	±1.0	±0.6	±0.6
	Overall Middle School	±0.6	±0.5	±0.3	±0.2	±0.2	±0.1	±0.1
	Overall High School	±0.8	±0.7	±0.5	±0.4	±0.3	±0.2	±0.2
	Total	±0.5	±0.4	±0.3	±0.2	±0.2	±0.1	±0.1

Note: Rounding can produce totals that do not equal 100%.

Table 7. Percentages of surveyed Florida youth who reported binge drinking, by sex, race/ethnic group, age and grade—2000 to 2006

		Binge Drinking						
		2000	2001	2002	2003	2004	2005	2006
		%	%	%	%	%	%	%
Sex								
	Female	±0.6	±1.5	±0.5	±1.5	±0.6	±1.5	±0.6
	Male	±0.7	±1.7	±0.6	±1.8	±0.6	±1.6	±0.7
Race/Ethnic group								
	African American	±0.8	±1.9	±0.8	±2.0	±0.8	±2.0	±0.8
	Hispanic/Latino	±1.2	±2.9	±1.2	±2.5	±1.2	±2.3	±1.1
	White, non-Hispanic	±0.7	±1.8	±0.6	±1.8	±0.6	±1.9	±0.6
Age								
	11	±0.5	±2.1	±0.9	±2.0	±0.9	±1.8	±0.8
	12	±0.7	±1.7	±0.6	±1.7	±0.6	±1.5	±0.6
	13	±0.9	±2.3	±0.7	±2.0	±0.7	±2.1	±0.7
	14	±1.1	±2.4	±0.9	±2.6	±0.9	±2.5	±0.9
	15	±1.3	±3.0	±1.1	±3.1	±1.1	±2.7	±1.1
	16	±1.4	±3.5	±1.3	±3.5	±1.3	±3.3	±1.3
	17	±1.6	±4.1	±1.5	±4.1	±1.5	±3.8	±1.6
	18	±2.6	±5.6	±2.2	±5.8	±2.3	±5.4	±2.3
Grade								
	6th	±0.7	±1.6	±0.5	±1.5	±0.6	±1.4	±0.6
	7th	±0.9	±2.2	±0.7	±2.0	±0.8	±1.9	±0.7
	8th	±1.0	±2.5	±0.9	±2.6	±0.9	±2.6	±0.9
	9th	±1.3	±2.9	±1.1	±3.0	±1.0	±2.7	±1.2
	10th	±1.3	±3.5	±1.3	±3.4	±1.3	±3.2	±1.3
	11th	±1.6	±4.0	±1.5	±3.9	±1.5	±3.8	±1.5
	12th	±1.7	±4.7	±1.9	±4.8	±1.8	±4.3	±1.9
	Overall Middle School	±0.5	±1.2	±0.4	±1.2	±0.4	±1.2	±0.4
	Overall High School	±0.7	±1.8	±0.7	±1.8	±0.7	±1.7	±0.7
	Total	±0.4	±1.1	±0.4	±1.1	±0.4	±1.1	±0.4

Note: Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks.

Table 8. Percentages of surveyed Florida youth who used cigarettes in lifetime and past 30 days, by sex, race/ethnic group, age and grade—2000 to 2006

	Cigarette Use													
	Lifetime							Past 30 Days						
	2000 %	2001 %	2002 %	2003 %	2004 %	2005 %	2006 %	2000 %	2001 %	2002 %	2003 %	2004 %	2005 %	2006 %
Sex														
Female	±0.8	±2.1	±0.7	±2.1	±0.8	±2.0	±0.8	±0.6	±1.5	±0.5	±1.4	±0.5	±1.3	±0.5
Male	±0.8	±2.2	±0.8	±2.2	±0.8	±2.0	±0.8	±0.6	±1.5	±0.5	±1.4	±0.5	±1.3	±0.5
Race/Ethnic group														
African American	±1.2	±2.9	±1.2	±3.0	±1.2	±2.8	±1.2	±0.7	±1.3	±0.5	±1.3	±0.5	±1.3	±0.6
Hispanic/Latino	±1.4	±3.6	±1.5	±3.3	±1.5	±2.9	±1.4	±1.1	±2.5	±0.9	±2.1	±0.9	±1.8	±0.8
White, non-Hispanic	±0.8	±2.3	±0.7	±2.3	±0.8	±2.3	±0.8	±0.7	±1.8	±0.5	±1.7	±0.6	±1.7	±0.6
Age														
11	±1.2	±4.7	±1.7	±4.2	±1.5	±4.0	±1.4	±0.6	±2.1	±0.7	±1.8	±0.7	±1.7	±0.6
12	±1.2	±3.2	±1.1	±2.8	±1.1	±2.6	±1.0	±0.7	±1.6	±0.5	±1.3	±0.6	±1.1	±0.5
13	±1.3	±3.6	±1.2	±3.2	±1.2	±3.2	±1.1	±0.9	±2.3	±0.7	±1.9	±0.7	±1.8	±0.6
14	±1.4	±3.7	±1.3	±3.6	±1.3	±3.4	±1.3	±1.1	±2.4	±0.8	±2.3	±0.8	±2.1	±0.8
15	±1.5	±3.8	±1.4	±3.9	±1.4	±3.7	±1.4	±1.3	±2.8	±0.9	±2.7	±0.9	±2.4	±0.9
16	±1.6	±4.1	±1.5	±4.2	±1.5	±3.9	±1.5	±1.4	±3.1	±1.1	±3.0	±1.2	±2.8	±1.1
17	±1.7	±4.6	±1.7	±4.6	±1.8	±4.4	±1.8	±1.6	±3.7	±1.3	±3.6	±1.4	±3.2	±1.3
18	±2.8	±6.0	±2.3	±6.3	±2.4	±6.0	±2.5	±2.5	±4.9	±1.9	±5.4	±1.9	±4.6	±2.0
Grade														
6th	±1.1	±2.9	±1.0	±2.7	±0.9	±2.5	±0.9	±0.7	±1.6	±0.5	±1.4	±0.5	±1.2	±0.5
7th	±1.3	±3.5	±1.1	±3.0	±1.2	±3.0	±1.1	±0.9	±2.2	±0.7	±1.8	±0.7	±1.7	±0.6
8th	±1.3	±3.6	±1.3	±3.7	±1.3	±3.5	±1.2	±1.0	±2.5	±0.8	±2.4	±0.8	±2.2	±0.8
9th	±1.5	±3.7	±1.4	±3.9	±1.3	±3.6	±1.4	±1.2	±2.7	±0.9	±2.7	±0.9	±2.4	±1.0
10th	±1.6	±4.2	±1.5	±4.2	±1.5	±3.9	±1.5	±1.4	±3.2	±1.1	±2.9	±1.1	±2.7	±1.1
11th	±1.7	±4.6	±1.7	±4.5	±1.8	±4.4	±1.7	±1.5	±3.6	±1.3	±3.4	±1.3	±3.1	±1.2
12th	±1.8	±5.2	±2.0	±5.2	±2.0	±4.9	±2.1	±1.6	±4.2	±1.6	±4.3	±1.6	±3.8	±1.7
Overall Middle School	±0.7	±2.0	±0.7	±1.8	±0.7	±1.8	±0.6	±0.5	±1.2	±0.4	±1.1	±0.4	±1.0	±0.4
Overall High School	±0.8	±2.2	±0.8	±2.2	±0.8	±2.1	±0.8	±0.7	±1.6	±0.6	±1.6	±0.6	±1.5	±0.6
Total	±0.6	±1.5	±0.5	±1.5	±0.5	±1.4	±0.5	±0.4	±1.0	±0.4	±1.0	±0.4	±0.9	±0.4

Table 9. Percentages of surveyed Florida youth who used smokeless tobacco in lifetime and past 30 days, by sex, race/ethnic group, age and grade—2000 to 2005

		Smokeless Tobacco Use													
		Lifetime						Past 30 Days							
		2000 %	2001 %	2002 %	2003 %	2004 %	2005 %	2006 %	2000 %	2001 %	2002 %	2003 %	2004 %	2005 %	2006 %
Sex															
	Female	±0.4	±1.0	±0.4	±1.0	±0.4	±0.9	±0.4	±0.3	±0.7	±0.2	±0.6	±0.2	±0.6	±0.2
	Male	±0.7	±1.7	±0.6	±1.6	±0.6	±1.5	±0.6	±0.5	±1.1	±0.4	±1.0	±0.4	±1.1	±0.4
Race/Ethnic group															
	African American	±0.6	±1.5	±0.6	±1.3	±0.5	±1.4	±0.6	±0.5	±1.1	±0.4	±1.1	±0.3	±1.1	±0.4
	Hispanic/Latino	±0.8	±2.0	±0.8	±1.7	±0.8	±1.5	±0.7	±0.6	±1.3	±0.5	±1.2	±0.5	±1.0	±0.5
	White, non-Hispanic	±0.7	±1.6	±0.5	±1.6	±0.5	±1.7	±0.6	±0.4	±1.1	±0.3	±0.9	±0.3	±1.1	±0.4
Age															
	11	±0.7	±2.7	±1.0	±2.4	±1.0	±2.1	±1.0	±0.4	±1.5	±0.7	±1.8	±0.6	±1.5	±0.6
	12	±0.7	±1.9	±0.6	±1.6	±0.6	±1.6	±0.7	±0.5	±1.2	±0.4	±1.1	±0.4	±1.1	±0.4
	13	±0.8	±2.3	±0.7	±1.9	±0.7	±1.8	±0.7	±0.6	±1.4	±0.4	±1.4	±0.4	±1.2	±0.5
	14	±1.0	±2.4	±0.8	±2.1	±0.8	±2.1	±0.8	±0.7	±1.6	±0.5	±1.2	±0.5	±1.3	±0.5
	15	±1.1	±2.3	±0.9	±2.5	±0.8	±2.2	±0.9	±0.8	±1.8	±0.6	±1.6	±0.6	±1.4	±0.6
	16	±1.2	±3.0	±1.0	±2.6	±1.0	±2.6	±1.1	±0.8	±1.8	±0.6	±1.6	±0.6	±1.7	±0.7
	17	±1.4	±3.1	±1.2	±3.1	±1.2	±2.9	±1.3	±1.0	±2.1	±0.8	±2.0	±0.8	±2.1	±0.9
	18	±2.3	±4.6	±1.7	±4.9	±1.8	±4.3	±1.9	±1.6	±2.9	±1.1	±3.0	±1.2	±3.4	±1.4
Grade															
	6th	±0.7	±2.0	±0.6	±1.6	±0.6	±1.5	±0.6	±0.5	±1.3	±0.4	±1.2	±0.4	±1.0	±0.4
	7th	±0.9	±2.2	±0.7	±1.8	±0.7	±1.9	±0.7	±0.7	±1.3	±0.4	±1.2	±0.5	±1.2	±0.5
	8th	±0.9	±2.3	±0.8	±2.0	±0.8	±2.0	±0.8	±0.6	±1.6	±0.5	±1.3	±0.5	±1.4	±0.5
	9th	±1.1	±2.3	±0.9	±2.5	±0.8	±2.3	±0.9	±0.8	±1.5	±0.5	±1.6	±0.5	±1.5	±0.7
	10th	±1.2	±3.0	±1.0	±2.7	±1.0	±2.5	±1.0	±0.8	±1.9	±0.6	±1.8	±0.7	±1.7	±0.7
	11th	±1.3	±3.2	±1.2	±2.9	±1.2	±2.9	±1.2	±0.9	±2.2	±0.7	±1.7	±0.8	±2.1	±0.8
	12th	±1.5	±3.7	±1.4	±3.7	±1.5	±3.3	±1.5	±1.0	±2.2	±1.0	±2.3	±0.9	±2.5	±1.1
	Overall Middle School	±0.5	±1.2	±0.4	±1.1	±0.4	±1.0	±0.4	±0.3	±0.8	±0.3	±0.7	±0.3	±0.7	±0.3
	Overall High School	±0.6	±1.5	±0.5	±1.4	±0.5	±1.3	±0.6	±0.4	±0.9	±0.3	±0.9	±0.3	±0.9	±0.4
	Total	±0.4	±1.0	±0.3	±0.9	±0.3	±0.9	±0.4	±0.3	±0.6	±0.2	±0.6	±0.2	±0.6	±0.2

Table 10. Percentages of surveyed Florida youth who used marijuana or hashish in lifetime and past 30 days, by sex, race/ethnic group, age and grade—2000 to 2005

		Marijuana or Hashish Use													
		Lifetime						Past 30 Days							
		2000 %	2001 %	2002 %	2003 %	2004 %	2005 %	2006 %	2000 %	2001 %	2002 %	2003 %	2004 %	2005 %	2006 %
Sex															
	Female	±0.7	±1.8	±0.6	±1.8	±0.7	±1.7	±0.7	±0.5	±1.3	±0.5	±1.3	±0.5	±1.2	±0.5
	Male	±0.8	±2.0	±0.7	±2.0	±0.7	±1.9	±0.7	±0.6	±1.6	±0.6	±1.6	±0.6	±1.4	±0.6
Race/Ethnic group															
	African American	±1.1	±2.6	±1.0	±2.6	±1.1	±2.6	±1.1	±0.8	±1.9	±0.7	±2.0	±0.8	±1.8	±0.8
	Hispanic/Latino	±1.2	±3.1	±1.3	±2.7	±1.3	±2.5	±1.2	±1.0	±2.4	±0.9	±2.0	±0.9	±1.7	±0.8
	White, non-Hispanic	±0.8	±2.1	±0.7	±2.1	±0.7	±2.1	±0.7	±0.6	±1.6	±0.5	±1.7	±0.5	±1.7	±0.6
Age															
	11	±0.4	±1.8	±0.7	±1.7	±0.7	±1.5	±0.7	±0.3	±1.3	±0.5	±1.2	±0.5	±0.8	±0.5
	12	±0.6	±1.8	±0.6	±1.5	±0.6	±1.4	±0.6	±0.4	±1.0	±0.4	±0.9	±0.4	±0.9	±0.4
	13	±0.9	±2.5	±0.8	±2.3	±0.8	±2.1	±0.8	±0.7	±1.9	±0.6	±1.7	±0.6	±1.5	±0.6
	14	±1.2	±3.2	±1.1	±3.1	±1.1	±2.8	±1.1	±0.9	±2.4	±0.8	±2.4	±0.8	±2.1	±0.8
	15	±1.5	±3.5	±1.3	±3.6	±1.2	±3.3	±1.3	±1.2	±2.9	±1.0	±2.9	±1.0	±2.3	±1.0
	16	±1.6	±4.0	±1.5	±4.1	±1.5	±3.7	±1.5	±1.3	±3.3	±1.2	±3.4	±1.2	±3.0	±1.2
	17	±1.8	±4.5	±1.7	±4.6	±1.7	±4.3	±1.7	±1.5	±3.7	±1.4	±3.8	±1.4	±3.5	±1.4
	18	±2.8	±5.9	±2.3	±6.3	±2.4	±5.8	±2.4	±2.3	±5.0	±1.9	±5.3	±1.9	±4.4	±2.0
Grade															
	6th	±0.6	±1.7	±0.5	±1.4	±0.5	±1.3	±0.5	±0.5	±1.1	±0.4	±0.9	±0.4	±0.8	±0.4
	7th	±0.9	±2.4	±0.8	±2.1	±0.8	±2.0	±0.8	±0.7	±1.9	±0.6	±1.6	±0.6	±1.5	±0.6
	8th	±1.1	±3.1	±1.1	±3.1	±1.1	±2.9	±1.0	±0.9	±2.4	±0.8	±2.3	±0.8	±2.1	±0.8
	9th	±1.4	±3.4	±1.3	±3.6	±1.2	±3.3	±1.3	±1.2	±2.8	±1.0	±2.9	±0.9	±2.4	±1.0
	10th	±1.5	±4.1	±1.5	±4.0	±1.5	±3.6	±1.5	±1.3	±3.3	±1.2	±3.3	±1.2	±2.8	±1.1
	11th	±1.7	±4.4	±1.7	±4.4	±1.7	±4.3	±1.7	±1.4	±3.6	±1.4	±3.5	±1.4	±3.4	±1.3
	12th	±1.8	±5.1	±2.0	±5.2	±2.0	±4.8	±2.0	±1.5	±4.1	±1.6	±4.5	±1.6	±3.8	±1.7
Overall Middle School		±0.5	±1.4	±0.5	±1.4	±0.5	±1.3	±0.5	±0.4	±1.1	±0.4	±1.0	±0.4	±0.9	±0.4
Overall High School		±0.8	±2.1	±0.8	±2.1	±0.8	±2.0	±0.8	±0.7	±1.7	±0.6	±1.7	±0.6	±1.5	±0.6
Total		±0.5	±1.3	±0.5	±1.3	±0.5	±1.2	±0.5	±0.4	±1.0	±0.4	±1.0	±0.4	±0.9	±0.4

Table 11. Percentage of surveyed Florida youth who used marijuana or hashish, and number of occasions in past 30 days, by sex, race/ethnic group, age and grade in 2006

		2006 Marijuana or Hashish						
		<i>Number of Occasions in Past 30 Days</i>						
		0 %	1-2 %	3-5 %	6-9 %	10-19 %	20-39 %	40+ %
Sex								
	Female	±0.5	±0.3	±0.2	±0.2	±0.2	±0.1	±0.1
	Male	±0.5	±0.3	±0.2	±0.2	±0.2	±0.2	±0.2
Race/Ethnic group								
	African American	±0.7	±0.5	±0.3	±0.3	±0.2	±0.2	±0.2
	Hispanic/Latino	±0.8	±0.6	±0.3	±0.3	±0.3	±0.2	±0.3
	White, non-Hispanic	±0.6	±0.4	±0.2	±0.2	±0.2	±0.2	±0.2
Age								
	11	±0.3	±0.1	±0.2	±0.1	±0.0	±0.0	±0.1
	12	±0.3	±0.2	±0.1	±0.1	±0.1	±0.1	±0.1
	13	±0.5	±0.4	±0.2	±0.2	±0.1	±0.1	±0.1
	14	±0.8	±0.6	±0.3	±0.3	±0.3	±0.2	±0.2
	15	±1.1	±0.7	±0.5	±0.4	±0.3	±0.3	±0.3
	16	±1.2	±0.8	±0.6	±0.4	±0.5	±0.4	±0.5
	17	±1.4	±0.9	±0.6	±0.5	±0.5	±0.5	±0.6
	18	±2.3	±1.5	±0.9	±0.7	±0.9	±0.9	±1.0
Grade								
	6th	±0.4	±0.2	±0.1	±0.1	±0.1	±0.1	±0.1
	7th	±0.6	±0.4	±0.2	±0.2	±0.2	±0.1	±0.2
	8th	±0.7	±0.5	±0.3	±0.3	±0.2	±0.2	±0.2
	9th	±1.0	±0.7	±0.4	±0.4	±0.4	±0.3	±0.3
	10th	±1.2	±0.7	±0.5	±0.4	±0.4	±0.4	±0.4
	11th	±1.3	±0.8	±0.7	±0.5	±0.5	±0.5	±0.5
	12th	±1.5	±1.0	±0.6	±0.5	±0.6	±0.6	±0.6
	Overall Middle School	±0.3	±0.2	±0.1	±0.1	±0.1	±0.1	±0.1
	Overall High School	±0.6	±0.4	±0.3	±0.2	±0.2	±0.2	±0.2
	Total	±0.4	±0.2	±0.2	±0.1	±0.1	±0.1	±0.1

Note: Rounding can produce totals that do not equal 100%.

Table 12. Percentages of surveyed Florida youth who used inhalants in lifetime and past 30 days, by sex, race/ethnic group, age and grade—2000 to 2006

	Inhalant Use													
	Lifetime							Past 30 Days						
	2000 %	2001 %	2002 %	2003 %	2004 %	2005 %	2006 %	2000 %	2001 %	2002 %	2003 %	2004 %	2005 %	2006 %
Sex														
Female	±0.5	±1.4	±0.5	±1.4	±0.5	±1.4	±0.6	±0.3	±0.9	±0.3	±0.8	±0.3	±0.9	±0.3
Male	±0.5	±1.5	±0.5	±1.5	±0.5	±1.4	±0.5	±0.4	±0.9	±0.3	±0.9	±0.3	±0.8	±0.3
Race/Ethnic group														
African American	±0.6	±1.7	±0.7	±1.9	±0.8	±1.9	±0.8	±0.4	±1.1	±0.4	±1.2	±0.5	±1.3	±0.5
Hispanic/Latino	±0.8	±2.4	±1.0	±2.0	±1.0	±2.0	±0.9	±0.6	±1.7	±0.6	±1.1	±0.6	±1.3	±0.6
White, non-Hispanic	±0.6	±1.6	±0.5	±1.6	±0.5	±1.6	±0.6	±0.4	±0.9	±0.3	±0.9	±0.3	±0.9	±0.3
Age														
11	±1.0	±4.1	±1.5	±4.4	±1.8	±3.7	±1.7	±0.6	±2.8	±1.0	±2.6	±1.2	±2.0	±1.2
12	±0.9	±2.7	±0.9	±2.8	±1.0	±2.6	±1.0	±0.6	±1.8	±0.6	±1.9	±0.7	±1.7	±0.7
13	±0.9	±2.7	±0.9	±2.7	±1.0	±2.8	±1.0	±0.7	±1.8	±0.6	±1.7	±0.7	±1.8	±0.7
14	±1.0	±2.5	±0.9	±2.4	±1.0	±2.7	±1.0	±0.7	±1.5	±0.6	±1.5	±0.6	±1.7	±0.6
15	±1.0	±2.5	±0.9	±2.6	±0.9	±2.5	±1.0	±0.6	±1.5	±0.5	±1.5	±0.5	±1.4	±0.5
16	±1.0	±2.6	±0.9	±2.5	±1.0	±2.4	±1.0	±0.6	±1.3	±0.4	±1.3	±0.5	±1.4	±0.5
17	±1.1	±2.8	±1.0	±2.6	±1.0	±2.3	±1.1	±0.6	±1.6	±0.5	±1.5	±0.4	±1.2	±0.5
18	±1.6	±3.8	±1.3	±3.7	±1.4	±3.2	±1.3	±1.0	±1.8	±0.6	±1.8	±0.6	±1.8	±0.6
Grade														
6th	±0.8	±2.4	±0.8	±2.5	±0.9	±2.3	±0.9	±0.5	±1.6	±0.5	±1.7	±0.6	±1.6	±0.6
7th	±1.0	±2.8	±0.9	±2.6	±1.0	±2.6	±1.0	±0.7	±1.8	±0.6	±1.7	±0.7	±1.8	±0.7
8th	±0.9	±2.5	±1.0	±2.8	±1.0	±2.8	±1.0	±0.6	±1.6	±0.6	±1.7	±0.7	±1.8	±0.6
9th	±1.0	±2.5	±0.9	±2.5	±0.9	±2.6	±1.0	±0.6	±1.5	±0.5	±1.5	±0.5	±1.4	±0.6
10th	±1.0	±2.7	±0.9	±2.6	±1.0	±2.3	±1.0	±0.6	±1.4	±0.4	±1.3	±0.5	±1.3	±0.5
11th	±1.0	±2.8	±1.0	±2.6	±1.0	±2.4	±1.1	±0.6	±1.6	±0.5	±1.2	±0.5	±1.3	±0.5
12th	±1.1	±3.2	±1.2	±2.9	±1.1	±2.7	±1.2	±0.6	±1.5	±0.6	±1.4	±0.5	±1.6	±0.5
Overall Middle School	±0.5	±1.5	±0.5	±1.5	±0.6	±1.5	±0.5	±0.4	±1.0	±0.3	±1.0	±0.4	±1.0	±0.4
Overall High School	±0.5	±1.4	±0.5	±1.3	±0.5	±1.3	±0.5	±0.3	±0.8	±0.2	±0.7	±0.3	±0.7	±0.3
Total	±0.4	±1.0	±0.4	±1.0	±0.4	±1.0	±0.4	±0.2	±0.6	±0.2	±0.6	±0.2	±0.6	±0.2

Table 13. Percentages of surveyed Florida youth who used Ecstasy in lifetime and past 30 days, by sex, race/ethnic group, age and grade—2000 to 2006

	Ecstasy Use													
	Lifetime							Past 30 Days						
	2000 %	2001 %	2002 %	2003 %	2004 %	2005 %	2006 %	2000 %	2001 %	2002 %	2003 %	2004 %	2005 %	2006 %
Sex														
Female	--	±1.1	±0.4	±1.0	±0.3	±0.8	±0.3	--	±0.7	±0.2	±0.5	±0.2	±0.4	±0.2
Male	--	±1.1	±0.4	±1.0	±0.3	±0.8	±0.3	--	±0.7	±0.2	±0.6	±0.2	±0.5	±0.2
Race/Ethnic group														
African American	--	±1.0	±0.4	±0.9	±0.3	±0.9	±0.3	--	±0.7	±0.3	±0.5	±0.2	±0.6	±0.2
Hispanic/Latino	--	±2.0	±0.8	±1.6	±0.6	±1.2	±0.5	--	±1.4	±0.4	±0.8	±0.3	±0.6	±0.3
White, non-Hispanic	--	±1.3	±0.4	±1.2	±0.3	±1.0	±0.3	--	±0.8	±0.2	±0.6	±0.2	±0.5	±0.2
Age														
11	--	±1.3	±0.4	±1.5	±0.3	±0.0	±0.4	--	±1.1	±0.3	±0.0	±0.2	±0.0	±0.4
12	--	±1.0	±0.3	±0.7	±0.3	±0.7	±0.2	--	±0.6	±0.2	±0.5	±0.2	±0.4	±0.1
13	--	±1.5	±0.4	±1.2	±0.4	±0.9	±0.4	--	±1.0	±0.3	±0.6	±0.2	±0.7	±0.2
14	--	±1.8	±0.6	±1.4	±0.4	±1.2	±0.4	--	±1.1	±0.4	±0.8	±0.3	±0.8	±0.3
15	--	±2.0	±0.7	±1.9	±0.6	±1.5	±0.5	--	±1.4	±0.4	±1.1	±0.3	±0.8	±0.3
16	--	±2.5	±0.9	±2.2	±0.8	±1.8	±0.7	--	±1.7	±0.5	±1.2	±0.4	±1.1	±0.4
17	--	±3.0	±1.1	±2.9	±0.9	±2.3	±0.8	--	±1.9	±0.6	±1.4	±0.4	±1.0	±0.5
18	--	±4.1	±1.6	±4.4	±1.2	±2.7	±1.4	--	±2.4	±0.8	±2.2	±0.5	±0.8	±0.8
Grade														
6th	--	±0.9	±0.3	±0.8	±0.2	±0.5	±0.2	--	±0.6	±0.2	±0.3	±0.1	±0.4	±0.2
7th	--	±1.5	±0.4	±0.9	±0.4	±0.9	±0.4	--	±1.0	±0.3	±0.6	±0.3	±0.6	±0.2
8th	--	±1.7	±0.6	±1.6	±0.5	±1.3	±0.4	--	±1.1	±0.3	±0.9	±0.3	±0.8	±0.3
9th	--	±2.0	±0.7	±1.8	±0.5	±1.5	±0.6	--	±1.5	±0.4	±1.1	±0.3	±0.9	±0.3
10th	--	±2.5	±0.9	±2.0	±0.7	±1.6	±0.7	--	±1.4	±0.5	±1.0	±0.4	±1.0	±0.4
11th	--	±2.9	±1.1	±2.6	±0.9	±2.2	±0.8	--	±1.7	±0.5	±1.1	±0.4	±0.9	±0.4
12th	--	±3.4	±1.4	±3.7	±1.1	±2.5	±1.1	--	±2.2	±0.7	±2.0	±0.5	±1.0	±0.6
Overall Middle School	--	±0.8	±0.3	±0.7	±0.2	±0.6	±0.2	--	±0.5	±0.2	±0.4	±0.1	±0.4	±0.1
Overall High School	--	±1.3	±0.5	±1.2	±0.4	±0.9	±0.4	--	±0.8	±0.3	±0.6	±0.2	±0.5	±0.2
Total	--	±0.8	±0.3	±0.7	±0.2	±0.6	±0.2	--	±0.5	±0.2	±0.4	±0.1	±0.3	±0.1

Table 14. Percentages of surveyed Florida youth who used Rohypnol in lifetime and past 30 days, by sex, race/ethnic group, age and grade—2000 to 2006

	Rohypnol Use													
	Lifetime							Past 30 Days						
	2000 %	2001 %	2002 %	2003 %	2004 %	2005 %	2006 %	2000 %	2001 %	2002 %	2003 %	2004 %	2005 %	2006 %
Sex														
Female	--	±0.6	±0.2	±0.5	±0.2	±0.5	±0.2	--	±0.3	±0.1	±0.3	±0.1	±0.3	±0.1
Male	--	±0.7	±0.2	±0.5	±0.2	±0.5	±0.2	--	±0.4	±0.1	±0.4	±0.1	±0.3	±0.1
Race/Ethnic group														
African American	--	±0.7	±0.3	±0.8	±0.2	±0.6	±0.2	--	±0.5	±0.2	±0.5	±0.2	±0.5	±0.2
Hispanic/Latino	--	±1.3	±0.4	±0.8	±0.4	±0.7	±0.4	--	±0.6	±0.2	±0.3	±0.2	±0.4	±0.2
White, non-Hispanic	--	±0.7	±0.2	±0.5	±0.2	±0.5	±0.2	--	±0.4	±0.1	±0.3	±0.1	±0.3	±0.1
Age														
11	--	±0.8	±0.4	±0.0	±0.4	±0.0	±0.3	--	±0.8	±0.2	±0.0	±0.2	±0.0	±0.4
12	--	±0.9	±0.2	±0.7	±0.2	±0.6	±0.2	--	±0.4	±0.1	±0.6	±0.1	±0.0	±0.1
13	--	±0.9	±0.3	±0.7	±0.3	±0.7	±0.3	--	±0.6	±0.2	±0.6	±0.1	±0.5	±0.2
14	--	±1.1	±0.4	±0.9	±0.3	±0.7	±0.3	--	±0.7	±0.2	±0.5	±0.2	±0.6	±0.2
15	--	±1.2	±0.4	±1.2	±0.3	±0.8	±0.4	--	±0.7	±0.2	±0.7	±0.2	±0.5	±0.2
16	--	±1.6	±0.4	±0.9	±0.4	±1.2	±0.4	--	±0.9	±0.2	±0.5	±0.2	±0.7	±0.2
17	--	±1.5	±0.5	±1.2	±0.5	±1.2	±0.4	--	±0.8	±0.3	±0.6	±0.3	±0.5	±0.3
18	--	±2.2	±0.7	±1.2	±0.6	±0.8	±0.6	--	±1.2	±0.3	±1.1	±0.3	±0.5	±0.4
Grade														
6th	--	±0.7	±0.2	±0.8	±0.2	±0.5	±0.2	--	±0.5	±0.2	±0.5	±0.1	±0.3	±0.2
7th	--	±1.0	±0.2	±0.6	±0.3	±0.7	±0.3	--	±0.5	±0.2	±0.5	±0.2	±0.5	±0.2
8th	--	±0.9	±0.4	±1.0	±0.3	±0.9	±0.3	--	±0.7	±0.2	±0.5	±0.2	±0.6	±0.2
9th	--	±1.2	±0.4	±1.1	±0.3	±0.6	±0.3	--	±0.8	±0.2	±0.8	±0.2	±0.5	±0.2
10th	--	±1.6	±0.4	±0.8	±0.4	±1.2	±0.4	--	±0.7	±0.3	±0.5	±0.2	±0.8	±0.2
11th	--	±1.4	±0.5	±1.1	±0.5	±1.2	±0.4	--	±0.8	±0.2	±0.4	±0.3	±0.4	±0.2
12th	--	±1.9	±0.7	±1.0	±0.5	±0.8	±0.5	--	±1.0	±0.3	±0.7	±0.3	±0.3	±0.3
Overall Middle School	--	±0.5	±0.2	±0.5	±0.2	±0.4	±0.2	--	±0.3	±0.1	±0.3	±0.1	±0.3	±0.1
Overall High School	--	±0.7	±0.2	±0.5	±0.2	±0.5	±0.2	--	±0.4	±0.1	±0.3	±0.1	±0.3	±0.1
Total	--	±0.5	±0.1	±0.4	±0.1	±0.3	±0.1	--	±0.3	±0.1	±0.2	±0.1	±0.2	±0.1

Table 15. Percentages of surveyed Florida youth who used GHB in lifetime and past 30 days, by sex, race/ethnic group, age and grade—2000 to 2006

	GHB Use													
	Lifetime							Past 30 Days						
	2000 %	2001 %	2002 %	2003 %	2004 %	2005 %	2006 %	2000 %	2001 %	2002 %	2003 %	2004 %	2005 %	2006 %
Sex														
Female	--	±0.5	±0.2	±0.5	±0.2	±0.5	±0.2	--	±0.3	±0.1	±0.4	±0.1	±0.3	±0.1
Male	--	±0.6	±0.2	±0.6	±0.2	±0.6	±0.2	--	±0.4	±0.2	±0.4	±0.1	±0.5	±0.1
Race/Ethnic group														
African American	--	±0.8	±0.4	±1.1	±0.4	±0.9	±0.3	--	±0.7	±0.4	±0.9	±0.4	±0.8	±0.2
Hispanic/Latino	--	±0.9	±0.4	±0.8	±0.3	±0.8	±0.3	--	±0.5	±0.3	±0.7	±0.3	±0.7	±0.2
White, non-Hispanic	--	±0.6	±0.2	±0.4	±0.1	±0.5	±0.2	--	±0.4	±0.1	±0.3	±0.1	±0.3	±0.1
Age														
11	--	±1.7	±0.7	±2.5	±0.8	±1.9	±0.5	--	±1.1	±0.7	±2.2	±0.7	±1.3	±0.4
12	--	±1.2	±0.4	±1.0	±0.4	±1.2	±0.2	--	±0.8	±0.3	±0.9	±0.3	±1.0	±0.2
13	--	±0.8	±0.3	±0.9	±0.4	±1.0	±0.3	--	±0.7	±0.3	±0.8	±0.3	±0.8	±0.2
14	--	±0.6	±0.3	±0.8	±0.3	±0.7	±0.3	--	±0.5	±0.2	±0.8	±0.2	±0.5	±0.2
15	--	±1.0	±0.3	±0.8	±0.3	±0.8	±0.3	--	±0.6	±0.2	±0.7	±0.2	±0.7	±0.2
16	--	±1.2	±0.3	±0.7	±0.3	±1.1	±0.3	--	±0.8	±0.2	±0.5	±0.2	±0.8	±0.2
17	--	±1.6	±0.4	±1.0	±0.4	±0.7	±0.4	--	±1.0	±0.2	±0.5	±0.2	±0.6	±0.2
18	--	±1.8	±0.5	±1.5	±0.6	±0.9	±0.5	--	±0.9	±0.3	±0.8	±0.3	±0.0	±0.3
Grade														
6th	--	±1.0	±0.4	±1.2	±0.4	±1.2	±0.3	--	±0.8	±0.4	±1.1	±0.3	±1.0	±0.2
7th	--	±1.0	±0.3	±1.0	±0.4	±1.0	±0.3	--	±0.8	±0.3	±0.8	±0.4	±0.8	±0.2
8th	--	±0.7	±0.3	±0.8	±0.3	±0.8	±0.3	--	±0.5	±0.2	±0.7	±0.2	±0.6	±0.2
9th	--	±0.9	±0.3	±0.8	±0.3	±0.9	±0.3	--	±0.6	±0.2	±0.7	±0.2	±0.7	±0.2
10th	--	±1.1	±0.3	±0.7	±0.3	±0.9	±0.3	--	±0.6	±0.2	±0.4	±0.2	±0.6	±0.2
11th	--	±1.6	±0.3	±0.9	±0.3	±0.8	±0.3	--	±1.0	±0.2	±0.6	±0.2	±0.7	±0.2
12th	--	±1.6	±0.5	±1.3	±0.5	±0.8	±0.5	--	±0.9	±0.3	±0.7	±0.2	±0.5	±0.3
Overall Middle School	--	±0.5	±0.2	±0.6	±0.2	±0.6	±0.2	--	±0.4	±0.2	±0.5	±0.2	±0.5	±0.1
Overall High School	--	±0.6	±0.2	±0.4	±0.2	±0.4	±0.2	--	±0.4	±0.1	±0.3	±0.1	±0.3	±0.1
Total	--	±0.4	±0.1	±0.4	±0.1	±0.4	±0.1	--	±0.3	±0.1	±0.3	±0.1	±0.3	±0.1

Table 16. Percentages of surveyed Florida youth who used ketamine in lifetime and past 30 days, by sex, race/ethnic group, age and grade—2000 to 2006

	Ketamine Use													
	Lifetime							Past 30 Days						
	2000 %	2001 %	2002 %	2003 %	2004 %	2005 %	2006 %	2000 %	2001 %	2002 %	2003 %	2004 %	2005 %	2006 %
Sex														
Female	--	±0.5	±0.2	±0.4	±0.1	±0.4	±0.1	--	±0.3	±0.1	±0.2	±0.1	±0.2	±0.1
Male	--	±0.6	±0.2	±0.5	±0.2	±0.5	±0.2	--	±0.3	±0.1	±0.3	±0.1	±0.3	±0.1
Race/Ethnic group														
African American	--	±0.5	±0.2	±0.8	±0.2	±0.5	±0.2	--	±0.4	±0.2	±0.4	±0.2	±0.4	±0.2
Hispanic/Latino	--	±0.9	±0.4	±0.7	±0.3	±0.6	±0.2	--	±0.4	±0.2	±0.4	±0.2	±0.5	±0.2
White, non-Hispanic	--	±0.6	±0.2	±0.5	±0.2	±0.5	±0.2	--	±0.4	±0.1	±0.3	±0.1	±0.3	±0.1
Age														
11	--	±0.8	±0.2	±0.0	±0.2	±1.1	±0.4	--	±0.8	±0.3	±0.0	±0.2	±0.8	±0.4
12	--	±0.7	±0.2	±0.5	±0.2	±0.6	±0.2	--	±0.2	±0.2	±0.0	±0.2	±0.4	±0.1
13	--	±0.9	±0.2	±0.7	±0.3	±0.7	±0.2	--	±0.5	±0.1	±0.4	±0.1	±0.5	±0.1
14	--	±0.9	±0.3	±0.9	±0.3	±0.6	±0.3	--	±0.5	±0.2	±0.8	±0.2	±0.4	±0.2
15	--	±1.0	±0.3	±0.9	±0.3	±1.0	±0.3	--	±0.6	±0.2	±0.6	±0.2	±0.6	±0.2
16	--	±1.2	±0.4	±0.9	±0.3	±1.0	±0.3	--	±0.5	±0.2	±0.3	±0.2	±0.6	±0.1
17	--	±1.5	±0.5	±1.4	±0.4	±0.8	±0.4	--	±1.0	±0.2	±0.6	±0.2	±0.4	±0.2
18	--	±1.7	±0.7	±1.4	±0.5	±0.9	±0.5	--	±0.8	±0.4	±0.8	±0.3	±0.0	±0.2
Grade														
6th	--	±0.6	±0.2	±0.6	±0.2	±0.6	±0.2	--	±0.5	±0.1	±0.0	±0.1	±0.4	±0.2
7th	--	±1.0	±0.2	±0.6	±0.3	±0.7	±0.3	--	±0.4	±0.1	±0.4	±0.2	±0.6	±0.1
8th	--	±0.9	±0.3	±0.9	±0.3	±0.8	±0.3	--	±0.5	±0.2	±0.7	±0.2	±0.4	±0.2
9th	--	±1.0	±0.3	±0.9	±0.3	±0.9	±0.2	--	±0.6	±0.2	±0.7	±0.2	±0.6	±0.1
10th	--	±1.1	±0.4	±0.9	±0.3	±1.0	±0.3	--	±0.5	±0.2	±0.3	±0.2	±0.5	±0.2
11th	--	±1.4	±0.4	±1.1	±0.4	±0.8	±0.4	--	±0.9	±0.2	±0.6	±0.2	±0.4	±0.2
12th	--	±1.5	±0.6	±1.4	±0.5	±0.7	±0.5	--	±0.6	±0.3	±0.7	±0.2	±0.0	±0.3
Overall Middle School	--	±0.5	±0.1	±0.4	±0.1	±0.4	±0.1	--	±0.3	±0.1	±0.3	±0.1	±0.3	±0.1
Overall High School	--	±0.6	±0.2	±0.5	±0.2	±0.4	±0.2	--	±0.3	±0.1	±0.3	±0.1	±0.3	±0.1
Total	--	±0.4	±0.1	±0.3	±0.1	±0.3	±0.1	--	±0.2	±0.1	±0.2	±0.1	±0.2	±0.1

Table 17. Percentages of surveyed Florida youth who used LSD or PCP in lifetime and past 30 days, by sex, race/ethnic group, age and grade—2000 to 2006

		LSD or PCP Use													
		Lifetime						Past 30 Days							
		2000 %	2001 %	2002 %	2003 %	2004 %	2005 %	2006 %	2000 %	2001 %	2002 %	2003 %	2004 %	2005 %	2006 %
Sex															
	Female	±0.4	±0.8	±0.3	±0.7	±0.2	±0.5	±0.2	±0.3	±0.4	±0.1	±0.4	±0.1	±0.3	±0.1
	Male	±0.4	±1.0	±0.3	±0.8	±0.3	±0.7	±0.3	±0.3	±0.6	±0.2	±0.4	±0.1	±0.4	±0.2
Race/Ethnic group															
	African American	±0.3	±0.6	±0.2	±0.6	±0.2	±0.6	±0.2	±0.2	±0.6	±0.2	±0.3	±0.2	±0.6	±0.2
	Hispanic/Latino	±0.7	±1.4	±0.5	±1.0	±0.4	±0.8	±0.4	±0.5	±1.0	±0.2	±0.4	±0.2	±0.4	±0.2
	White, non-Hispanic	±0.5	±1.1	±0.3	±0.9	±0.3	±0.7	±0.3	±0.3	±0.6	±0.2	±0.5	±0.1	±0.4	±0.2
Age															
	11	±0.2	±0.8	±0.2	±0.8	±0.2	±1.1	±0.3	±0.2	±0.8	±0.2	±0.0	±0.0	±0.8	±0.3
	12	±0.2	±0.8	±0.2	±0.4	±0.2	±0.9	±0.2	±0.2	±0.0	±0.2	±0.0	±0.1	±0.6	±0.1
	13	±0.4	±1.0	±0.3	±0.9	±0.3	±0.7	±0.3	±0.3	±0.7	±0.2	±0.7	±0.2	±0.5	±0.2
	14	±0.6	±1.3	±0.4	±0.9	±0.4	±0.9	±0.4	±0.4	±0.7	±0.3	±0.4	±0.3	±0.3	±0.2
	15	±0.9	±1.5	±0.5	±1.3	±0.4	±0.9	±0.4	±0.6	±0.8	±0.3	±0.8	±0.2	±0.6	±0.3
	16	±1.0	±2.2	±0.7	±1.5	±0.5	±1.4	±0.5	±0.7	±1.4	±0.3	±0.8	±0.3	±0.9	±0.3
	17	±1.3	±2.6	±0.9	±2.2	±0.7	±1.3	±0.7	±0.8	±1.6	±0.3	±0.9	±0.3	±0.6	±0.4
	18	±1.9	±3.2	±1.3	±3.3	±0.9	±1.8	±1.0	±1.2	±1.9	±0.4	±1.7	±0.4	±0.5	±0.6
Grade															
	6th	±0.3	±0.7	±0.2	±0.4	±0.2	±0.7	±0.2	±0.2	±0.2	±0.2	±0.2	±0.1	±0.5	±0.2
	7th	±0.4	±0.9	±0.3	±0.8	±0.3	±0.8	±0.3	±0.3	±0.7	±0.2	±0.6	±0.2	±0.6	±0.2
	8th	±0.6	±1.3	±0.4	±1.0	±0.4	±1.0	±0.4	±0.4	±0.7	±0.2	±0.6	±0.3	±0.5	±0.3
	9th	±0.9	±1.6	±0.5	±1.3	±0.4	±1.0	±0.4	±0.6	±0.9	±0.3	±0.9	±0.2	±0.6	±0.3
	10th	±1.0	±2.1	±0.7	±1.4	±0.5	±1.2	±0.5	±0.7	±1.3	±0.3	±0.7	±0.3	±0.9	±0.3
	11th	±1.2	±2.7	±0.8	±1.8	±0.6	±1.4	±0.6	±0.7	±1.6	±0.3	±0.8	±0.3	±0.7	±0.3
	12th	±1.3	±2.6	±1.1	±2.8	±0.8	±1.5	±0.8	±0.8	±1.5	±0.4	±1.3	±0.3	±0.5	±0.5
	Overall Middle School	±0.3	±0.6	±0.2	±0.5	±0.2	±0.5	±0.2	±0.2	±0.3	±0.1	±0.3	±0.1	±0.3	±0.1
	Overall High School	±0.5	±1.1	±0.4	±0.9	±0.3	±0.6	±0.3	±0.3	±0.6	±0.2	±0.4	±0.1	±0.4	±0.2
	Total	±0.3	±0.6	±0.2	±0.5	±0.2	±0.4	±0.2	±0.2	±0.4	±0.1	±0.3	±0.1	±0.2	±0.1

Table 18. Percentages of surveyed Florida youth who used hallucinogenic mushrooms in lifetime and past 30 days, by sex, race/ethnic group, age and grade—2000 to 2006

	Hallucinogenic Mushroom Use													
	Lifetime							Past 30 Days						
	2000 %	2001 %	2002 %	2003 %	2004 %	2005 %	2006 %	2000 %	2001 %	2002 %	2003 %	2004 %	2005 %	2006 %
Sex														
Female	--	±0.8	±0.3	±0.8	±0.3	±0.7	±0.3	--	±0.4	±0.1	±0.4	±0.1	±0.4	±0.2
Male	--	±1.1	±0.4	±1.0	±0.4	±1.0	±0.4	--	±0.5	±0.2	±0.6	±0.2	±0.6	±0.2
Race/Ethnic group														
African American	--	±0.6	±0.2	±0.7	±0.3	±0.7	±0.3	--	±0.6	±0.1	±0.5	±0.2	±0.6	±0.2
Hispanic/Latino	--	±1.4	±0.5	±1.1	±0.5	±1.1	±0.5	--	±0.7	±0.2	±0.5	±0.3	±0.7	±0.2
White, non-Hispanic	--	±1.1	±0.4	±1.1	±0.4	±1.1	±0.4	--	±0.6	±0.2	±0.6	±0.2	±0.6	±0.2
Age														
11	--	±1.3	±0.4	±1.1	±0.4	±1.3	±0.5	--	±1.3	±0.2	±0.0	±0.3	±1.3	±0.4
12	--	±0.8	±0.3	±0.6	±0.3	±0.9	±0.3	--	±0.2	±0.2	±0.3	±0.2	±0.7	±0.2
13	--	±1.5	±0.4	±1.2	±0.4	±1.0	±0.4	--	±0.9	±0.2	±0.7	±0.2	±0.6	±0.2
14	--	±1.7	±0.5	±1.4	±0.5	±1.4	±0.5	--	±0.9	±0.3	±0.9	±0.3	±0.9	±0.3
15	--	±1.7	±0.6	±1.6	±0.6	±1.5	±0.6	--	±1.0	±0.3	±1.1	±0.3	±0.9	±0.4
16	--	±2.1	±0.8	±2.0	±0.8	±1.8	±0.8	--	±1.1	±0.4	±1.0	±0.4	±1.1	±0.4
17	--	±2.2	±0.9	±2.4	±0.9	±2.0	±0.9	--	±1.0	±0.4	±1.2	±0.4	±1.2	±0.4
18	--	±3.2	±1.3	±3.8	±1.3	±2.8	±1.3	--	±0.9	±0.5	±2.1	±0.5	±0.5	±0.6
Grade														
6th	--	±0.9	±0.3	±0.8	±0.3	±0.8	±0.3	--	±0.5	±0.2	±0.3	±0.2	±0.6	±0.2
7th	--	±1.4	±0.4	±1.0	±0.4	±1.1	±0.4	--	±0.9	±0.3	±0.6	±0.3	±0.7	±0.3
8th	--	±1.6	±0.6	±1.6	±0.5	±1.5	±0.5	--	±1.0	±0.3	±1.0	±0.3	±1.0	±0.3
9th	--	±1.8	±0.6	±1.6	±0.6	±1.5	±0.6	--	±1.0	±0.3	±1.1	±0.3	±0.9	±0.4
10th	--	±2.0	±0.8	±1.8	±0.7	±1.7	±0.8	--	±0.8	±0.4	±1.0	±0.4	±1.1	±0.4
11th	--	±2.3	±0.8	±2.3	±0.9	±1.9	±0.8	--	±1.0	±0.4	±1.1	±0.4	±1.0	±0.3
12th	--	±2.5	±1.1	±3.0	±1.1	±2.3	±1.1	--	±0.7	±0.5	±1.6	±0.4	±0.9	±0.6
Overall Middle School	--	±0.8	±0.3	±0.7	±0.2	±0.7	±0.2	--	±0.5	±0.2	±0.4	±0.2	±0.4	±0.2
Overall High School	--	±1.0	±0.4	±1.0	±0.4	±0.9	±0.4	--	±0.5	±0.2	±0.6	±0.2	±0.5	±0.2
Total	--	±0.7	±0.2	±0.6	±0.2	±0.6	±0.2	--	±0.3	±0.1	±0.4	±0.1	±0.3	±0.1

Table 19. Percentages of surveyed Florida youth who used cocaine in lifetime and past 30 days, by sex, race/ethnic group, age and grade—2000 to 2006

		Cocaine Use													
		Lifetime						Past 30 Days							
		2000 %	2001 %	2002 %	2003 %	2004 %	2005 %	2006 %	2000 %	2001 %	2002 %	2003 %	2004 %	2005 %	2006 %
Sex															
	Female	±0.3	±0.8	±0.3	±0.8	±0.3	±0.8	±0.3	±0.2	±0.5	±0.2	±0.5	±0.2	±0.4	±0.2
	Male	±0.4	±0.9	±0.3	±0.9	±0.3	±0.9	±0.4	±0.3	±0.5	±0.2	±0.4	±0.2	±0.5	±0.2
Race/Ethnic group															
	African American	±0.3	±0.7	±0.3	±0.6	±0.2	±0.7	±0.3	±0.3	±0.4	±0.2	±0.3	±0.2	±0.4	±0.2
	Hispanic/Latino	±0.7	±1.6	±0.6	±1.5	±0.7	±1.3	±0.6	±0.4	±1.0	±0.3	±0.7	±0.4	±0.6	±0.4
	White, non-Hispanic	±0.4	±1.0	±0.3	±1.0	±0.4	±1.1	±0.4	±0.3	±0.6	±0.2	±0.6	±0.2	±0.6	±0.2
Age															
	11	±0.2	±1.3	±0.3	±0.0	±0.5	±0.0	±0.4	±0.2	±0.0	±0.2	±0.0	±0.4	±0.0	±0.3
	12	±0.3	±1.0	±0.3	±0.6	±0.3	±0.7	±0.3	±0.2	±0.5	±0.2	±0.4	±0.2	±0.4	±0.2
	13	±0.4	±1.1	±0.4	±1.1	±0.4	±1.0	±0.4	±0.3	±0.5	±0.2	±0.5	±0.2	±0.6	±0.2
	14	±0.6	±1.4	±0.5	±1.3	±0.5	±1.4	±0.5	±0.3	±0.8	±0.3	±0.7	±0.3	±0.6	±0.3
	15	±0.7	±1.4	±0.6	±1.6	±0.6	±1.4	±0.6	±0.4	±0.9	±0.3	±0.9	±0.3	±0.7	±0.3
	16	±0.9	±2.1	±0.7	±1.8	±0.8	±1.9	±0.8	±0.5	±1.2	±0.4	±1.1	±0.5	±1.1	±0.5
	17	±1.1	±2.3	±0.9	±2.5	±1.0	±2.4	±1.0	±0.7	±1.4	±0.5	±1.5	±0.5	±1.5	±0.6
	18	±1.7	±2.8	±1.2	±3.6	±1.2	±3.1	±1.4	±1.1	±1.9	±0.7	±1.7	±0.7	±1.4	±0.9
Grade															
	6th	±0.3	±1.0	±0.3	±0.5	±0.3	±0.6	±0.3	±0.2	±0.3	±0.1	±0.2	±0.2	±0.3	±0.2
	7th	±0.5	±1.1	±0.4	±1.0	±0.4	±1.0	±0.4	±0.3	±0.6	±0.2	±0.7	±0.2	±0.6	±0.2
	8th	±0.5	±1.3	±0.5	±1.3	±0.5	±1.5	±0.5	±0.3	±0.7	±0.3	±0.6	±0.3	±0.7	±0.3
	9th	±0.8	±1.5	±0.5	±1.6	±0.6	±1.4	±0.6	±0.4	±0.9	±0.3	±0.9	±0.3	±0.7	±0.3
	10th	±0.9	±1.9	±0.7	±1.7	±0.8	±1.7	±0.8	±0.5	±1.1	±0.4	±1.0	±0.5	±1.0	±0.4
	11th	±1.0	±2.3	±0.9	±2.2	±0.9	±2.4	±0.9	±0.6	±1.3	±0.5	±1.3	±0.5	±1.3	±0.5
	12th	±1.1	±2.4	±1.1	±2.9	±1.1	±2.5	±1.2	±0.6	±1.6	±0.6	±1.7	±0.7	±1.3	±0.8
	Overall Middle School	±0.3	±0.6	±0.2	±0.6	±0.2	±0.6	±0.2	±0.2	±0.3	±0.1	±0.3	±0.1	±0.3	±0.1
	Overall High School	±0.4	±1.0	±0.4	±1.0	±0.4	±1.0	±0.4	±0.3	±0.6	±0.2	±0.6	±0.2	±0.5	±0.2
	Total	±0.3	±0.6	±0.2	±0.6	±0.2	±0.6	±0.2	±0.2	±0.3	±0.1	±0.3	±0.1	±0.3	±0.1

Table 20. Percentages of surveyed Florida youth who used crack cocaine in lifetime and past 30 days, by sex, race/ethnic group, age and grade—2000 to 2006

		Crack Cocaine Use													
		Lifetime						Past 30 Days							
		2000 %	2001 %	2002 %	2003 %	2004 %	2005 %	2006 %	2000 %	2001 %	2002 %	2003 %	2004 %	2005 %	2006 %
Sex															
	Female	±0.2	±0.6	±0.2	±0.5	±0.2	±0.6	±0.2	±0.1	±0.3	±0.1	±0.3	±0.1	±0.3	±0.1
	Male	±0.3	±0.7	±0.2	±0.5	±0.2	±0.6	±0.2	±0.2	±0.3	±0.1	±0.4	±0.1	±0.3	±0.1
Race/Ethnic group															
	African American	±0.3	±0.6	±0.2	±0.5	±0.2	±0.6	±0.3	±0.2	±0.3	±0.1	±0.4	±0.2	±0.2	±0.2
	Hispanic/Latino	±0.5	±1.2	±0.4	±0.9	±0.5	±1.0	±0.5	±0.3	±0.7	±0.2	±0.5	±0.3	±0.4	±0.3
	White, non-Hispanic	±0.3	±0.8	±0.2	±0.6	±0.2	±0.7	±0.2	±0.1	±0.4	±0.1	±0.4	±0.1	±0.4	±0.1
Age															
	11	±0.2	±1.1	±0.4	±1.1	±0.5	±0.0	±0.4	±0.0	±0.8	±0.2	±0.8	±0.4	±0.0	±0.3
	12	±0.3	±1.0	±0.3	±0.7	±0.3	±0.9	±0.3	±0.2	±0.5	±0.2	±0.0	±0.2	±0.5	±0.2
	13	±0.4	±1.0	±0.3	±1.0	±0.4	±0.9	±0.3	±0.2	±0.6	±0.2	±0.5	±0.2	±0.6	±0.2
	14	±0.5	±1.2	±0.4	±0.8	±0.4	±1.1	±0.4	±0.3	±0.5	±0.2	±0.6	±0.2	±0.3	±0.2
	15	±0.5	±1.1	±0.4	±1.1	±0.5	±0.9	±0.4	±0.3	±0.3	±0.2	±0.9	±0.2	±0.3	±0.2
	16	±0.6	±1.4	±0.4	±1.2	±0.5	±1.2	±0.5	±0.3	±0.8	±0.2	±0.7	±0.3	±0.7	±0.3
	17	±0.7	±1.6	±0.5	±1.2	±0.5	±1.4	±0.5	±0.3	±0.7	±0.2	±0.5	±0.3	±0.7	±0.3
	18	±0.9	±1.5	±0.5	±1.8	±0.6	±1.7	±0.7	±0.4	±0.8	±0.1	±0.8	±0.3	±0.0	±0.3
Grade															
	6th	±0.3	±0.9	±0.3	±0.7	±0.3	±0.7	±0.3	±0.2	±0.6	±0.1	±0.2	±0.2	±0.3	±0.2
	7th	±0.4	±1.0	±0.3	±0.9	±0.4	±1.0	±0.4	±0.3	±0.5	±0.2	±0.6	±0.3	±0.6	±0.2
	8th	±0.4	±1.1	±0.4	±1.0	±0.4	±1.1	±0.4	±0.2	±0.6	±0.2	±0.7	±0.2	±0.5	±0.2
	9th	±0.6	±1.2	±0.4	±1.1	±0.4	±1.0	±0.5	±0.3	±0.5	±0.2	±0.8	±0.2	±0.4	±0.3
	10th	±0.5	±1.2	±0.4	±0.9	±0.5	±1.0	±0.5	±0.3	±0.7	±0.2	±0.7	±0.2	±0.5	±0.3
	11th	±0.6	±1.6	±0.4	±1.2	±0.5	±1.5	±0.5	±0.2	±0.6	±0.2	±0.6	±0.3	±0.7	±0.2
	12th	±0.5	±1.2	±0.5	±1.3	±0.5	±1.4	±0.6	±0.3	±0.6	±0.3	±0.5	±0.3	±0.5	±0.3
Overall Middle School		±0.2	±0.6	±0.2	±0.5	±0.2	±0.6	±0.2	±0.1	±0.3	±0.1	±0.3	±0.1	±0.3	±0.1
Overall High School		±0.3	±0.7	±0.2	±0.6	±0.2	±0.6	±0.3	±0.1	±0.3	±0.1	±0.4	±0.1	±0.3	±0.1
Total		±0.2	±0.5	±0.1	±0.4	±0.2	±0.4	±0.2	±0.1	±0.2	±0.1	±0.2	±0.1	±0.2	±0.1

Table 21. Percentages of surveyed Florida youth who used methamphetamine in lifetime and past 30 days, by sex, race/ethnic group, age and grade—2000 to 2006

		Methamphetamine Use													
		Lifetime						Past 30 Days							
		2000 %	2001 %	2002 %	2003 %	2004 %	2005 %	2006 %	2000 %	2001 %	2002 %	2003 %	2004 %	2005 %	2006 %
Sex															
	Female	±0.3	±0.7	±0.2	±0.7	±0.3	±0.6	±0.2	±0.2	±0.4	±0.1	±0.4	±0.1	±0.3	±0.1
	Male	±0.3	±0.7	±0.3	±0.7	±0.3	±0.7	±0.2	±0.2	±0.4	±0.2	±0.4	±0.2	±0.4	±0.1
Race/Ethnic group															
	African American	±0.2	±0.6	±0.3	±0.9	±0.3	±0.8	±0.3	±0.2	±0.5	±0.2	±0.8	±0.3	±0.4	±0.2
	Hispanic/Latino	±0.5	±1.3	±0.4	±1.0	±0.5	±0.9	±0.4	±0.3	±0.7	±0.3	±0.6	±0.3	±0.6	±0.2
	White, non-Hispanic	±0.4	±0.8	±0.3	±0.8	±0.2	±0.7	±0.3	±0.2	±0.4	±0.1	±0.4	±0.1	±0.4	±0.1
Age															
	11	±0.2	±1.7	±0.6	±1.5	±0.4	±1.1	±0.5	±0.1	±1.1	±0.5	±1.5	±0.2	±1.1	±0.4
	12	±0.2	±1.0	±0.4	±1.0	±0.4	±0.9	±0.3	±0.2	±0.4	±0.2	±0.7	±0.3	±0.5	±0.2
	13	±0.3	±1.0	±0.4	±1.2	±0.4	±1.0	±0.4	±0.2	±0.6	±0.2	±0.9	±0.3	±0.6	±0.3
	14	±0.5	±1.4	±0.4	±1.1	±0.4	±1.2	±0.4	±0.3	±0.7	±0.3	±0.8	±0.3	±0.6	±0.3
	15	±0.6	±1.2	±0.5	±1.3	±0.5	±1.1	±0.4	±0.4	±0.8	±0.3	±0.9	±0.3	±0.6	±0.2
	16	±0.8	±1.4	±0.5	±1.2	±0.5	±1.3	±0.5	±0.5	±0.6	±0.3	±0.6	±0.3	±0.9	±0.2
	17	±0.9	±1.8	±0.6	±1.8	±0.6	±1.3	±0.5	±0.5	±0.8	±0.3	±0.9	±0.3	±0.6	±0.3
	18	±1.5	±2.2	±0.9	±2.1	±0.8	±1.4	±0.7	±1.0	±1.2	±0.5	±0.9	±0.4	±0.0	±0.3
Grade															
	6th	±0.3	±0.9	±0.4	±1.0	±0.3	±0.8	±0.3	±0.2	±0.3	±0.3	±0.8	±0.2	±0.6	±0.2
	7th	±0.3	±1.1	±0.3	±1.1	±0.5	±1.1	±0.4	±0.3	±0.7	±0.2	±0.8	±0.3	±0.7	±0.3
	8th	±0.4	±1.2	±0.5	±1.2	±0.5	±1.1	±0.4	±0.2	±0.7	±0.3	±0.7	±0.3	±0.6	±0.3
	9th	±0.7	±1.4	±0.5	±1.3	±0.4	±1.1	±0.5	±0.4	±0.7	±0.3	±1.0	±0.2	±0.6	±0.2
	10th	±0.7	±1.4	±0.5	±1.1	±0.5	±1.2	±0.5	±0.4	±0.7	±0.3	±0.5	±0.3	±0.8	±0.2
	11th	±0.8	±1.7	±0.6	±1.4	±0.6	±1.4	±0.5	±0.6	±0.6	±0.3	±0.6	±0.3	±0.7	±0.2
	12th	±1.0	±1.7	±0.7	±2.0	±0.6	±1.1	±0.6	±0.6	±1.0	±0.4	±0.9	±0.3	±0.5	±0.3
	Overall Middle School	±0.2	±0.6	±0.2	±0.6	±0.2	±0.6	±0.2	±0.1	±0.3	±0.2	±0.4	±0.2	±0.4	±0.2
	Overall High School	±0.4	±0.8	±0.3	±0.7	±0.3	±0.6	±0.2	±0.2	±0.4	±0.1	±0.4	±0.1	±0.3	±0.1
	Total	±0.2	±0.5	±0.2	±0.5	±0.2	±0.4	±0.2	±0.1	±0.3	±0.1	±0.3	±0.1	±0.2	±0.1

Table 22. Percentages of surveyed Florida youth who used depressants in lifetime and past 30 days, by sex, race/ethnic group, age and grade—2000 to 2006

		Depressant Use													
		Lifetime						Past 30 Days							
		2000 %	2001 %	2002 %	2003 %	2004 %	2005 %	2006 %	2000 %	2001 %	2002 %	2003 %	2004 %	2005 %	2006 %
Sex															
	Female	±0.3	±1.0	±0.4	±1.1	±0.4	±1.0	±0.4	±0.2	±0.7	±0.3	±0.7	±0.3	±0.7	±0.3
	Male	±0.4	±1.0	±0.4	±1.1	±0.4	±0.9	±0.4	±0.2	±0.6	±0.3	±0.7	±0.2	±0.6	±0.2
Race/Ethnic group															
	African American	±0.2	±0.7	±0.2	±0.6	±0.3	±0.6	±0.3	±0.1	±0.6	±0.2	±0.2	±0.2	±0.5	±0.2
	Hispanic/Latino	±0.6	±1.8	±0.7	±1.4	±0.7	±1.3	±0.6	±0.3	±1.0	±0.4	±0.8	±0.4	±0.8	±0.4
	White, non-Hispanic	±0.4	±1.2	±0.5	±1.4	±0.5	±1.4	±0.5	±0.3	±0.8	±0.3	±0.8	±0.3	±0.9	±0.3
Age															
	11	±0.3	±1.5	±0.4	±0.8	±0.3	±0.0	±0.5	±0.1	±0.0	±0.2	±0.0	±0.2	±0.0	±0.3
	12	±0.2	±0.9	±0.3	±0.8	±0.3	±0.8	±0.3	±0.2	±0.6	±0.2	±0.5	±0.2	±0.4	±0.2

13	±0.4	±1.5	±0.5	±1.0	±0.4	±1.2	±0.4	±0.2	±1.0	±0.3	±0.5	±0.3	±0.8	±0.3
14	±0.5	±1.6	±0.6	±1.5	±0.6	±1.6	±0.6	±0.3	±1.0	±0.4	±0.8	±0.4	±1.0	±0.4
15	±0.7	±2.0	±0.8	±2.1	±0.8	±1.8	±0.7	±0.4	±1.1	±0.5	±1.3	±0.5	±1.2	±0.5
16	±0.9	±2.4	±0.9	±2.7	±1.0	±2.2	±0.9	±0.6	±1.6	±0.6	±1.5	±0.6	±1.4	±0.6
17	±1.1	±2.8	±1.2	±3.1	±1.2	±2.8	±1.1	±0.6	±1.9	±0.8	±2.0	±0.7	±1.7	±0.7
18	±1.6	±3.4	±1.5	±4.3	±1.7	±3.5	±1.6	±1.0	±2.2	±1.0	±3.0	±1.0	±2.1	±1.0
Grade														
6th	±0.2	±1.0	±0.3	±0.6	±0.3	±0.6	±0.3	±0.1	±0.7	±0.2	±0.3	±0.2	±0.2	±0.2
7th	±0.4	±1.3	±0.4	±0.9	±0.5	±1.2	±0.4	±0.2	±0.9	±0.3	±0.5	±0.3	±0.8	±0.3
8th	±0.5	±1.5	±0.6	±1.5	±0.6	±1.6	±0.6	±0.3	±0.9	±0.4	±0.9	±0.4	±1.0	±0.4
9th	±0.7	±2.0	±0.7	±2.0	±0.8	±1.8	±0.8	±0.5	±1.1	±0.5	±1.3	±0.5	±1.3	±0.5
10th	±0.8	±2.4	±0.9	±2.6	±0.9	±2.1	±0.9	±0.5	±1.7	±0.6	±1.4	±0.6	±1.3	±0.6
11th	±0.9	±2.7	±1.1	±2.9	±1.2	±2.6	±1.1	±0.6	±1.8	±0.7	±1.7	±0.7	±1.7	±0.6
12th	±1.1	±2.9	±1.3	±3.6	±1.4	±3.0	±1.3	±0.7	±1.9	±0.9	±2.5	±0.8	±1.8	±0.8
Overall Middle School	±0.2	±0.7	±0.3	±0.6	±0.3	±0.7	±0.3	±0.1	±0.5	±0.2	±0.3	±0.2	±0.4	±0.2
Overall High School	±0.4	±1.2	±0.5	±1.3	±0.5	±1.2	±0.5	±0.3	±0.8	±0.3	±0.8	±0.3	±0.7	±0.3
Total	±0.2	±0.7	±0.3	±0.8	±0.3	±0.7	±0.3	±0.1	±0.5	±0.2	±0.5	±0.2	±0.4	±0.2

Table 23. Percentages of surveyed Florida youth who used heroin in lifetime and past 30 days, by sex, race/ethnic group, age and grade—2000 to 2006

		Heroin Use													
		Lifetime							Past 30 Days						
		2000 %	2001 %	2002 %	2003 %	2004 %	2005 %	2006 %	2000 %	2001 %	2002 %	2003 %	2004 %	2005 %	2006 %
Sex															
Female		±0.2	±0.5	±0.2	±0.5	±0.2	±0.4	±0.2	±0.1	±0.2	±0.1	±0.3	±0.1	±0.2	±0.1
Male		±0.2	±0.5	±0.2	±0.5	±0.2	±0.4	±0.2	±0.2	±0.3	±0.1	±0.3	±0.1	±0.2	±0.1
Race/Ethnic group															
African American		±0.2	±0.5	±0.2	±0.5	±0.2	±0.5	±0.2	±0.1	±0.4	±0.2	±0.4	±0.2	±0.2	±0.2
Hispanic/Latino		±0.4	±0.9	±0.3	±0.7	±0.4	±0.6	±0.3	±0.3	±0.5	±0.1	±0.4	±0.2	±0.4	±0.2
White, non-Hispanic		±0.3	±0.5	±0.2	±0.6	±0.2	±0.5	±0.2	±0.2	±0.2	±0.1	±0.3	±0.1	±0.3	±0.1
Age															
11		±0.2	±0.8	±0.4	±1.1	±0.4	±0.0	±0.3	±0.0	±0.0	±0.2	±0.0	±0.3	±0.0	±0.3
12		±0.2	±0.7	±0.2	±0.6	±0.2	±0.6	±0.2	±0.2	±0.2	±0.1	±0.4	±0.1	±0.2	±0.1
13		±0.3	±0.8	±0.2	±0.9	±0.3	±0.7	±0.3	±0.2	±0.5	±0.1	±0.5	±0.1	±0.3	±0.2
14		±0.4	±0.9	±0.3	±0.8	±0.3	±0.8	±0.3	±0.2	±0.3	±0.2	±0.4	±0.2	±0.4	±0.2
15		±0.5	±0.9	±0.3	±1.0	±0.3	±0.8	±0.3	±0.3	±0.5	±0.2	±0.7	±0.2	±0.3	±0.2
16		±0.6	±1.0	±0.3	±1.0	±0.3	±0.7	±0.4	±0.3	±0.5	±0.2	±0.3	±0.2	±0.6	±0.2
17		±0.7	±1.2	±0.4	±1.0	±0.4	±1.2	±0.4	±0.3	±0.6	±0.3	±0.3	±0.2	±0.6	±0.2
18		±1.2	±0.9	±0.5	±1.5	±0.4	±0.9	±0.5	±0.5	±0.0	±0.2	±1.2	±0.3	±0.5	±0.3
Grade															
6th		±0.2	±0.7	±0.2	±0.5	±0.2	±0.4	±0.2	±0.2	±0.2	±0.1	±0.3	±0.1	±0.0	±0.1
7th		±0.3	±0.9	±0.2	±0.8	±0.3	±0.7	±0.3	±0.2	±0.4	±0.1	±0.4	±0.2	±0.4	±0.1
8th		±0.4	±0.8	±0.3	±0.9	±0.3	±0.8	±0.3	±0.2	±0.5	±0.2	±0.6	±0.2	±0.4	±0.2
9th		±0.5	±1.0	±0.3	±0.9	±0.3	±0.8	±0.3	±0.3	±0.5	±0.2	±0.6	±0.2	±0.4	±0.2
10th		±0.5	±0.8	±0.3	±1.0	±0.3	±0.8	±0.3	±0.3	±0.5	±0.2	±0.5	±0.2	±0.5	±0.2
11th		±0.7	±1.1	±0.4	±0.9	±0.3	±1.1	±0.4	±0.3	±0.6	±0.2	±0.3	±0.1	±0.6	±0.2
12th		±0.6	±0.9	±0.5	±1.3	±0.4	±1.0	±0.4	±0.4	±0.0	±0.3	±0.7	±0.2	±0.3	±0.3
Overall Middle School		±0.2	±0.4	±0.2	±0.4	±0.2	±0.4	±0.2	±0.1	±0.2	±0.1	±0.2	±0.1	±0.2	±0.1
Overall High School		±0.3	±0.5	±0.2	±0.5	±0.2	±0.5	±0.2	±0.2	±0.2	±0.1	±0.3	±0.1	±0.2	±0.1

Total	± 0.2	± 0.3	± 0.1	± 0.3	± 0.1	± 0.3	± 0.1	± 0.1	± 0.2	± 0.1	± 0.2	± 0.1	± 0.2	± 0.1
--------------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------

Table 24. Percentages of surveyed Florida youth who used prescription pain relievers in lifetime and past 30 days, by sex, race/ethnic group, age and grade—2000 to 2006

		Prescription Pain Reliever Use													
		Lifetime							Past 30 Days						
		2000 %	2001 %	2002 %	2003 %	2004 %	2005 %	2006 %	2000 %	2001 %	2002 %	2003 %	2004 %	2005 %	2006 %
Sex															
	Female	--	--	±0.4	±1.2	±0.5	±1.1	±0.5	--	--	±0.3	±0.8	±0.3	±0.7	±0.3
	Male	--	--	±0.4	±1.2	±0.4	±1.1	±0.4	--	--	±0.3	±0.8	±0.3	±0.7	±0.3
Race/Ethnic group															
	African American	--	--	±0.4	±1.2	±0.5	±1.2	±0.5	--	--	±0.3	±0.8	±0.3	±0.9	±0.3
	Hispanic/Latino	--	--	±0.7	±1.4	±0.7	±1.4	±0.7	--	--	±0.4	±0.9	±0.5	±0.9	±0.4
	White, non-Hispanic	--	--	±0.5	±1.5	±0.5	±1.5	±0.5	--	--	±0.3	±1.0	±0.3	±0.9	±0.3
Age															
	11	--	--	±0.7	±2.4	±0.8	±1.7	±0.7	--	--	±0.5	±1.1	±0.5	±1.1	±0.4
	12	--	--	±0.5	±1.4	±0.5	±1.2	±0.5	--	--	±0.3	±1.1	±0.4	±0.8	±0.3
	13	--	--	±0.6	±1.4	±0.6	±1.7	±0.6	--	--	±0.4	±1.0	±0.4	±1.0	±0.4
	14	--	--	±0.7	±2.0	±0.7	±1.8	±0.7	--	--	±0.5	±1.3	±0.4	±1.2	±0.5
	15	--	--	±0.8	±2.1	±0.8	±2.0	±0.8	--	--	±0.6	±1.5	±0.6	±1.3	±0.5
	16	--	--	±1.0	±2.8	±1.0	±2.4	±1.0	--	--	±0.7	±1.9	±0.7	±1.6	±0.7
	17	--	--	±1.2	±3.2	±1.2	±2.8	±1.2	--	--	±0.7	±2.0	±0.8	±1.7	±0.7
	18	--	--	±1.6	±4.5	±1.7	±3.5	±1.7	--	--	±1.0	±3.1	±0.9	±2.1	±1.0
Grade															
	6th	--	--	±0.4	±1.3	±0.5	±1.1	±0.5	--	--	±0.3	±0.9	±0.3	±0.8	±0.3
	7th	--	--	±0.5	±1.4	±0.6	±1.7	±0.6	--	--	±0.4	±1.0	±0.4	±1.1	±0.4
	8th	--	--	±0.7	±1.9	±0.7	±1.7	±0.7	--	--	±0.5	±1.4	±0.5	±1.0	±0.5
	9th	--	--	±0.8	±2.1	±0.8	±2.0	±0.8	--	--	±0.5	±1.5	±0.5	±1.4	±0.5
	10th	--	--	±0.9	±2.6	±1.0	±2.3	±1.0	--	--	±0.6	±1.8	±0.6	±1.6	±0.6
	11th	--	--	±1.1	±2.9	±1.2	±2.8	±1.1	--	--	±0.7	±1.7	±0.8	±1.7	±0.7
	12th	--	--	±1.4	±3.8	±1.4	±2.9	±1.4	--	--	±0.9	±2.6	±0.8	±1.8	±0.9
	Overall Middle School	--	--	±0.3	±0.9	±0.3	±0.9	±0.3	--	--	±0.2	±0.6	±0.2	±0.6	±0.2
	Overall High School	--	--	±0.5	±1.4	±0.5	±1.2	±0.5	--	--	±0.3	±0.9	±0.3	±0.8	±0.3
	Total	--	--	±0.3	±0.8	±0.3	±0.8	±0.3	--	--	±0.2	±0.6	±0.2	±0.5	±0.2

Table 25. Percentages of surveyed Florida youth who used steroids without a doctor's order in lifetime and past 30 days, by sex, race/ethnic group, age and grade—2000 to 2006

		Steroid Use													
		Lifetime						Past 30 Days							
		2000 %	2001 %	2002 %	2003 %	2004 %	2005 %	2006 %	2000 %	2001 %	2002 %	2003 %	2004 %	2005 %	2006 %
Sex															
	Female	±0.2	±0.5	±0.1	±0.4	±0.2	±0.3	±0.1	±0.1	±0.3	±0.1	±0.2	±0.1	±0.2	±0.1
	Male	±0.3	±0.7	±0.2	±0.7	±0.2	±0.5	±0.2	±0.2	±0.4	±0.1	±0.4	±0.1	±0.3	±0.2
Race/Ethnic group															
	African American	±0.3	±0.7	±0.3	±0.5	±0.3	±0.5	±0.2	±0.2	±0.4	±0.2	±0.2	±0.2	±0.4	±0.2
	Hispanic/Latino	±0.4	±1.0	±0.3	±0.7	±0.4	±0.6	±0.3	±0.3	±0.7	±0.2	±0.4	±0.3	±0.3	±0.2
	White, non-Hispanic	±0.3	±0.7	±0.2	±0.6	±0.2	±0.5	±0.2	±0.2	±0.4	±0.1	±0.4	±0.1	±0.3	±0.1
Age															
	11	±0.3	±0.0	±0.5	±1.1	±0.4	±0.8	±0.5	±0.2	±0.0	±0.4	±0.0	±0.3	±0.8	±0.4
	12	±0.4	±0.9	±0.3	±0.8	±0.3	±0.7	±0.2	±0.2	±0.5	±0.2	±0.6	±0.2	±0.5	±0.2
	13	±0.4	±1.1	±0.3	±0.9	±0.3	±0.8	±0.3	±0.3	±0.8	±0.2	±0.5	±0.2	±0.5	±0.2
	14	±0.4	±1.2	±0.4	±0.8	±0.3	±0.7	±0.2	±0.3	±0.5	±0.2	±0.5	±0.2	±0.4	±0.2
	15	±0.5	±1.1	±0.3	±0.9	±0.3	±0.6	±0.3	±0.3	±0.8	±0.2	±0.6	±0.2	±0.3	±0.2
	16	±0.6	±1.2	±0.4	±1.0	±0.3	±0.9	±0.4	±0.4	±0.6	±0.2	±0.4	±0.2	±0.4	±0.3
	17	±0.6	±1.3	±0.4	±1.1	±0.5	±1.1	±0.4	±0.4	±0.7	±0.2	±0.7	±0.3	±0.8	±0.3
	18	±0.8	±1.8	±0.6	±1.9	±0.6	±1.3	±0.5	±0.5	±1.2	±0.4	±0.9	±0.5	±0.5	±0.4
Grade															
	6th	±0.3	±0.8	±0.3	±0.7	±0.3	±0.7	±0.3	±0.2	±0.3	±0.2	±0.4	±0.1	±0.5	±0.2
	7th	±0.4	±1.0	±0.3	±0.8	±0.3	±0.8	±0.3	±0.2	±0.7	±0.2	±0.6	±0.2	±0.5	±0.2
	8th	±0.4	±1.0	±0.4	±0.8	±0.3	±0.7	±0.3	±0.3	±0.6	±0.2	±0.6	±0.2	±0.4	±0.2
	9th	±0.5	±1.1	±0.3	±1.0	±0.3	±0.7	±0.3	±0.4	±0.8	±0.2	±0.5	±0.2	±0.4	±0.2
	10th	±0.5	±1.2	±0.4	±1.0	±0.4	±0.8	±0.4	±0.3	±0.7	±0.2	±0.5	±0.2	±0.5	±0.3
	11th	±0.5	±1.1	±0.4	±1.0	±0.4	±1.1	±0.3	±0.3	±0.6	±0.3	±0.6	±0.3	±0.6	±0.3
	12th	±0.5	±1.6	±0.5	±1.5	±0.5	±0.9	±0.5	±0.3	±1.0	±0.3	±0.7	±0.3	±0.5	±0.3
Overall Middle School		±0.2	±0.6	±0.2	±0.5	±0.2	±0.4	±0.2	±0.2	±0.3	±0.1	±0.3	±0.1	±0.3	±0.1
Overall High School		±0.3	±0.6	±0.2	±0.5	±0.2	±0.4	±0.2	±0.2	±0.4	±0.1	±0.3	±0.1	±0.2	±0.1
Total		±0.2	±0.4	±0.1	±0.4	±0.1	±0.3	±0.1	±0.1	±0.3	±0.1	±0.2	±0.1	±0.2	±0.1

Table 26. Percentages of surveyed Florida youth who used prescription amphetamines in lifetime and past 30 days, by sex, race/ethnic group, age and grade—2000 to 2006

		Prescription Amphetamine Use													
		Lifetime						Past 30 Days							
		2000 %	2001 %	2002 %	2003 %	2004 %	2005 %	2006 %	2000 %	2001 %	2002 %	2003 %	2004 %	2005 %	2006 %
Sex															
	Female	--	±0.9	±0.3	±0.8	±0.3	±0.8	±0.3	--	±0.5	±0.2	±0.4	±0.2	±0.5	±0.2
	Male	--	±1.1	±0.3	±0.9	±0.3	±0.8	±0.3	--	±0.6	±0.2	±0.6	±0.2	±0.4	±0.2
Race/Ethnic group															
	African American	--	±0.7	±0.3	±0.7	±0.3	±0.6	±0.3	--	±0.5	±0.2	±0.5	±0.2	±0.4	±0.2
	Hispanic/Latino	--	±1.3	±0.5	±1.0	±0.5	±0.8	±0.4	--	±0.7	±0.3	±0.4	±0.3	±0.3	±0.2
	White, non-Hispanic	--	±1.2	±0.4	±1.1	±0.4	±1.1	±0.4	--	±0.7	±0.2	±0.7	±0.2	±0.7	±0.2
Age															
	11	--	±1.9	±0.4	±0.8	±0.4	±1.1	±0.4	--	±1.3	±0.2	±0.0	±0.2	±0.8	±0.2
	12	--	±1.1	±0.3	±0.8	±0.3	±0.7	±0.3	--	±0.5	±0.2	±0.7	±0.2	±0.6	±0.2
	13	--	±1.4	±0.4	±1.2	±0.4	±1.1	±0.4	--	±0.9	±0.3	±0.8	±0.2	±0.7	±0.3
	14	--	±1.6	±0.5	±1.3	±0.5	±1.2	±0.5	--	±1.1	±0.4	±0.8	±0.3	±0.7	±0.3
	15	--	±2.0	±0.6	±1.8	±0.6	±1.4	±0.6	--	±1.2	±0.4	±1.2	±0.3	±0.8	±0.4
	16	--	±2.2	±0.7	±1.8	±0.8	±1.7	±0.8	--	±1.2	±0.4	±1.2	±0.4	±1.0	±0.5
	17	--	±2.4	±0.9	±2.3	±0.8	±2.1	±0.9	--	±1.5	±0.4	±1.0	±0.4	±1.2	±0.5
	18	--	±2.8	±1.1	±3.0	±1.2	±2.4	±1.2	--	±1.5	±0.5	±1.4	±0.6	±0.9	±0.6
Grade															
	6th	--	±1.0	±0.3	±0.8	±0.3	±0.6	±0.3	--	±0.6	±0.2	±0.6	±0.2	±0.5	±0.2
	7th	--	±1.3	±0.4	±0.9	±0.4	±1.0	±0.4	--	±0.7	±0.3	±0.7	±0.2	±0.6	±0.2
	8th	--	±1.6	±0.5	±1.5	±0.5	±1.3	±0.5	--	±1.1	±0.3	±1.0	±0.3	±0.8	±0.3
	9th	--	±1.9	±0.6	±1.7	±0.6	±1.4	±0.6	--	±1.2	±0.4	±1.1	±0.3	±0.9	±0.4
	10th	--	±2.3	±0.7	±1.9	±0.7	±1.8	±0.8	--	±1.2	±0.4	±1.1	±0.4	±1.0	±0.4
	11th	--	±2.3	±0.8	±2.0	±0.8	±2.1	±0.9	--	±1.3	±0.4	±1.1	±0.4	±1.1	±0.5
	12th	--	±2.5	±1.0	±2.6	±1.0	±2.0	±1.0	--	±1.5	±0.5	±1.1	±0.5	±0.9	±0.5
	Overall Middle School	--	±0.8	±0.2	±0.6	±0.2	±0.6	±0.2	--	±0.5	±0.2	±0.5	±0.1	±0.4	±0.2
	Overall High School	--	±1.1	±0.4	±1.0	±0.4	±0.9	±0.4	--	±0.7	±0.2	±0.6	±0.2	±0.5	±0.2
	Total	--	±0.7	±0.2	±0.6	±0.2	±0.5	±0.2	--	±0.4	±0.1	±0.4	±0.1	±0.3	±0.1

Table 27. Percentages of surveyed Florida youth who used *any illicit drug*, *any illicit drug other than marijuana* and *alcohol only* in lifetime and past 30 days, by sex, race/ethnic group, age and grade—all drugs surveyed in 2006

	Lifetime			Past 30 Days		
	Any Illicit Drug %	Any Illicit Drug other than Marijuana %	Alcohol Only %	Any Illicit Drug %	Any Illicit Drug other than Marijuana %	Alcohol Only %
Sex						
Female	±0.8	±0.7	±0.7	±0.6	±0.5	±0.7
Male	±0.8	±0.7	±0.8	±0.6	±0.5	±0.7
Race/Ethnic group						
African American	±1.3	±1.0	±1.3	±1.0	±0.7	±1.0
Hispanic/Latino	±1.4	±1.2	±1.4	±1.0	±0.8	±1.2
White, non-Hispanic	±0.8	±0.7	±0.7	±0.6	±0.5	±0.7
Age						
11	±1.9	±1.9	±1.9	±1.4	±1.3	±1.2
12	±1.1	±1.1	±1.2	±0.8	±0.8	±0.8
13	±1.1	±1.1	±1.2	±0.9	±0.8	±0.9
14	±1.3	±1.2	±1.3	±1.0	±0.8	±1.1
15	±1.4	±1.2	±1.4	±1.1	±0.9	±1.2
16	±1.5	±1.4	±1.5	±1.3	±1.0	±1.4
17	±1.8	±1.6	±1.7	±1.5	±1.1	±1.6
18	±2.5	±2.2	±2.3	±2.1	±1.6	±2.3
Grade						
6th	±1.0	±1.0	±1.0	±0.7	±0.7	±0.7
7th	±1.1	±1.1	±1.1	±0.9	±0.8	±0.9
8th	±1.2	±1.1	±1.2	±1.0	±0.8	±1.1
9th	±1.5	±1.3	±1.4	±1.2	±0.9	±1.3
10th	±1.5	±1.4	±1.5	±1.3	±1.0	±1.4
11th	±1.7	±1.5	±1.7	±1.4	±1.1	±1.6
12th	±2.1	±1.8	±1.9	±1.8	±1.3	±1.9
Overall Middle School	±0.7	±0.6	±0.7	±0.5	±0.5	±0.5
Overall High School	±0.8	±0.7	±0.8	±0.7	±0.5	±0.7
Total	±0.5	±0.5	±0.5	±0.4	±0.3	±0.5

Table 28. Percentages of surveyed Florida youth who used *alcohol or any illicit drug* and *any illicit drug, but no alcohol* in lifetime and past 30 days, by sex, race/ethnic group, age and grade—all drugs surveyed in 2006

	Lifetime		Past 30 Days	
	Alcohol or Any Illicit Drug %	Any Illicit Drug, but No Alcohol %	Alcohol or Any Illicit Drug %	Any Illicit Drug, but No Alcohol %
Sex				
Female	±0.8	±0.3	±0.8	±0.3
Male	±0.8	±0.4	±0.8	±0.4
Race/Ethnic group				
African American	±1.5	±0.7	±1.3	±0.7
Hispanic/Latino	±1.5	±0.6	±1.4	±0.6
White, non-Hispanic	±0.8	±0.3	±0.8	±0.3
Age				
11	±2.5	±1.3	±1.8	±1.0
12	±1.4	±0.7	±1.1	±0.6
13	±1.4	±0.6	±1.2	±0.6
14	±1.4	±0.6	±1.3	±0.6
15	±1.4	±0.6	±1.4	±0.6
16	±1.4	±0.6	±1.6	±0.7
17	±1.5	±0.6	±1.8	±0.7
18	±2.1	±0.7	±2.5	±0.8
Grade				
6th	±1.3	±0.7	±1.0	±0.6
7th	±1.4	±0.6	±1.1	±0.6
8th	±1.4	±0.6	±1.3	±0.6
9th	±1.5	±0.6	±1.5	±0.6
10th	±1.4	±0.6	±1.6	±0.6
11th	±1.5	±0.6	±1.8	±0.7
12th	±1.7	±0.6	±2.1	±0.7
Overall Middle School	±0.8	±0.4	±0.7	±0.3
Overall High School	±0.8	±0.3	±0.8	±0.3
Total	±0.6	±0.2	±0.6	±0.2

Table 29. Percentages of surveyed Florida youth who used any illicit drug in lifetime and past 30 days, by sex, race/ethnic group, age and grade—2000 to 2006

		Any Illicit Drug													
		Lifetime						Past 30 Days							
		2000 %	2001 %	2002 %	2003 %	2004 %	2005 %	2006 %	2000 %	2001 %	2002 %	2003 %	2004 %	2005 %	2006 %
Sex															
	Female	±0.7	±2.0	±0.7	±2.0	±0.7	±1.9	±0.7	±0.6	±1.5	±0.5	±1.5	±0.6	±1.5	±0.6
	Male	±0.8	±2.2	±0.8	±2.2	±0.8	±2.0	±0.8	±0.7	±1.8	±0.6	±1.8	±0.6	±1.6	±0.6
Race/Ethnic group															
	African American	±1.2	±2.9	±1.1	±3.0	±1.2	±2.9	±1.2	±0.9	±2.1	±0.8	±2.3	±0.9	±2.2	±0.9
	Hispanic/Latino	±1.3	±3.5	±1.5	±3.1	±1.4	±2.8	±1.3	±1.1	±2.8	±1.1	±2.3	±1.1	±2.1	±1.0
	White, non-Hispanic	±0.8	±2.2	±0.7	±2.3	±0.7	±2.3	±0.8	±0.7	±1.8	±0.6	±1.8	±0.6	±1.8	±0.6
Age															
	11	±1.0	±4.4	±1.7	±4.7	±1.9	±3.9	±1.9	±0.7	±3.0	±1.1	±3.1	±1.3	±2.3	±1.3
	12	±1.0	±3.0	±1.0	±3.0	±1.1	±2.8	±1.1	±0.7	±2.0	±0.7	±2.1	±0.8	±1.9	±0.7
	13	±1.1	±3.3	±1.1	±3.2	±1.2	±3.1	±1.1	±0.9	±2.5	±0.8	±2.4	±0.9	±2.3	±0.8
	14	±1.3	±3.5	±1.2	±3.4	±1.2	±3.4	±1.2	±1.1	±2.8	±1.0	±2.7	±0.9	±2.6	±0.9
	15	±1.5	±3.7	±1.4	±3.8	±1.3	±3.5	±1.4	±1.3	±3.1	±1.1	±3.1	±1.1	±2.6	±1.1
	16	±1.6	±4.1	±1.5	±4.1	±1.5	±3.8	±1.5	±1.4	±3.4	±1.2	±3.5	±1.3	±3.1	±1.2
	17	±1.8	±4.6	±1.7	±4.6	±1.8	±4.4	±1.8	±1.6	±3.9	±1.4	±3.9	±1.4	±3.7	±1.5
	18	±2.8	±6.0	±2.3	±6.3	±2.4	±5.9	±2.5	±2.4	±5.2	±1.9	±5.5	±2.0	±4.6	±2.1
Grade															
	6th	±0.9	±2.8	±0.9	±2.8	±1.0	±2.5	±1.0	±0.7	±1.9	±0.7	±2.0	±0.7	±1.8	±0.7
	7th	±1.2	±3.3	±1.1	±3.0	±1.2	±3.0	±1.1	±0.9	±2.6	±0.8	±2.3	±0.9	±2.2	±0.8
	8th	±1.2	±3.5	±1.2	±3.5	±1.3	±3.4	±1.2	±1.0	±2.7	±1.0	±2.8	±1.0	±2.6	±0.9
	9th	±1.5	±3.6	±1.3	±3.8	±1.3	±3.6	±1.4	±1.2	±3.0	±1.1	±3.1	±1.0	±2.6	±1.1
	10th	±1.6	±4.2	±1.5	±4.1	±1.5	±3.8	±1.5	±1.3	±3.5	±1.2	±3.4	±1.2	±3.0	±1.2
	11th	±1.8	±4.5	±1.7	±4.4	±1.8	±4.3	±1.7	±1.5	±3.8	±1.4	±3.6	±1.4	±3.5	±1.4
	12th	±1.9	±5.1	±2.0	±5.2	±2.0	±4.8	±2.1	±1.6	±4.3	±1.7	±4.6	±1.7	±4.0	±1.7
	Overall Middle School	±0.6	±1.8	±0.6	±1.8	±0.7	±1.8	±0.6	±0.5	±1.4	±0.5	±1.4	±0.5	±1.3	±0.5
	Overall High School	±0.8	±2.1	±0.8	±2.2	±0.8	±2.0	±0.8	±0.7	±1.8	±0.6	±1.8	±0.6	±1.6	±0.7
	Total	±0.5	±1.4	±0.5	±1.4	±0.5	±1.4	±0.5	±0.4	±1.1	±0.4	±1.2	±0.4	±1.0	±0.4

Table 30. Percentages of surveyed Florida youth who used any illicit drug other than marijuana in lifetime and past 30 days, by sex, race/ethnic group, age and grade—2000 to 2006

		Any Illicit Drug Other Than Marijuana													
		Lifetime						Past 30 Days							
		2000 %	2001 %	2002 %	2003 %	2004 %	2005 %	2006 %	2000 %	2001 %	2002 %	2003 %	2004 %	2005 %	2006 %
Sex															
	Female	±0.6	±1.7	±0.6	±1.6	±0.6	±1.6	±0.6	±0.4	±1.1	±0.4	±1.1	±0.4	±1.1	±0.4
	Male	±0.7	±1.8	±0.6	±1.8	±0.7	±1.7	±0.6	±0.5	±1.3	±0.4	±1.2	±0.4	±1.1	±0.4
Race/Ethnic group															
	African American	±0.7	±1.9	±0.8	±2.2	±0.9	±2.1	±0.9	±0.5	±1.3	±0.5	±1.5	±0.6	±1.5	±0.6
	Hispanic/Latino	±1.1	±3.0	±1.2	±2.5	±1.2	±2.4	±1.1	±0.8	±2.1	±0.8	±1.6	±0.8	±1.6	±0.7
	White, non-Hispanic	±0.7	±2.0	±0.6	±1.9	±0.7	±1.9	±0.7	±0.5	±1.3	±0.4	±1.3	±0.5	±1.3	±0.5
Age															
	11	±1.0	±4.4	±1.6	±4.6	±1.8	±3.8	±1.8	±0.7	±3.0	±1.1	±2.9	±1.3	±2.2	±1.3
	12	±0.9	±2.9	±1.0	±2.9	±1.0	±2.7	±1.0	±0.7	±1.9	±0.7	±2.0	±0.8	±1.8	±0.7
	13	±1.0	±3.0	±1.0	±2.9	±1.1	±2.9	±1.0	±0.7	±2.2	±0.7	±2.0	±0.8	±2.0	±0.7
	14	±1.1	±3.0	±1.1	±2.8	±1.1	±3.0	±1.1	±0.8	±2.0	±0.7	±1.8	±0.7	±2.0	±0.7
	15	±1.3	±3.1	±1.1	±3.2	±1.1	±3.0	±1.1	±0.9	±2.1	±0.8	±2.2	±0.8	±1.9	±0.8
	16	±1.4	±3.4	±1.2	±3.4	±1.3	±3.0	±1.3	±1.0	±2.3	±0.8	±2.2	±0.9	±2.0	±0.8
	17	±1.5	±3.8	±1.4	±3.7	±1.4	±3.4	±1.4	±1.1	±2.7	±1.0	±2.5	±0.9	±2.3	±1.0
	18	±2.4	±4.9	±1.9	±5.3	±2.0	±4.6	±2.0	±1.8	±3.4	±1.3	±3.7	±1.3	±2.8	±1.3
Grade															
	6th	±0.8	±2.6	±0.9	±2.7	±0.9	±2.4	±1.0	±0.6	±1.8	±0.6	±1.8	±0.7	±1.6	±0.7
	7th	±1.0	±3.0	±1.0	±2.8	±1.1	±2.8	±1.0	±0.8	±2.2	±0.7	±2.0	±0.8	±2.0	±0.7
	8th	±1.1	±3.0	±1.1	±3.0	±1.1	±3.1	±1.1	±0.8	±2.0	±0.8	±2.1	±0.8	±2.1	±0.7
	9th	±1.3	±3.1	±1.1	±3.0	±1.1	±3.0	±1.2	±0.9	±2.1	±0.7	±2.1	±0.7	±1.8	±0.8
	10th	±1.3	±3.5	±1.2	±3.4	±1.3	±3.0	±1.3	±1.0	±2.4	±0.8	±2.1	±0.9	±1.9	±0.8
	11th	±1.5	±3.7	±1.4	±3.5	±1.5	±3.3	±1.4	±1.0	±2.6	±0.9	±2.3	±0.9	±2.2	±0.9
	12th	±1.6	±4.2	±1.7	±4.3	±1.6	±3.8	±1.7	±1.2	±2.8	±1.1	±3.0	±1.1	±2.5	±1.1
	Overall Middle School	±0.6	±1.7	±0.6	±1.6	±0.6	±1.6	±0.6	±0.4	±1.1	±0.4	±1.1	±0.4	±1.1	±0.4
	Overall High School	±0.7	±1.8	±0.7	±1.7	±0.7	±1.6	±0.7	±0.5	±1.2	±0.4	±1.2	±0.4	±1.0	±0.4
	Total	±0.4	±1.2	±0.4	±1.2	±0.4	±1.1	±0.4	±0.3	±0.8	±0.3	±0.8	±0.3	±0.8	±0.3

Table 31. Percentages of surveyed Florida youth who used *alcohol only* in lifetime and past 30 days, by sex, race/ethnic group, age and grade—2000 to 2006

		Alcohol Only													
		Lifetime						Past 30 Days							
		2000 %	2001 %	2002 %	2003 %	2004 %	2005 %	2006 %	2000 %	2001 %	2002 %	2003 %	2004 %	2005 %	2006 %
Sex															
	Female	±0.7	±2.0	±0.7	±2.0	±0.7	±2.0	±0.7	±0.6	±1.7	±0.6	±1.7	±0.6	±1.7	±0.7
	Male	±0.7	±2.0	±0.7	±2.0	±0.8	±2.0	±0.8	±0.6	±1.7	±0.6	±1.8	±0.7	±1.7	±0.7
Race/Ethnic group															
	African American	±1.1	±2.9	±1.2	±3.0	±1.2	±3.1	±1.3	±0.9	±2.3	±1.0	±2.4	±1.0	±2.4	±1.0
	Hispanic/Latino	±1.3	±3.5	±1.5	±3.3	±1.5	±3.0	±1.4	±1.2	±3.1	±1.4	±2.8	±1.3	±2.6	±1.3
	White, non-Hispanic	±0.7	±2.1	±0.7	±2.1	±0.7	±2.2	±0.7	±0.7	±1.9	±0.6	±1.9	±0.6	±2.0	±0.7
Age															
	11	±1.3	±5.5	±2.0	±5.8	±2.0	±4.9	±1.9	±0.9	±3.3	±1.3	±3.9	±1.4	±3.0	±1.2
	12	±1.1	±3.1	±1.2	±3.1	±1.2	±3.1	±1.2	±0.8	±2.1	±0.8	±2.2	±0.8	±2.2	±0.8
	13	±1.1	±3.4	±1.1	±3.1	±1.2	±3.3	±1.2	±1.0	±2.7	±0.9	±2.4	±1.0	±2.5	±0.9
	14	±1.3	±3.4	±1.3	±3.5	±1.3	±3.5	±1.3	±1.2	±2.9	±1.1	±2.9	±1.1	±3.0	±1.1
	15	±1.4	±3.6	±1.4	±3.6	±1.3	±3.6	±1.4	±1.3	±3.2	±1.2	±3.3	±1.2	±3.2	±1.3
	16	±1.5	±3.9	±1.4	±3.9	±1.5	±3.8	±1.5	±1.4	±3.6	±1.3	±3.5	±1.4	±3.5	±1.4
	17	±1.6	±4.3	±1.6	±4.3	±1.7	±4.1	±1.7	±1.6	±4.1	±1.5	±4.1	±1.6	±3.8	±1.6
	18	±2.6	±5.5	±2.2	±5.9	±2.3	±5.8	±2.3	±2.6	±5.4	±2.2	±5.9	±2.3	±5.7	±2.3
Grade															
	6th	±1.0	±2.8	±1.0	±3.0	±1.0	±2.6	±1.0	±0.8	±2.0	±0.7	±2.1	±0.7	±1.9	±0.7
	7th	±1.1	±3.2	±1.1	±3.0	±1.2	±3.3	±1.2	±0.9	±2.5	±0.9	±2.2	±0.9	±2.3	±0.9
	8th	±1.1	±3.4	±1.2	±3.5	±1.3	±3.5	±1.3	±1.0	±2.9	±1.0	±2.9	±1.1	±3.0	±1.1
	9th	±1.4	±3.5	±1.3	±3.6	±1.3	±3.6	±1.4	±1.3	±3.1	±1.2	±3.2	±1.2	±3.2	±1.3
	10th	±1.4	±4.0	±1.5	±4.0	±1.5	±3.9	±1.5	±1.3	±3.7	±1.3	±3.6	±1.3	±3.6	±1.4
	11th	±1.6	±4.4	±1.6	±4.3	±1.7	±4.2	±1.7	±1.5	±4.1	±1.5	±4.0	±1.6	±3.9	±1.6
	12th	±1.7	±4.8	±1.9	±4.8	±1.9	±4.7	±2.0	±1.7	±4.7	±1.9	±4.8	±1.9	±4.6	±1.9
Overall Middle School		±0.6	±1.8	±0.7	±1.8	±0.7	±1.8	±0.7	±0.5	±1.4	±0.5	±1.4	±0.5	±1.4	±0.5
Overall High School		±0.8	±2.0	±0.8	±2.1	±0.8	±2.0	±0.8	±0.7	±1.9	±0.7	±1.9	±0.7	±1.9	±0.8
Total		±0.5	±1.4	±0.5	±1.4	±0.5	±1.4	±0.5	±0.4	±1.2	±0.4	±1.2	±0.5	±1.2	±0.5

Table 32. Percentages of surveyed Florida youth who used alcohol or any illicit drug in lifetime and past 30 days, by sex, race/ethnic group, age and grade—2000 to 2006

	Alcohol Or Any Illicit Drug													
	Lifetime							Past 30 Days						
	2000 %	2001 %	2002 %	2003 %	2004 %	2005 %	2006 %	2000 %	2001 %	2002 %	2003 %	2004 %	2005 %	2006 %
Sex														
Female	±0.8	±2.1	±0.8	±2.1	±0.8	±2.0	±0.8	±0.8	±2.0	±0.7	±2.0	±0.8	±2.0	±0.8
Male	±0.8	±2.2	±0.8	±2.3	±0.8	±2.2	±0.8	±0.8	±2.2	±0.8	±2.2	±0.8	±2.1	±0.8
Race/Ethnic group														
African American	±1.3	±3.3	±1.4	±3.6	±1.4	±3.4	±1.5	±1.2	±2.9	±1.2	±3.1	±1.2	±3.0	±1.3
Hispanic/Latino	±1.4	±3.6	±1.6	±3.4	±1.5	±3.1	±1.5	±1.4	±3.6	±1.6	±3.3	±1.5	±3.0	±1.4
White, non-Hispanic	±0.8	±2.2	±0.7	±2.2	±0.7	±2.3	±0.8	±0.8	±2.3	±0.7	±2.3	±0.8	±2.4	±0.8
Age														
11	±1.5	±6.5	±2.4	±6.8	±2.4	±5.9	±2.4	±1.1	±4.4	±1.6	±4.8	±1.9	±3.7	±1.7
12	±1.3	±3.8	±1.3	±3.8	±1.4	±3.7	±1.4	±1.1	±2.8	±1.0	±2.9	±1.1	±2.8	±1.1
13	±1.3	±3.8	±1.3	±3.7	±1.4	±3.7	±1.4	±1.2	±3.4	±1.1	±3.1	±1.2	±3.2	±1.2
14	±1.4	±3.7	±1.3	±3.8	±1.3	±3.7	±1.4	±1.4	±3.6	±1.3	±3.6	±1.3	±3.5	±1.3
15	±1.5	±3.5	±1.4	±3.8	±1.3	±3.6	±1.4	±1.5	±3.8	±1.4	±3.9	±1.4	±3.7	±1.4
16	±1.5	±3.6	±1.4	±3.8	±1.4	±3.6	±1.4	±1.6	±4.1	±1.5	±4.2	±1.5	±3.9	±1.6
17	±1.5	±3.9	±1.5	±4.0	±1.5	±3.7	±1.5	±1.8	±4.6	±1.7	±4.6	±1.8	±4.4	±1.8
18	±2.5	±5.0	±2.0	±5.2	±2.0	±5.0	±2.1	±2.8	±6.0	±2.3	±6.3	±2.4	±6.0	±2.5
Grade														
6th	±1.2	±3.5	±1.2	±3.6	±1.3	±3.3	±1.3	±1.0	±2.6	±0.9	±2.8	±1.0	±2.5	±1.0
7th	±1.4	±3.8	±1.3	±3.6	±1.4	±3.7	±1.4	±1.2	±3.3	±1.1	±3.0	±1.2	±3.0	±1.1
8th	±1.3	±3.7	±1.3	±3.9	±1.3	±3.8	±1.4	±1.3	±3.5	±1.3	±3.6	±1.3	±3.5	±1.3
9th	±1.4	±3.5	±1.3	±3.8	±1.3	±3.6	±1.5	±1.5	±3.7	±1.4	±3.9	±1.4	±3.7	±1.5
10th	±1.5	±3.8	±1.4	±3.8	±1.4	±3.6	±1.4	±1.6	±4.2	±1.5	±4.2	±1.5	±4.0	±1.6
11th	±1.5	±3.8	±1.5	±4.1	±1.5	±3.9	±1.5	±1.8	±4.6	±1.7	±4.5	±1.8	±4.4	±1.8
12th	±1.5	±4.3	±1.7	±4.4	±1.7	±4.0	±1.7	±1.9	±5.1	±2.0	±5.2	±2.0	±4.9	±2.1
Overall Middle School	±0.8	±2.1	±0.8	±2.2	±0.8	±2.1	±0.8	±0.7	±1.9	±0.6	±1.8	±0.7	±1.8	±0.7
Overall High School	±0.8	±1.9	±0.7	±2.0	±0.7	±1.9	±0.8	±0.8	±2.2	±0.8	±2.2	±0.8	±2.1	±0.8
Total	±0.6	±1.5	±0.5	±1.5	±0.6	±1.5	±0.6	±0.5	±1.5	±0.5	±1.5	±0.5	±1.4	±0.6

Table 33. Percentages of surveyed Florida youth who reported engaging in delinquent behavior in past 12 months—carrying a handgun and selling drugs—2000 to 2006

	Delinquent Behavior													
	Carrying a Handgun							Selling Drugs						
	2000 %	2001 %	2002 %	2003 %	2004 %	2005 %	2006 %	2000 %	2001 %	2002 %	2003 %	2004 %	2005 %	2006 %
Sex														
Female	±0.2	±0.5	±0.2	±0.5	±0.2	±0.5	±0.2	±0.3	±0.8	±0.3	±0.8	±0.3	±0.7	±0.3
Male	±0.5	±1.1	±0.4	±1.2	±0.4	±1.1	±0.5	±0.5	±1.3	±0.5	±1.3	±0.5	±1.1	±0.5
Race/Ethnic group														
African American	±0.6	±1.4	±0.5	±1.5	±0.6	±1.5	±0.7	±0.7	±1.6	±0.5	±1.6	±0.6	±1.6	±0.7
Hispanic/Latino	±0.7	±1.4	±0.6	±1.2	±0.6	±1.2	±0.7	±0.7	±1.6	±0.6	±1.4	±0.7	±1.2	±0.6
White, non-Hispanic	±0.4	±0.8	±0.3	±0.8	±0.3	±0.9	±0.3	±0.5	±1.2	±0.4	±1.1	±0.4	±1.1	±0.4
Age														
11	±0.4	±1.5	±0.5	±1.8	±0.7	±0.8	±0.9	±0.2	±1.1	±0.5	±1.8	±0.4	±0.8	±0.4
12	±0.5	±1.3	±0.4	±1.1	±0.4	±1.4	±0.5	±0.2	±0.7	±0.3	±0.6	±0.3	±0.6	±0.3
13	±0.5	±1.3	±0.5	±1.3	±0.5	±1.5	±0.6	±0.5	±1.2	±0.4	±1.2	±0.4	±1.1	±0.4
14	±0.6	±1.5	±0.5	±1.5	±0.5	±1.4	±0.6	±0.7	±1.7	±0.6	±1.7	±0.6	±1.3	±0.6
15	±0.8	±1.5	±0.6	±1.8	±0.6	±1.5	±0.7	±0.9	±2.2	±0.8	±2.2	±0.7	±1.7	±0.7
16	±0.8	±1.6	±0.7	±1.8	±0.7	±1.7	±0.8	±1.1	±2.5	±0.8	±2.3	±0.9	±2.2	±0.9
17	±0.9	±2.0	±0.6	±2.0	±0.8	±1.7	±0.8	±1.3	±2.9	±1.0	±2.7	±1.0	±2.5	±1.0
18	±1.5	±2.7	±0.9	±2.7	±0.9	±2.4	±1.2	±1.7	±3.5	±1.3	±3.4	±1.3	±3.1	±1.4
Grade														
6th	±0.5	±1.1	±0.4	±1.2	±0.4	±1.2	±0.5	±0.3	±0.8	±0.3	±0.8	±0.3	±0.5	±0.3
7th	±0.6	±1.5	±0.5	±1.3	±0.5	±1.5	±0.6	±0.5	±1.3	±0.4	±1.1	±0.4	±1.1	±0.4
8th	±0.6	±1.5	±0.5	±1.5	±0.6	±1.5	±0.6	±0.7	±1.8	±0.6	±1.7	±0.6	±1.3	±0.6
9th	±0.8	±1.6	±0.6	±1.8	±0.5	±1.4	±0.7	±0.9	±2.2	±0.7	±2.2	±0.7	±1.7	±0.8
10th	±0.8	±1.5	±0.6	±1.7	±0.7	±1.7	±0.7	±1.0	±2.4	±0.8	±2.3	±0.9	±2.1	±0.8
11th	±0.9	±1.8	±0.6	±1.9	±0.7	±1.8	±0.8	±1.1	±2.7	±1.0	±2.4	±1.0	±2.5	±1.0
12th	±0.9	±2.2	±0.8	±2.1	±0.8	±1.8	±1.0	±1.1	±2.7	±1.1	±3.0	±1.1	±2.4	±1.2
Overall Middle School	±0.3	±0.8	±0.3	±0.8	±0.3	±0.8	±0.3	±0.3	±0.8	±0.3	±0.7	±0.3	±0.6	±0.3
Overall High School	±0.4	±0.9	±0.3	±0.9	±0.3	±0.8	±0.4	±0.5	±1.2	±0.4	±1.2	±0.4	±1.1	±0.5
Total	±0.3	±0.6	±0.2	±0.6	±0.2	±0.6	±0.3	±0.3	±0.8	±0.3	±0.7	±0.3	±0.6	±0.3

Table 34. Percentages of surveyed Florida youth who reported engaging in delinquent behavior in past 12 months—attempting to steal a vehicle and being arrested—2000 to 2006

	Delinquent Behavior													
	Attempting to Steal a Vehicle							Being Arrested						
	2000 %	2001 %	2002 %	2003 %	2004 %	2005 %	2006 %	2000 %	2001 %	2002 %	2003 %	2004 %	2005 %	2006 %
Sex														
Female	±0.3	±0.6	±0.2	±0.6	±0.2	±0.6	±0.2	±0.4	±0.9	±0.3	±0.9	±0.3	±0.8	±0.3
Male	±0.4	±1.0	±0.3	±0.9	±0.3	±0.8	±0.3	±0.5	±1.3	±0.4	±1.2	±0.5	±1.1	±0.4
Race/Ethnic group														
African American	±0.6	±1.2	±0.5	±1.4	±0.5	±1.2	±0.5	±0.8	±1.8	±0.7	±1.9	±0.7	±1.7	±0.8
Hispanic/Latino	±0.6	±1.4	±0.5	±1.2	±0.6	±1.1	±0.5	±0.8	±1.8	±0.7	±1.5	±0.7	±1.5	±0.6
White, non-Hispanic	±0.3	±0.8	±0.2	±0.7	±0.2	±0.7	±0.3	±0.5	±1.1	±0.3	±1.0	±0.3	±1.0	±0.4
Age														
11	±0.3	±1.6	±0.6	±1.8	±0.5	±0.8	±0.6	±0.4	±1.5	±0.7	±1.8	±0.6	±0.8	±0.5
12	±0.4	±0.8	±0.3	±0.8	±0.4	±1.0	±0.3	±0.5	±1.2	±0.4	±1.2	±0.5	±1.0	±0.4
13	±0.4	±1.3	±0.4	±1.2	±0.4	±1.3	±0.4	±0.6	±1.9	±0.6	±1.4	±0.6	±1.5	±0.5
14	±0.6	±1.4	±0.5	±1.4	±0.5	±1.2	±0.5	±0.9	±1.9	±0.6	±1.9	±0.7	±1.8	±0.7
15	±0.7	±1.6	±0.6	±1.4	±0.5	±1.5	±0.6	±1.0	±2.2	±0.7	±2.3	±0.8	±1.9	±0.7
16	±0.8	±1.7	±0.5	±1.8	±0.6	±1.5	±0.6	±1.0	±2.3	±0.8	±2.0	±0.9	±2.0	±0.8
17	±0.8	±1.7	±0.6	±1.7	±0.7	±1.2	±0.6	±1.2	±2.3	±0.9	±2.6	±0.8	±2.2	±0.8
18	±1.2	±2.2	±0.7	±2.5	±0.6	±1.8	±0.8	±1.7	±2.6	±1.1	±3.0	±1.0	±2.5	±1.2
Grade														
6th	±0.4	±1.0	±0.3	±1.0	±0.4	±0.9	±0.3	±0.6	±1.4	±0.4	±1.3	±0.5	±1.0	±0.5
7th	±0.6	±1.3	±0.4	±1.2	±0.4	±1.2	±0.4	±0.8	±1.8	±0.6	±1.6	±0.6	±1.5	±0.6
8th	±0.6	±1.4	±0.5	±1.4	±0.5	±1.3	±0.5	±0.8	±2.0	±0.6	±2.0	±0.7	±1.9	±0.7
9th	±0.7	±1.6	±0.5	±1.4	±0.6	±1.3	±0.6	±1.0	±2.1	±0.7	±2.0	±0.7	±1.8	±0.8
10th	±0.7	±1.6	±0.5	±1.8	±0.6	±1.6	±0.6	±1.0	±2.3	±0.7	±2.0	±0.8	±2.1	±0.8
11th	±0.7	±1.7	±0.6	±1.7	±0.6	±1.4	±0.6	±1.0	±2.1	±0.8	±2.2	±0.8	±2.1	±0.8
12th	±0.7	±1.7	±0.7	±1.7	±0.6	±1.4	±0.7	±1.0	±2.2	±0.9	±2.6	±0.8	±2.1	±1.0
Overall Middle School	±0.3	±0.7	±0.2	±0.7	±0.3	±0.7	±0.3	±0.4	±1.0	±0.3	±0.9	±0.3	±0.9	±0.3
Overall High School	±0.4	±0.8	±0.3	±0.8	±0.3	±0.7	±0.3	±0.5	±1.1	±0.4	±1.1	±0.4	±1.0	±0.4
Total	±0.2	±0.6	±0.2	±0.5	±0.2	±0.5	±0.2	±0.3	±0.8	±0.3	±0.7	±0.3	±0.7	±0.3

Table 35. Percentages of surveyed Florida youth who reported engaging in delinquent behavior in past 12 months—taking a handgun to school and getting suspended—2000 to 2006

		Delinquent Behavior													
		Taking A Handgun To School						Getting Suspended							
		2000 %	2001 %	2002 %	2003 %	2004 %	2005 %	2006 %	2000 %	2001 %	2002 %	2003 %	2004 %	2005 %	2006 %
Sex															
	Female	±0.1	±0.3	±0.1	±0.3	±0.1	±0.3	±0.1	±0.5	±1.3	±0.5	±1.4	±0.5	±1.3	±0.5
	Male	±0.3	±0.6	±0.2	±0.7	±0.2	±0.6	±0.2	±0.7	±1.8	±0.6	±1.8	±0.7	±1.7	±0.7
Race/Ethnic group															
	African American	±0.4	±1.0	±0.3	±0.9	±0.3	±0.9	±0.4	±1.2	±2.8	±1.2	±3.2	±1.2	±3.0	±1.3
	Hispanic/Latino	±0.3	±0.8	±0.3	±0.8	±0.3	±0.6	±0.3	±1.1	±2.8	±1.2	±2.3	±1.1	±2.2	±1.1
	White, non-Hispanic	±0.2	±0.5	±0.1	±0.4	±0.1	±0.4	±0.1	±0.6	±1.5	±0.5	±1.5	±0.5	±1.5	±0.5
Age															
	11	±0.2	±0.8	±0.3	±1.5	±0.4	±0.0	±0.5	±0.9	±3.7	±1.4	±3.7	±1.5	±4.0	±1.5
	12	±0.2	±0.5	±0.2	±0.6	±0.2	±0.7	±0.2	±0.9	±2.5	±0.9	±2.5	±0.9	±2.4	±1.0
	13	±0.3	±0.8	±0.3	±0.6	±0.3	±0.8	±0.3	±1.0	±2.8	±1.0	±2.8	±1.0	±2.8	±1.0
	14	±0.3	±0.9	±0.3	±1.0	±0.2	±0.6	±0.3	±1.2	±2.9	±1.0	±2.9	±1.0	±2.9	±1.1
	15	±0.4	±0.9	±0.3	±1.0	±0.3	±0.6	±0.3	±1.3	±3.0	±1.1	±3.0	±1.1	±2.8	±1.1
	16	±0.4	±0.9	±0.3	±1.1	±0.3	±0.9	±0.4	±1.3	±3.1	±1.1	±3.1	±1.2	±2.8	±1.2
	17	±0.5	±1.3	±0.4	±1.0	±0.4	±1.0	±0.4	±1.4	±3.2	±1.2	±3.3	±1.2	±3.0	±1.2
	18	±1.0	±1.7	±0.5	±1.8	±0.3	±1.2	±0.6	±2.2	±4.0	±1.6	±4.0	±1.5	±3.5	±1.7
Grade															
	6th	±0.3	±0.7	±0.2	±0.5	±0.2	±0.6	±0.2	±0.9	±2.5	±0.9	±2.5	±0.9	±2.5	±1.0
	7th	±0.3	±0.7	±0.3	±0.8	±0.2	±0.8	±0.3	±1.1	±2.8	±1.0	±2.7	±1.1	±2.8	±1.1
	8th	±0.3	±1.0	±0.3	±0.9	±0.3	±0.7	±0.3	±1.1	±3.0	±1.0	±3.0	±1.1	±3.0	±1.1
	9th	±0.5	±1.0	±0.3	±1.0	±0.3	±0.5	±0.3	±1.3	±2.8	±1.1	±3.0	±1.0	±2.8	±1.2
	10th	±0.4	±0.8	±0.3	±1.1	±0.3	±0.8	±0.3	±1.2	±3.0	±1.1	±2.9	±1.1	±2.8	±1.1
	11th	±0.5	±1.1	±0.4	±1.0	±0.4	±1.2	±0.4	±1.3	±3.1	±1.1	±3.0	±1.2	±2.8	±1.2
	12th	±0.5	±1.3	±0.5	±1.2	±0.3	±0.8	±0.5	±1.2	±3.1	±1.3	±3.2	±1.2	±2.8	±1.4
	Overall Middle School	±0.2	±0.4	±0.1	±0.4	±0.1	±0.4	±0.2	±0.6	±1.6	±0.6	±1.6	±0.6	±1.6	±0.6
	Overall High School	±0.2	±0.5	±0.2	±0.5	±0.2	±0.4	±0.2	±0.6	±1.5	±0.6	±1.5	±0.6	±1.4	±0.6
	Total	±0.1	±0.3	±0.1	±0.4	±0.1	±0.3	±0.1	±0.4	±1.1	±0.4	±1.1	±0.4	±1.1	±0.4

Table 36. Percentages of surveyed Florida youth who reported engaging in delinquent behavior in past 12 months—attacking someone with intent to harm and being drunk or high at school—2000 to 2006

		Delinquent Behavior													
		Attacking Someone With Intent To Harm						Being Drunk Or High At School							
		2000	2001	2002	2003	2004	2005	2006	2000	2001	2002	2003	2004	2005	2006
		%	%	%	%	%	%	%	%	%	%	%	%	%	%
Sex															
	Female	±0.5	±1.3	±0.5	±1.3	±0.5	±1.2	±0.5	±0.5	±1.4	±0.5	±1.4	±0.5	±1.3	±0.5
	Male	±0.7	±1.7	±0.6	±1.6	±0.6	±1.6	±0.6	±0.6	±1.6	±0.6	±1.6	±0.6	±1.5	±0.6
Race/Ethnic group															
	African American	±1.1	±2.4	±1.0	±2.8	±1.0	±2.5	±1.1	±0.8	±1.8	±0.7	±2.0	±0.8	±2.0	±0.8
	Hispanic/Latino	±1.1	±2.5	±1.0	±2.2	±1.0	±1.9	±1.0	±1.0	±2.6	±1.0	±2.1	±1.0	±2.0	±0.9
	White, non-Hispanic	±0.6	±1.4	±0.5	±1.3	±0.5	±1.5	±0.5	±0.6	±1.7	±0.5	±1.7	±0.6	±1.7	±0.6
Age															
	11	±0.9	±3.9	±1.2	±3.5	±1.3	±3.6	±1.5	±0.4	±1.9	±0.6	±1.5	±0.7	±1.6	±0.8
	12	±0.9	±2.3	±0.8	±2.2	±0.9	±2.2	±0.9	±0.5	±1.3	±0.5	±1.4	±0.5	±1.3	±0.5
	13	±1.0	±2.5	±0.8	±2.5	±0.9	±2.5	±0.9	±0.7	±2.0	±0.7	±2.0	±0.7	±1.9	±0.7
	14	±1.2	±2.7	±0.9	±2.7	±0.9	±2.6	±1.0	±1.0	±2.4	±0.9	±2.5	±0.9	±2.3	±0.9
	15	±1.3	±2.7	±1.0	±2.8	±1.0	±2.6	±1.0	±1.2	±2.9	±1.1	±3.0	±1.0	±2.8	±1.0
	16	±1.3	±2.9	±1.1	±2.6	±1.1	±2.6	±1.1	±1.4	±3.2	±1.2	±3.4	±1.2	±3.0	±1.2
	17	±1.4	±3.0	±1.1	±3.1	±1.2	±2.7	±1.2	±1.6	±3.8	±1.4	±3.8	±1.4	±3.4	±1.4
	18	±2.1	±3.8	±1.4	±4.0	±1.4	±3.3	±1.6	±2.2	±4.6	±1.7	±4.9	±1.9	±4.5	±2.0
Grade															
	6th	±0.9	±2.3	±0.7	±2.2	±0.8	±2.1	±0.8	±0.5	±1.4	±0.5	±1.2	±0.5	±1.2	±0.5
	7th	±1.1	±2.6	±0.8	±2.4	±0.9	±2.4	±0.9	±0.8	±2.0	±0.7	±1.9	±0.7	±1.8	±0.7
	8th	±1.1	±2.6	±0.9	±2.8	±1.0	±2.7	±1.0	±0.9	±2.4	±0.9	±2.6	±0.9	±2.3	±0.9
	9th	±1.3	±2.7	±1.0	±2.8	±1.0	±2.5	±1.1	±1.2	±2.9	±1.0	±3.0	±1.0	±2.7	±1.1
	10th	±1.2	±3.0	±1.0	±2.7	±1.1	±2.6	±1.1	±1.3	±3.3	±1.1	±3.3	±1.2	±3.0	±1.2
	11th	±1.3	±2.9	±1.1	±2.9	±1.1	±2.8	±1.2	±1.4	±3.6	±1.3	±3.6	±1.4	±3.3	±1.4
	12th	±1.3	±2.9	±1.2	±3.2	±1.2	±2.7	±1.3	±1.5	±3.9	±1.5	±4.1	±1.6	±3.6	±1.6
Overall Middle School		±0.6	±1.4	±0.5	±1.4	±0.5	±1.4	±0.5	±0.4	±1.1	±0.4	±1.2	±0.4	±1.1	±0.4
Overall High School		±0.6	±1.5	±0.5	±1.4	±0.5	±1.3	±0.6	±0.7	±1.7	±0.6	±1.7	±0.6	±1.5	±0.6
Total		±0.4	±1.0	±0.4	±1.0	±0.4	±1.0	±0.4	±0.4	±1.0	±0.4	±1.1	±0.4	±1.0	±0.4

Table 37. Percentages of surveyed Florida youth who reported gambling and arguing about gambling in past 12 months—2004 and 2006

	Gambling			Arguing about Gambling		
	2004 %	2005 %	2006 %	2004 %	2005 %	2006 %
Sex						
Female	±0.8	±2.1	±0.8	±0.5	±1.3	±0.5
Male	±0.8	±2.1	±0.8	±0.7	±1.8	±0.7
Race/Ethnic group						
African American	±1.4	±3.4	±1.5	±1.1	±2.8	±1.2
Hispanic/Latino	±1.6	±3.1	±1.5	±1.1	±2.3	±1.1
White, non-Hispanic	±0.8	±2.4	±0.8	±0.5	±1.6	±0.6
Age						
11	±2.7	±6.9	±2.8	±1.9	±4.7	±2.0
12	±1.5	±3.9	±1.5	±1.1	±2.8	±1.1
13	±1.3	±3.7	±1.4	±1.1	±2.8	±1.0
14	±1.3	±3.7	±1.4	±1.0	±2.9	±1.1
15	±1.4	±3.7	±1.4	±1.0	±2.8	±1.1
16	±1.5	±3.9	±1.6	±1.1	±2.7	±1.1
17	±1.8	±4.4	±1.8	±1.2	±3.1	±1.2
18	±2.4	±6.0	±2.5	±1.6	±3.9	±1.6
Grade						
6th	±1.3	±3.6	±1.4	±1.0	±2.6	±1.0
7th	±1.4	±3.7	±1.3	±1.1	±2.8	±1.0
8th	±1.3	±3.7	±1.4	±1.0	±3.0	±1.1
9th	±1.4	±3.7	±1.5	±1.0	±2.7	±1.2
10th	±1.5	±4.0	±1.6	±1.1	±2.9	±1.2
11th	±1.8	±4.4	±1.8	±1.2	±2.9	±1.2
12th	±2.0	±4.9	±2.1	±1.3	±3.1	±1.4
Overall Middle School	±0.8	±2.1	±0.8	±0.6	±1.6	±0.6
Overall High School	±0.8	±2.1	±0.8	±0.6	±1.5	±0.6
Total	±0.6	±1.5	±0.6	±0.4	±1.1	±0.4

Note: Questions about gambling were not included in the 2000, 2001, 2002 or 2003 surveys.

Table 38. Mean age of first substance use among surveyed Florida youth—alcohol—2000 to 2006

		Mean Age At First Use													
		More Than A Sip Of Alcohol						Drinking At Least Once A Month							
		2000 %	2001 %	2002 %	2003 %	2004 %	2005 %	2006 %	2000 %	2001 %	2002 %	2003 %	2004 %	2005 %	2006 %
Sex															
	Female	±0.0	±0.1	±0.0	±0.1	±0.0	±0.1	±0.0	±0.1	±0.2	±0.1	±0.2	±0.1	±0.2	±0.1
	Male	±0.0	±0.1	±0.0	±0.1	±0.0	±0.1	±0.0	±0.1	±0.2	±0.1	±0.2	±0.1	±0.2	±0.1
Race/Ethnic group															
	African American	±0.1	±0.2	±0.1	±0.2	±0.1	±0.2	±0.1	±0.1	±0.4	±0.1	±0.4	±0.1	±0.4	±0.2
	Hispanic/Latino	±0.1	±0.2	±0.1	±0.2	±0.1	±0.2	±0.1	±0.1	±0.3	±0.1	±0.3	±0.1	±0.2	±0.1
	White, non-Hispanic	±0.0	±0.1	±0.0	±0.1	±0.0	±0.1	±0.0	±0.1	±0.2	±0.1	±0.2	±0.1	±0.2	±0.1
Age															
	11	±0.0	±0.1	±0.1	±0.1	±0.1	±0.1	±0.1	±0.3	±0.3	±0.4	±0.6	±0.2	±0.4	±0.5
	12	±0.0	±0.1	±0.0	±0.1	±0.0	±0.1	±0.0	±0.1	±0.3	±0.1	±0.4	±0.1	±0.4	±0.1
	13	±0.0	±0.1	±0.0	±0.1	±0.0	±0.1	±0.0	±0.1	±0.2	±0.1	±0.3	±0.1	±0.3	±0.1
	14	±0.1	±0.1	±0.1	±0.1	±0.1	±0.1	±0.0	±0.1	±0.2	±0.1	±0.2	±0.1	±0.2	±0.1
	15	±0.1	±0.2	±0.1	±0.2	±0.1	±0.2	±0.0	±0.1	±0.2	±0.1	±0.2	±0.1	±0.2	±0.1
	16	±0.1	±0.2	±0.1	±0.2	±0.1	±0.2	±0.1	±0.1	±0.2	±0.1	±0.2	±0.1	±0.2	±0.1
	17	±0.1	±0.2	±0.1	±0.2	±0.1	±0.2	±0.1	±0.1	±0.2	±0.1	±0.2	±0.1	±0.2	±0.1
	18	±0.1	±0.3	±0.1	±0.3	±0.1	±0.3	±0.1	±0.1	±0.3	±0.1	±0.3	±0.1	±0.2	±0.1
Grade															
	6th	±0.0	±0.1	±0.0	±0.1	±0.0	±0.1	±0.0	±0.1	±0.4	±0.2	±0.4	±0.1	±0.4	±0.1
	7th	±0.1	±0.1	±0.0	±0.1	±0.1	±0.1	±0.0	±0.1	±0.3	±0.1	±0.3	±0.1	±0.3	±0.1
	8th	±0.1	±0.1	±0.1	±0.2	±0.1	±0.2	±0.0	±0.1	±0.2	±0.1	±0.3	±0.1	±0.2	±0.1
	9th	±0.1	±0.1	±0.1	±0.1	±0.1	±0.1	±0.0	±0.1	±0.2	±0.1	±0.1	±0.1	±0.2	±0.1
	10th	±0.1	±0.2	±0.1	±0.1	±0.1	±0.2	±0.1	±0.1	±0.2	±0.1	±0.2	±0.1	±0.2	±0.1
	11th	±0.1	±0.2	±0.1	±0.2	±0.1	±0.2	±0.1	±0.1	±0.2	±0.1	±0.2	±0.1	±0.2	±0.1
	12th	±0.1	±0.3	±0.1	±0.2	±0.1	±0.2	±0.1	±0.1	±0.3	±0.1	±0.2	±0.1	±0.2	±0.1
	Overall Middle School	±0.0	±0.1	±0.0	±0.1	±0.0	±0.1	±0.0	±0.1	±0.2	±0.1	±0.1	±0.1	±0.2	±0.0
	Overall High School	±0.0	±0.1	±0.0	±0.1	±0.0	±0.1	±0.0	±0.0	±0.1	±0.0	±0.1	±0.0	±0.1	±0.0
	Total	±0.0	±0.1	±0.0	±0.1	±0.0	±0.1	±0.0	±0.0	±0.1	±0.0	±0.1	±0.0	±0.1	±0.0

Table 39. Mean age of first substance use among surveyed Florida youth—cigarettes and marijuana—2000 to 2006

		Mean Age At First Use													
		Cigarettes						Marijuana							
		2000 %	2001 %	2002 %	2003 %	2004 %	2005 %	2006 %	2000 %	2001 %	2002 %	2003 %	2004 %	2005 %	2006 %
Sex															
	Female	±0.1	±0.2	±0.0	±0.1	±0.1	±0.1	±0.1	±0.0	±0.1	±0.1	±0.2	±0.1	±0.2	±0.1
	Male	±0.1	±0.2	±0.1	±0.2	±0.1	±0.2	±0.1	±0.0	±0.1	±0.1	±0.2	±0.1	±0.2	±0.1
Race/Ethnic group															
	African American	±0.1	±0.3	±0.1	±0.3	±0.1	±0.3	±0.1	±0.1	±0.2	±0.1	±0.4	±0.1	±0.3	±0.1
	Hispanic/Latino	±0.1	±0.3	±0.1	±0.2	±0.1	±0.2	±0.1	±0.1	±0.2	±0.1	±0.3	±0.1	±0.3	±0.1
	White, non-Hispanic	±0.1	±0.2	±0.0	±0.1	±0.1	±0.2	±0.1	±0.0	±0.1	±0.1	±0.1	±0.1	±0.2	±0.1
Age															
	11	±0.6	±0.5	±0.1	±0.2	±0.1	±0.3	±0.1	±0.1	±0.2	±0.2	±0.7	±0.2	±0.6	±0.3
	12	±0.2	±0.4	±0.1	±0.2	±0.1	±0.2	±0.1	±0.1	±0.2	±0.2	±0.7	±0.1	±0.4	±0.2
	13	±0.1	±0.2	±0.1	±0.2	±0.1	±0.2	±0.1	±0.1	±0.2	±0.1	±0.3	±0.1	±0.3	±0.1
	14	±0.1	±0.2	±0.1	±0.2	±0.1	±0.2	±0.1	±0.1	±0.2	±0.1	±0.2	±0.1	±0.2	±0.1
	15	±0.1	±0.2	±0.1	±0.2	±0.1	±0.2	±0.1	±0.1	±0.2	±0.1	±0.2	±0.1	±0.2	±0.1
	16	±0.1	±0.2	±0.1	±0.2	±0.1	±0.2	±0.1	±0.1	±0.2	±0.1	±0.2	±0.1	±0.2	±0.1
	17	±0.1	±0.3	±0.1	±0.3	±0.1	±0.3	±0.1	±0.1	±0.3	±0.1	±0.3	±0.1	±0.2	±0.1
	18	±0.1	±0.3	±0.1	±0.4	±0.1	±0.4	±0.1	±0.1	±0.3	±0.1	±0.3	±0.1	±0.3	±0.1
Grade															
	6th	±0.1	±0.5	±0.1	±0.2	±0.1	±0.2	±0.0	±0.0	±0.2	±0.2	±0.4	±0.2	±0.5	±0.1
	7th	±0.1	±0.3	±0.1	±0.2	±0.1	±0.2	±0.0	±0.1	±0.2	±0.1	±0.4	±0.1	±0.3	±0.1
	8th	±0.1	±0.2	±0.1	±0.2	±0.1	±0.2	±0.1	±0.1	±0.2	±0.1	±0.2	±0.1	±0.2	±0.1
	9th	±0.1	±0.2	±0.1	±0.1	±0.1	±0.2	±0.1	±0.1	±0.2	±0.1	±0.1	±0.1	±0.2	±0.1
	10th	±0.1	±0.2	±0.1	±0.2	±0.1	±0.2	±0.1	±0.1	±0.2	±0.1	±0.2	±0.1	±0.2	±0.1
	11th	±0.1	±0.3	±0.1	±0.2	±0.1	±0.3	±0.1	±0.1	±0.3	±0.1	±0.2	±0.1	±0.2	±0.1
	12th	±0.1	±0.3	±0.1	±0.2	±0.1	±0.3	±0.1	±0.1	±0.3	±0.1	±0.2	±0.1	±0.3	±0.1
	Overall Middle School	±0.1	±0.2	±0.0	±0.1	±0.0	±0.1	±0.0	±0.0	±0.1	±0.1	±0.1	±0.1	±0.2	±0.0
	Overall High School	±0.0	±0.1	±0.0	±0.1	±0.0	±0.1	±0.0	±0.0	±0.1	±0.0	±0.1	±0.0	±0.1	±0.0
	Total	±0.0	±0.1	±0.0	±0.1	±0.0	±0.1	±0.0	±0.0	±0.1	±0.0	±0.1	±0.0	±0.1	±0.0

Table 40. Percentages of surveyed Florida youth who perceive great risk of harm in using alcohol or tobacco—2000 to 2006

		Perceive Great Risk Of Harm If:													
		Drink One Or More Alcoholic Drinks Nearly Every Day							Smoke A Pack Or More Of Cigarettes Per Day						
		2000 %	2001 %	2002 %	2003 %	2004 %	2005 %	2006 %	2000 %	2001 %	2002 %	2003 %	2004 %	2005 %	2006 %
Sex															
	Female	±0.8	±2.1	±0.8	±2.1	±0.8	±2.1	±0.8	±0.7	±2.0	±0.7	±2.1	±0.7	±2.0	±0.8
	Male	±0.8	±2.1	±0.8	±2.2	±0.8	±2.1	±0.8	±0.8	±2.2	±0.8	±2.3	±0.8	±2.1	±0.8
Race/Ethnic group															
	African American	±1.3	±3.3	±1.4	±3.5	±1.4	±3.4	±1.5	±1.3	±3.2	±1.3	±3.6	±1.4	±3.4	±1.4
	Hispanic/Latino	±1.4	±3.6	±1.6	±3.4	±1.5	±3.1	±1.5	±1.4	±3.6	±1.6	±3.4	±1.5	±3.0	±1.4
	White, non-Hispanic	±0.8	±2.2	±0.7	±2.2	±0.7	±2.3	±0.8	±0.8	±2.2	±0.7	±2.2	±0.7	±2.3	±0.8
Age															
	11	±1.7	±7.0	±2.6	±7.3	±2.7	±7.0	±2.8	±1.6	±6.7	±2.5	±6.8	±2.5	±6.7	±2.5
	12	±1.4	±3.9	±1.4	±3.9	±1.4	±3.9	±1.5	±1.3	±3.8	±1.3	±3.9	±1.4	±3.7	±1.4
	13	±1.3	±3.7	±1.3	±3.6	±1.3	±3.6	±1.3	±1.3	±3.8	±1.3	±3.6	±1.3	±3.6	±1.3
	14	±1.4	±3.7	±1.3	±3.6	±1.3	±3.6	±1.4	±1.4	±3.6	±1.3	±3.7	±1.3	±3.7	±1.3
	15	±1.5	±3.7	±1.4	±3.8	±1.3	±3.7	±1.4	±1.5	±3.7	±1.4	±3.9	±1.3	±3.6	±1.4
	16	±1.6	±4.0	±1.5	±4.1	±1.5	±3.9	±1.5	±1.6	±4.0	±1.5	±4.0	±1.5	±3.7	±1.5
	17	±1.7	±4.5	±1.7	±4.5	±1.7	±4.3	±1.7	±1.7	±4.4	±1.6	±4.4	±1.7	±4.1	±1.7
	18	±2.8	±5.9	±2.3	±6.2	±2.4	±5.8	±2.4	±2.7	±5.7	±2.2	±6.0	±2.3	±5.8	±2.3
Grade															
	6th	±1.3	±3.6	±1.3	±3.7	±1.3	±3.6	±1.4	±1.2	±3.6	±1.3	±3.8	±1.3	±3.5	±1.3
	7th	±1.3	±3.7	±1.3	±3.5	±1.3	±3.6	±1.3	±1.3	±3.7	±1.3	±3.5	±1.3	±3.6	±1.3
	8th	±1.3	±3.6	±1.3	±3.7	±1.3	±3.7	±1.3	±1.3	±3.6	±1.3	±3.8	±1.3	±3.7	±1.3
	9th	±1.5	±3.6	±1.4	±3.7	±1.3	±3.7	±1.5	±1.5	±3.6	±1.4	±3.9	±1.3	±3.6	±1.5
	10th	±1.6	±4.1	±1.5	±4.1	±1.5	±3.8	±1.5	±1.5	±4.1	±1.4	±4.0	±1.5	±3.8	±1.5
	11th	±1.7	±4.5	±1.7	±4.4	±1.7	±4.4	±1.7	±1.6	±4.3	±1.6	±4.4	±1.7	±4.1	±1.6
	12th	±1.8	±5.1	±2.0	±5.1	±2.0	±4.8	±2.0	±1.7	±4.9	±1.9	±4.9	±1.9	±4.6	±1.9
Overall Middle School		±0.7	±2.1	±0.7	±2.1	±0.8	±2.1	±0.8	±0.7	±2.1	±0.7	±2.1	±0.8	±2.1	±0.8
Overall High School		±0.8	±2.1	±0.8	±2.1	±0.8	±2.1	±0.8	±0.8	±2.1	±0.8	±2.1	±0.8	±2.0	±0.8
Total		±0.6	±1.5	±0.5	±1.5	±0.5	±1.5	±0.6	±0.5	±1.5	±0.5	±1.5	±0.5	±1.4	±0.5

Table 41. Percentages of surveyed Florida youth who perceive great risk of harm in smoking marijuana—2000 to 2006

	Perceive Great Risk Of Harm If:													
	Smoke Marijuana Regularly							Try Marijuana Once Or Twice						
	2000 %	2001 %	2002 %	2003 %	2004 %	2005 %	2006 %	2000 %	2001 %	2002 %	2003 %	2004 %	2005 %	2006 %
Sex														
Female	±0.8	±2.0	±0.7	±2.1	±0.8	±2.0	±0.8	±0.7	±2.0	±0.7	±2.0	±0.7	±2.0	±0.8
Male	±0.8	±2.2	±0.8	±2.3	±0.8	±2.2	±0.8	±0.7	±2.0	±0.7	±2.1	±0.8	±2.1	±0.8
Race/Ethnic group														
African American	±1.3	±3.3	±1.4	±3.6	±1.4	±3.4	±1.5	±1.2	±3.1	±1.3	±3.3	±1.3	±3.2	±1.4
Hispanic/Latino	±1.4	±3.6	±1.6	±3.4	±1.5	±3.0	±1.4	±1.4	±3.5	±1.5	±3.3	±1.5	±3.1	±1.4
White, non-Hispanic	±0.8	±2.2	±0.7	±2.3	±0.8	±2.3	±0.8	±0.7	±2.0	±0.7	±2.1	±0.7	±2.2	±0.7
Age														
11	±1.4	±6.1	±2.2	±5.9	±2.2	±5.9	±2.3	±1.7	±7.0	±2.6	±7.4	±2.7	±7.0	±2.8
12	±1.2	±3.4	±1.2	±3.4	±1.2	±3.4	±1.2	±1.4	±3.9	±1.4	±4.0	±1.5	±3.9	±1.5
13	±1.2	±3.6	±1.2	±3.4	±1.2	±3.4	±1.2	±1.3	±3.7	±1.3	±3.6	±1.3	±3.7	±1.4
14	±1.4	±3.6	±1.3	±3.7	±1.3	±3.6	±1.4	±1.3	±3.5	±1.2	±3.6	±1.3	±3.6	±1.3
15	±1.5	±3.8	±1.4	±4.0	±1.4	±3.7	±1.5	±1.3	±3.3	±1.2	±3.5	±1.2	±3.4	±1.3
16	±1.6	±4.1	±1.5	±4.2	±1.6	±4.0	±1.6	±1.4	±3.5	±1.3	±3.5	±1.3	±3.5	±1.4
17	±1.8	±4.6	±1.7	±4.6	±1.8	±4.4	±1.8	±1.5	±4.0	±1.4	±3.9	±1.5	±3.6	±1.5
18	±2.8	±6.0	±2.3	±6.3	±2.4	±6.0	±2.5	±2.6	±5.1	±1.9	±5.2	±2.0	±5.0	±2.1
Grade														
6th	±1.2	±3.3	±1.2	±3.4	±1.2	±3.3	±1.2	±1.3	±3.6	±1.3	±3.8	±1.3	±3.6	±1.4
7th	±1.3	±3.5	±1.2	±3.2	±1.2	±3.3	±1.2	±1.3	±3.7	±1.3	±3.5	±1.4	±3.7	±1.3
8th	±1.3	±3.5	±1.3	±3.8	±1.3	±3.6	±1.3	±1.2	±3.5	±1.3	±3.7	±1.3	±3.7	±1.3
9th	±1.5	±3.7	±1.4	±3.9	±1.4	±3.7	±1.5	±1.3	±3.2	±1.2	±3.5	±1.2	±3.4	±1.4
10th	±1.6	±4.3	±1.5	±4.2	±1.6	±4.0	±1.6	±1.4	±3.7	±1.3	±3.5	±1.3	±3.5	±1.3
11th	±1.8	±4.6	±1.7	±4.6	±1.8	±4.4	±1.8	±1.5	±3.9	±1.4	±3.9	±1.5	±3.8	±1.5
12th	±1.9	±5.2	±2.0	±5.2	±2.0	±4.9	±2.1	±1.6	±4.5	±1.7	±4.4	±1.7	±4.0	±1.7
Overall Middle School	±0.7	±2.0	±0.7	±2.0	±0.7	±2.0	±0.7	±0.7	±2.1	±0.7	±2.1	±0.8	±2.1	±0.8
Overall High School	±0.8	±2.2	±0.8	±2.2	±0.8	±2.1	±0.9	±0.7	±1.9	±0.7	±1.9	±0.7	±1.8	±0.7
Total	±0.6	±1.5	±0.5	±1.5	±0.6	±1.5	±0.6	±0.5	±1.4	±0.5	±1.4	±0.5	±1.4	±0.5

Table 42. Percentages of surveyed Florida youth who think it would be wrong for someone their age to drink alcohol regularly or smoke cigarettes—2000 to 2006

		Think It Would Be Wrong For Someone Their Age To:													
		Drink Alcohol Regularly						Smoke Cigarettes							
		2000 %	2001 %	2002 %	2003 %	2004 %	2005 %	2006 %	2000 %	2001 %	2002 %	2003 %	2004 %	2005 %	2006 %
Sex															
	Female	±0.7	±2.0	±0.7	±2.0	±0.8	±2.0	±0.8	±0.7	±1.8	±0.6	±1.8	±0.7	±1.7	±0.7
	Male	±0.8	±2.2	±0.8	±2.2	±0.8	±2.1	±0.8	±0.7	±2.0	±0.7	±1.9	±0.7	±1.8	±0.7
Race/Ethnic group															
	African American	±1.1	±2.9	±1.2	±3.2	±1.3	±3.0	±1.3	±0.9	±2.2	±0.9	±2.5	±0.9	±2.2	±1.0
	Hispanic/Latino	±1.4	±3.5	±1.5	±3.2	±1.5	±3.0	±1.4	±1.2	±3.2	±1.3	±2.7	±1.3	±2.4	±1.2
	White, non-Hispanic	±0.8	±2.3	±0.7	±2.3	±0.8	±2.4	±0.8	±0.8	±2.1	±0.7	±2.1	±0.7	±2.1	±0.7
Age															
	11	±0.9	±4.3	±1.4	±3.6	±1.5	±4.2	±1.4	±0.7	±2.6	±1.0	±2.5	±1.0	±2.4	±0.9
	12	±0.9	±2.7	±0.9	±2.7	±1.0	±2.5	±1.0	±0.8	±2.1	±0.7	±1.9	±0.8	±1.8	±0.7
	13	±1.1	±3.3	±1.1	±3.0	±1.1	±3.1	±1.1	±1.0	±2.8	±0.9	±2.5	±0.9	±2.4	±0.9
	14	±1.3	±3.6	±1.2	±3.6	±1.3	±3.5	±1.3	±1.2	±3.1	±1.1	±2.8	±1.1	±2.8	±1.1
	15	±1.5	±3.8	±1.4	±3.9	±1.4	±3.7	±1.5	±1.4	±3.4	±1.2	±3.5	±1.2	±3.1	±1.2
	16	±1.6	±4.1	±1.5	±4.2	±1.6	±4.0	±1.6	±1.6	±3.9	±1.4	±3.8	±1.4	±3.5	±1.4
	17	±1.8	±4.6	±1.7	±4.6	±1.8	±4.4	±1.8	±1.7	±4.5	±1.7	±4.5	±1.7	±4.1	±1.7
	18	±2.9	±6.0	±2.3	±6.3	±2.4	±5.9	±2.5	±2.8	±5.9	±2.3	±6.3	±2.4	±5.9	±2.5
Grade															
	6th	±0.8	±2.5	±0.8	±2.5	±0.9	±2.3	±0.9	±0.8	±1.9	±0.7	±1.8	±0.7	±1.6	±0.7
	7th	±1.1	±3.2	±1.0	±2.8	±1.1	±3.0	±1.1	±1.0	±2.8	±0.9	±2.3	±0.9	±2.3	±0.9
	8th	±1.2	±3.5	±1.2	±3.5	±1.3	±3.5	±1.3	±1.1	±3.1	±1.1	±2.9	±1.1	±2.8	±1.0
	9th	±1.5	±3.7	±1.4	±3.9	±1.4	±3.7	±1.5	±1.4	±3.4	±1.2	±3.4	±1.2	±3.1	±1.3
	10th	±1.6	±4.2	±1.5	±4.2	±1.6	±4.0	±1.6	±1.5	±4.0	±1.4	±3.8	±1.4	±3.5	±1.4
	11th	±1.8	±4.6	±1.7	±4.6	±1.8	±4.4	±1.8	±1.7	±4.4	±1.6	±4.2	±1.7	±4.1	±1.6
	12th	±1.9	±5.1	±2.0	±5.2	±2.0	±4.8	±2.1	±1.8	±5.1	±2.0	±5.2	±2.0	±4.8	±2.0
Overall Middle School		±0.6	±1.8	±0.6	±1.7	±0.7	±1.7	±0.6	±0.6	±1.5	±0.5	±1.4	±0.5	±1.3	±0.5
Overall High School		±0.8	±2.2	±0.8	±2.2	±0.8	±2.1	±0.9	±0.8	±2.0	±0.7	±2.0	±0.8	±1.9	±0.8
Total		±0.5	±1.5	±0.5	±1.5	±0.5	±1.4	±0.6	±0.5	±1.3	±0.5	±1.3	±0.5	±1.2	±0.5

Table 43. Percentages of surveyed Florida youth who think it would be wrong for someone their age to smoke marijuana or use other illicit drugs—2000 to 2006

		Think It Would Be Wrong For Someone Their Age To:													
		Smoke Marijuana						Use Other Illicit Drugs							
		2000 %	2001 %	2002 %	2003 %	2004 %	2005 %	2006 %	2000 %	2001 %	2002 %	2003 %	2004 %	2005 %	2006 %
Sex															
	Female	±0.6	±1.6	±0.6	±1.7	±0.6	±1.6	±0.6	±0.4	±1.0	±0.3	±0.9	±0.3	±0.8	±0.3
	Male	±0.7	±2.0	±0.7	±2.0	±0.7	±1.8	±0.7	±0.5	±1.2	±0.4	±1.1	±0.4	±1.0	±0.4
Race/Ethnic group															
	African American	±1.0	±2.6	±1.0	±2.8	±1.1	±2.6	±1.1	±0.5	±1.2	±0.5	±1.5	±0.5	±1.3	±0.6
	Hispanic/Latino	±1.1	±2.9	±1.2	±2.5	±1.1	±2.3	±1.1	±0.7	±1.7	±0.7	±1.4	±0.7	±1.3	±0.6
	White, non-Hispanic	±0.7	±2.0	±0.6	±2.0	±0.7	±2.0	±0.7	±0.5	±1.2	±0.4	±1.1	±0.4	±1.1	±0.4
Age															
	11	±0.5	±2.0	±0.7	±1.8	±0.6	±2.1	±0.6	±0.4	±1.3	±0.6	±1.1	±0.5	±1.4	±0.4
	12	±0.5	±1.6	±0.6	±1.5	±0.6	±1.4	±0.6	±0.4	±1.1	±0.3	±1.0	±0.4	±1.1	±0.4
	13	±0.8	±2.5	±0.8	±2.2	±0.8	±2.1	±0.8	±0.5	±1.5	±0.5	±1.5	±0.5	±1.4	±0.5
	14	±1.1	±3.0	±1.0	±2.9	±1.0	±2.7	±1.0	±0.7	±1.8	±0.6	±1.5	±0.6	±1.6	±0.6
	15	±1.4	±3.4	±1.2	±3.5	±1.2	±3.2	±1.3	±0.9	±2.0	±0.7	±1.9	±0.6	±1.5	±0.7
	16	±1.5	±3.8	±1.4	±3.9	±1.4	±3.5	±1.4	±1.0	±2.4	±0.8	±2.1	±0.8	±2.0	±0.8
	17	±1.7	±4.4	±1.6	±4.4	±1.7	±4.1	±1.6	±1.1	±2.9	±0.9	±2.6	±0.9	±2.3	±0.9
	18	±2.7	±5.7	±2.2	±6.1	±2.3	±5.6	±2.3	±1.7	±3.1	±1.3	±3.6	±1.3	±3.1	±1.3
Grade															
	6th	±0.6	±1.6	±0.5	±1.5	±0.5	±1.3	±0.5	±0.4	±1.1	±0.4	±1.0	±0.4	±1.0	±0.4
	7th	±0.8	±2.5	±0.8	±2.1	±0.8	±2.0	±0.8	±0.6	±1.5	±0.5	±1.4	±0.5	±1.3	±0.5
	8th	±1.0	±2.9	±1.0	±2.8	±1.0	±2.7	±1.0	±0.6	±1.6	±0.6	±1.5	±0.6	±1.6	±0.6
	9th	±1.3	±3.3	±1.2	±3.5	±1.2	±3.1	±1.3	±0.9	±2.1	±0.7	±1.8	±0.6	±1.5	±0.7
	10th	±1.5	±3.9	±1.4	±3.9	±1.4	±3.5	±1.4	±1.0	±2.3	±0.8	±2.0	±0.8	±2.1	±0.8
	11th	±1.6	±4.3	±1.6	±4.2	±1.7	±3.9	±1.6	±1.0	±2.8	±0.9	±2.3	±0.9	±2.1	±0.8
	12th	±1.8	±4.8	±1.9	±5.0	±1.9	±4.6	±2.0	±1.1	±2.8	±1.2	±3.1	±1.1	±2.6	±1.1
Overall Middle School		±0.5	±1.4	±0.5	±1.3	±0.5	±1.2	±0.5	±0.3	±0.8	±0.3	±0.8	±0.3	±0.8	±0.3
Overall High School		±0.8	±2.0	±0.7	±2.0	±0.7	±1.8	±0.8	±0.5	±1.2	±0.4	±1.1	±0.4	±1.0	±0.4
Total		±0.5	±1.3	±0.4	±1.3	±0.4	±1.2	±0.5	±0.3	±0.8	±0.2	±0.7	±0.2	±0.6	±0.3

Table 44. Percentages of surveyed Florida youth who reported good chances of being seen as cool if they smoked cigarettes or drank alcohol regularly —2000 to 2006

		Good Chance Of Being Seen As Cool If:													
		Smoked Cigarettes						Drank Alcohol Regularly							
		2000 %	2001 %	2002 %	2003 %	2004 %	2005 %	2006 %	2000 %	2001 %	2002 %	2003 %	2004 %	2005 %	2006 %
Sex															
	Female	±0.4	±1.0	±0.4	±1.0	±0.4	±1.0	±0.4	±0.5	±1.3	±0.5	±1.3	±0.5	±1.4	±0.6
	Male	±0.4	±1.1	±0.4	±1.1	±0.4	±1.0	±0.4	±0.5	±1.4	±0.5	±1.3	±0.5	±1.3	±0.6
Race/Ethnic group															
	African American	±0.6	±1.4	±0.5	±1.7	±0.6	±1.4	±0.7	±0.7	±1.8	±0.7	±2.0	±0.8	±1.7	±0.9
	Hispanic/Latino	±0.7	±1.8	±0.7	±1.6	±0.7	±1.5	±0.7	±0.8	±2.2	±0.8	±2.0	±0.9	±1.8	±0.9
	White, non-Hispanic	±0.4	±1.1	±0.4	±1.1	±0.4	±1.1	±0.4	±0.5	±1.6	±0.5	±1.5	±0.5	±1.7	±0.6
Age															
	11	±0.8	±3.4	±1.2	±3.8	±1.2	±3.2	±1.2	±0.7	±3.3	±1.1	±3.3	±1.1	±2.9	±1.2
	12	±0.7	±2.0	±0.7	±2.0	±0.7	±1.9	±0.7	±0.6	±1.9	±0.7	±1.9	±0.7	±1.6	±0.7
	13	±0.7	±2.3	±0.7	±1.9	±0.7	±1.8	±0.7	±0.7	±2.3	±0.7	±2.1	±0.8	±2.1	±0.8
	14	±0.8	±1.8	±0.7	±1.8	±0.7	±1.8	±0.7	±0.8	±2.3	±0.8	±2.3	±0.9	±2.2	±0.9
	15	±0.8	±1.9	±0.6	±1.8	±0.6	±1.6	±0.7	±0.9	±2.6	±0.9	±2.4	±0.9	±2.5	±1.0
	16	±0.8	±1.7	±0.6	±1.7	±0.7	±1.9	±0.7	±1.1	±2.7	±1.0	±2.7	±1.1	±2.8	±1.2
	17	±0.8	±1.6	±0.6	±1.8	±0.7	±1.9	±0.8	±1.1	±3.0	±1.1	±3.3	±1.2	±3.2	±1.4
	18	±1.3	±1.9	±0.9	±2.8	±0.9	±2.5	±1.0	±1.9	±3.8	±1.5	±4.2	±1.6	±3.9	±1.9
Grade															
	6th	±0.6	±1.9	±0.6	±2.0	±0.6	±1.6	±0.7	±0.6	±1.9	±0.6	±1.9	±0.6	±1.4	±0.7
	7th	±0.8	±2.3	±0.7	±1.8	±0.7	±1.9	±0.7	±0.7	±2.3	±0.7	±1.8	±0.8	±2.0	±0.8
	8th	±0.7	±1.8	±0.7	±2.0	±0.7	±1.9	±0.7	±0.8	±2.2	±0.8	±2.3	±0.8	±2.3	±0.9
	9th	±0.8	±1.7	±0.6	±1.8	±0.7	±1.7	±0.8	±0.9	±2.5	±0.9	±2.5	±0.9	±2.5	±1.1
	10th	±0.8	±1.9	±0.6	±1.7	±0.7	±1.7	±0.7	±1.0	±2.9	±1.0	±2.7	±1.1	±2.8	±1.2
	11th	±0.8	±1.8	±0.6	±1.8	±0.7	±2.0	±0.8	±1.2	±3.0	±1.1	±3.0	±1.3	±3.2	±1.3
	12th	±0.8	±1.5	±0.8	±2.0	±0.8	±2.0	±0.9	±1.2	±3.2	±1.3	±3.5	±1.4	±3.3	±1.6
Overall Middle School		±0.4	±1.2	±0.4	±1.1	±0.4	±1.0	±0.4	±0.4	±1.2	±0.4	±1.2	±0.4	±1.1	±0.4
Overall High School		±0.4	±0.9	±0.3	±0.9	±0.4	±0.9	±0.4	±0.5	±1.4	±0.5	±1.4	±0.6	±1.5	±0.6
Total		±0.3	±0.7	±0.3	±0.7	±0.3	±0.7	±0.3	±0.3	±0.9	±0.3	±0.9	±0.4	±0.9	±0.4

Table 45. Percentages of surveyed Florida youth who reported good chances of being seen as cool if they smoked marijuana—2000 to 2006

		Good Chance Of Being Seen As Cool If:						
		Smoked Marijuana						
		2000 %	2001 %	2002 %	2003 %	2004 %	2005 %	2006 %
Sex								
	Female	±0.5	±1.3	±0.5	±1.4	±0.5	±1.3	±0.5
	Male	±0.5	±1.6	±0.5	±1.5	±0.5	±1.3	±0.5
Race/Ethnic group								
	African American	±0.9	±2.2	±0.8	±2.4	±0.9	±2.2	±1.0
	Hispanic/Latino	±0.9	±2.3	±0.9	±2.0	±1.0	±1.8	±0.9
	White, non-Hispanic	±0.5	±1.5	±0.5	±1.5	±0.5	±1.5	±0.5
Age								
	11	±0.8	±3.5	±1.2	±3.7	±1.0	±2.9	±1.1
	12	±0.6	±2.1	±0.7	±2.0	±0.7	±1.9	±0.7
	13	±0.8	±2.5	±0.8	±2.4	±0.8	±2.3	±0.8
	14	±0.9	±2.6	±0.9	±2.7	±0.9	±2.3	±0.9
	15	±1.1	±2.8	±1.0	±2.6	±1.0	±2.5	±1.0
	16	±1.1	±2.8	±1.0	±2.8	±1.1	±2.7	±1.1
	17	±1.2	±2.8	±1.1	±3.1	±1.2	±2.9	±1.2
	18	±1.7	±3.7	±1.4	±3.9	±1.5	±3.8	±1.6
Grade								
	6th	±0.6	±2.0	±0.7	±2.0	±0.6	±1.6	±0.7
	7th	±0.8	±2.5	±0.8	±2.2	±0.8	±2.2	±0.8
	8th	±0.9	±2.5	±0.9	±2.6	±0.9	±2.4	±0.9
	9th	±1.0	±2.7	±1.0	±2.8	±0.9	±2.5	±1.1
	10th	±1.1	±2.9	±1.0	±2.8	±1.1	±2.6	±1.1
	11th	±1.1	±2.9	±1.1	±2.9	±1.2	±3.0	±1.2
	12th	±1.1	±3.0	±1.2	±3.2	±1.3	±3.0	±1.4
Overall Middle School		±0.4	±1.3	±0.5	±1.3	±0.5	±1.2	±0.5
Overall High School		±0.5	±1.5	±0.5	±1.5	±0.6	±1.4	±0.6
Total		±0.4	±1.0	±0.4	±1.0	±0.4	±0.9	±0.4

Table 46. Percentages of surveyed Florida youth reporting participation in extracurricular activities, 2006

	School Sports	Organized Sports Outside of School	School Band	School Club(s)	Community Club(s)
	%	%	%	%	%
Sex					
Female	±0.7	±1.9	±0.5	±2.0	±0.6
Male	±0.8	±2.2	±0.5	±1.7	±0.5
Race/Ethnic group					
African American	±1.4	±3.3	±0.8	±2.8	±1.0
Hispanic/Latino	±1.5	±3.2	±0.8	±2.6	±0.9
White, non-Hispanic	±0.7	±2.2	±0.5	±2.2	±0.5
Age					
11	±2.4	±7.3	±1.9	±5.8	±1.8
12	±1.3	±4.0	±1.0	±3.2	±0.9
13	±1.2	±3.7	±1.0	±3.0	±0.9
14	±1.3	±3.7	±0.8	±3.1	±0.9
15	±1.4	±3.6	±0.7	±3.2	±0.9
16	±1.5	±3.7	±0.8	±3.6	±1.1
17	±1.6	±3.9	±0.9	±4.2	±1.3
18	±2.2	±5.3	±1.2	±5.7	±1.8
Grade					
6th	±1.2	±3.8	±0.9	±2.8	±0.9
7th	±1.2	±3.6	±1.0	±3.0	±0.8
8th	±1.3	±3.8	±0.9	±3.1	±0.8
9th	±1.4	±3.6	±0.7	±3.1	±1.0
10th	±1.5	±3.7	±0.8	±3.6	±1.0
11th	±1.6	±3.9	±1.0	±4.3	±1.3
12th	±1.9	±4.4	±1.0	±4.7	±1.6
Overall Middle School	±0.7	±2.2	±0.5	±1.7	±0.5
Overall High School	±0.8	±1.9	±0.4	±1.9	±0.6
Total	±0.5	±1.5	±0.3	±1.3	±0.4

Table 47. Percentile scores of protective factor scales for surveyed Florida youth, across the Community, Family, School and Peer and Individual domains—2000 to 2006

	Lower Bounds							Upper Bounds						
	2000	2001	2002	2003	2004	2005	2006	2000	2001	2002	2003	2004	2005	2006
Community Domain														
Community Opportunities for Prosocial Involvement	42.5%	41.7%	43.1%	41.9%	44.5%	42.1%	37.0%	43.0%	43.2%	43.6%	43.4%	45.1%	43.6%	38.0%
Community Rewards for Prosocial Involvement	49.6%	47.7%	48.3%	46.8%	47.6%	46.7%	46.5%	50.3%	49.4%	48.9%	48.5%	48.3%	48.4%	47.5%
Family Domain														
Family Attachment	48.9%	48.4%	49.2%	47.8%	48.6%	48.4%	46.0%	49.3%	49.6%	49.6%	49.1%	49.0%	49.5%	47.1%
Family Opportunities for Prosocial Involvement	49.1%	48.9%	49.4%	47.9%	48.7%	48.5%	46.3%	49.6%	50.1%	49.8%	49.1%	49.2%	49.7%	47.4%
Family Rewards for Prosocial Involvement	49.1%	48.5%	49.0%	48.1%	48.8%	48.6%	45.6%	49.5%	49.5%	49.3%	49.1%	49.2%	49.6%	46.6%
School Domain														
School Opportunities for Prosocial Involvement	48.1%	47.2%	47.6%	47.4%	48.1%	48.0%	44.0%	48.3%	47.9%	47.9%	48.2%	48.4%	48.7%	44.9%
School Rewards for Prosocial Involvement	46.7%	45.1%	46.3%	46.1%	47.0%	46.6%	44.3%	47.1%	46.1%	46.7%	47.2%	47.4%	47.6%	45.2%
Peer and Individual Domain														
Religiosity	48.6%	50.3%	50.0%	48.3%	49.0%	48.3%	47.6%	49.2%	51.9%	50.6%	50.0%	49.6%	49.9%	48.6%
Social Skills	48.7%	49.5%	49.9%	49.9%	49.7%	49.5%	49.0%	49.1%	50.3%	50.3%	50.8%	50.1%	50.4%	50.0%
Belief in the Moral Order	48.4%	47.8%	48.2%	47.7%	47.4%	47.3%	42.2%	48.7%	48.5%	48.5%	48.5%	47.7%	48.1%	43.1%

Note: Scale scores indicate the percentage of respondents in the normative sample who reported scores lower than Florida's average. A score of 50 would indicate that the Florida average matches the normative median. Because protective factors are associated with better behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 48. Percentile scores of risk factor scales for surveyed Florida youth, across the Community, Family, School and Peer and Individual domains—2000 to 2006

	Lower Bounds							Upper Bounds						
	2000	2001	2002	2003	2004	2005	2006	2000	2001	2002	2003	2004	2005	2006
Community Domain														
Low Neighborhood Attachment	52.8%	53.2%	53.4%	53.8%	52.6%	52.1%	54.1%	53.6%	55.4%	54.2%	56.1%	53.4%	54.2%	55.1%
Community Disorganization	48.3%	45.9%	47.0%	46.9%	47.5%	46.4%	48.3%	49.3%	48.5%	47.9%	49.5%	48.4%	49.0%	49.3%
Transitions and Mobility	59.5%	62.4%	61.7%	61.7%	63.4%	60.6%	64.3%	60.4%	64.6%	62.6%	64.1%	64.3%	62.8%	65.3%
Laws and Norms Favorable to Drug Use	49.8%	49.4%	49.3%	48.1%	49.0%	47.2%	47.4%	50.3%	50.9%	49.9%	49.6%	49.6%	48.6%	48.4%
Laws and Norms Favorable to Handguns	53.8%	51.7%	51.0%	49.7%	50.0%	48.6%	50.3%	54.5%	53.6%	51.7%	51.7%	50.7%	50.4%	51.3%
Perceived Availability of Drugs	51.8%	52.1%	50.4%	48.7%	49.4%	46.9%	47.1%	52.7%	54.4%	51.2%	51.0%	50.2%	48.7%	48.2%
Perceived Availability of Handguns	57.7%	55.0%	51.5%	49.1%	51.3%	48.9%	52.5%	59.4%	59.5%	53.1%	53.5%	52.9%	52.9%	53.5%
Family Domain														
Poor Family Management	55.1%	54.5%	54.1%	54.5%	53.7%	54.0%	56.9%	55.9%	56.7%	54.9%	56.8%	54.5%	55.8%	58.0%
Family Conflict	49.3%	48.4%	49.1%	49.3%	50.2%	49.0%	49.7%	49.9%	50.3%	49.8%	51.2%	50.8%	50.8%	50.7%
Family History of Antisocial Behavior	53.4%	51.5%	51.4%	50.9%	52.6%	49.6%	51.4%	54.3%	54.0%	52.3%	53.5%	53.5%	51.9%	52.4%
Parental Attitudes Favorable toward ATOD Use	50.8%	48.8%	49.7%	48.4%	49.4%	47.4%	49.1%	52.7%	53.6%	51.5%	53.2%	51.1%	51.7%	50.2%
Parental Attitudes Favorable toward Antisocial Behavior	46.4%	45.4%	47.1%	47.9%	49.4%	49.1%	51.2%	48.0%	49.4%	48.6%	52.2%	50.9%	53.1%	52.2%
School Domain														
Poor Academic Performance	55.5%	50.5%	49.4%	49.3%	49.9%	49.7%	49.5%	56.1%	52.1%	50.0%	50.9%	50.4%	51.2%	50.4%
Lack of Commitment to School	51.1%	51.9%	51.6%	51.7%	52.0%	51.3%	54.0%	51.5%	53.1%	52.1%	53.0%	52.5%	52.4%	54.9%
Peer and Individual Domain														
Rebelliousness	52.3%	50.2%	50.9%	50.5%	52.5%	51.3%	53.9%	53.0%	52.1%	51.6%	52.4%	53.1%	53.1%	54.8%
Friends' Delinquent Behavior	67.6%	56.9%	55.7%	55.3%	59.8%	56.2%	55.0%	69.5%	61.7%	57.4%	60.1%	61.6%	60.4%	56.0%
Friends' Use of Drugs	54.7%	51.2%	49.2%	47.7%	49.5%	45.7%	47.0%	55.8%	54.1%	50.2%	50.6%	50.6%	48.1%	48.0%
Peer Rewards for Antisocial Behavior	46.1%	47.8%	47.3%	47.1%	49.2%	46.9%	50.2%	47.4%	51.4%	48.6%	50.7%	50.5%	50.2%	51.2%
Favorable Attitudes toward Antisocial Behavior	52.2%	51.6%	51.4%	51.9%	54.6%	53.3%	55.5%	53.1%	54.0%	52.2%	54.3%	55.4%	55.5%	56.5%
Favorable Attitudes toward ATOD Use	53.6%	52.8%	50.9%	50.4%	51.1%	48.4%	49.6%	54.7%	55.8%	51.9%	53.2%	52.1%	51.0%	50.6%
Low Perceived Risks of Drug Use	52.7%	51.1%	51.9%	50.8%	50.2%	48.6%	49.2%	53.6%	53.4%	52.7%	53.1%	51.1%	50.7%	50.2%
Early Initiation of Drug Use	56.4%	53.0%	51.3%	48.9%	49.9%	46.7%	47.1%	57.4%	55.6%	52.2%	51.5%	50.9%	49.1%	48.1%
Sensation Seeking	50.3%	48.4%	47.9%	47.7%	49.0%	47.8%	49.6%	51.2%	50.6%	48.7%	49.9%	49.8%	49.9%	50.6%

Note: Scale scores indicate the percentage of respondents in the normative sample who reported scores lower than Florida's average. A score of 50 would indicate that the Florida average matches the normative median. Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher.

Table 49. Protective factor scale scores for surveyed Florida youth, across the Community, Family, School and Peer and Individual domains, 2006

	Lower Bounds			Upper Bounds		
	Middle School	High School	Overall	Middle School	High School	Overall
Community Domain						
Community Opportunities for Prosocial Involvement	35.9%	37.5%	37.0%	37.4%	38.8%	38.0%
Community Rewards for Prosocial Involvement	44.1%	48.1%	46.5%	45.5%	49.4%	47.5%
Family Domain						
Family Attachment	43.9%	47.2%	46.0%	45.5%	48.5%	47.1%
Family Opportunities for Prosocial Involvement	43.8%	47.6%	46.3%	45.6%	49.0%	47.4%
Family Rewards for Prosocial Involvement	43.1%	46.9%	45.6%	44.9%	48.2%	46.6%
School Domain						
School Opportunities for Prosocial Involvement	39.6%	47.3%	44.0%	41.0%	48.6%	44.9%
School Rewards for Prosocial Involvement	40.3%	47.2%	44.3%	41.7%	48.5%	45.2%
Peer and Individual Domain						
Religiosity	45.8%	48.6%	47.6%	47.3%	49.9%	48.6%
Social Skills	44.7%	51.7%	49.0%	46.2%	52.9%	50.0%
Belief in the Moral Order	37.8%	45.4%	42.2%	39.3%	46.5%	43.1%

Note: Scale scores indicate the percentage of respondents in the normative sample who reported scores lower than Florida's average. A score of 50 would indicate that the Florida average matches the normative median. Because protective factors are associated with better behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 50. Risk factor scale scores for surveyed Florida youth, across the Community, Family, School and Peer and Individual domains, 2006

	Lower Bounds			Upper Bounds		
	Middle School	High School	Overall	Middle School	High School	Overall
Community Domain						
Low Neighborhood Attachment	54.5%	53.4%	54.1%	56.1%	54.7%	55.1%
Community Disorganization	48.8%	47.7%	48.3%	50.2%	48.9%	49.3%
Transitions and Mobility	63.3%	64.7%	64.3%	64.8%	65.9%	65.3%
Laws and Norms Favorable to Drug Use	50.9%	44.5%	47.4%	52.5%	45.7%	48.4%
Laws and Norms Favorable to Handguns	51.5%	48.9%	50.3%	53.0%	50.2%	51.3%
Perceived Availability of Drugs	50.0%	44.9%	47.1%	51.6%	46.3%	48.2%
Perceived Availability of Handguns	52.1%	52.4%	52.5%	53.7%	53.7%	53.5%
Family Domain						
Poor Family Management	57.8%	55.7%	56.9%	59.6%	57.1%	58.0%
Family Conflict	51.4%	48.1%	49.7%	53.0%	49.5%	50.7%
Family History of Antisocial Behavior	53.6%	49.7%	51.4%	55.2%	51.0%	52.4%
Parental Attitudes Favorable toward ATOD Use	50.8%	48.1%	49.1%	52.4%	49.4%	50.2%
Parental Attitudes Favorable toward Antisocial Behavior	53.3%	49.5%	51.2%	55.0%	50.8%	52.2%
School Domain						
Poor Academic Performance	51.2%	47.8%	49.5%	52.7%	49.0%	50.4%
Lack of Commitment to School	56.8%	51.5%	54.0%	58.2%	52.7%	54.9%
Peer and Individual Domain						
Rebelliousness	57.0%	51.3%	53.9%	58.4%	52.5%	54.8%
Friends' Delinquent Behavior	59.1%	52.4%	55.0%	60.8%	53.6%	56.0%
Friends' Use of Drugs	52.0%	44.3%	47.0%	53.6%	45.4%	48.0%
Peer Rewards for Antisocial Behavior	52.9%	47.9%	50.2%	54.5%	49.2%	51.2%
Favorable Attitudes toward Antisocial Behavior	60.5%	51.6%	55.5%	62.1%	52.8%	56.5%
Favorable Attitudes toward ATOD Use	54.7%	46.6%	49.6%	56.2%	47.8%	50.6%
Low Perceived Risks of Drug Use	50.7%	47.5%	49.2%	52.1%	48.8%	50.2%
Early Initiation of Drug Use	51.3%	44.0%	47.1%	52.7%	45.2%	48.1%
Sensation Seeking	52.2%	47.4%	49.6%	53.7%	48.6%	50.6%

Note: Scale scores indicate the percentage of respondents in the normative sample who reported scores lower than Florida's average. A score of 50 would indicate that the Florida average matches the normative median. Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher.