

2010 Florida Youth Substance Abuse Survey

Nassau County Report

Appendix A

Detailed Tables



Table 1. Major demographic characteristics of surveyed Nassau County youth and Florida Statewide 2010 youth

	Nassau County		Florida Statewide 2010	
	N	%	N	%
Sex				
Female	312	58.4	35,119	48.2
Male	215	40.3	36,540	50.2
Race/Ethnic group				
African American	28	5.2	12,829	17.7
American Indian	6	1.1	812	1.1
Asian	5	0.9	1,667	2.3
Hispanic/Latino	11	2.1	16,990	23.5
Native Hawaiian/Pacific Islander	4	0.7	314	0.4
Other/Multiple	59	11.0	10,689	14.8
White, non-Hispanic	418	78.3	29,034	40.1
Age				
10	1	0.2	102	0.1
11	18	3.4	2,655	3.6
12	56	10.5	8,828	12.1
13	88	16.5	10,495	14.4
14	85	15.9	10,640	14.6
15	81	15.2	11,346	15.6
16	73	13.7	11,220	15.4
17	75	14.0	10,069	13.8
18	52	9.7	6,339	8.7
19 or older	5	0.9	844	1.2
Grade				
6th	81	15.2	10,458	14.4
7th	66	12.4	10,655	14.6
8th	95	17.8	10,428	14.3
9th	73	13.7	11,566	15.9
10th	73	13.7	10,486	14.4
11th	82	15.4	10,131	13.9
12th	64	12.0	9,072	12.5
Overall Middle School	242	45.3	31,541	43.3
Overall High School	292	54.7	41,256	56.7
Total	534	100.0	72,797	100.0

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered). In addition, rounding can produce totals that do not equal 100%. "N" represents the number of valid cases. In this table, county data are unweighted while statewide data are weighted.

Table 2. Percentages of Nassau County youth and Florida Statewide youth who reported having used various drugs in their lifetimes

	Nassau County							Florida Statewide 2010						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	34.5	65.2	48.8	54.0	34.5	63.0	51.8	35.3	63.9	53.0	50.2	35.9	63.4	51.5
Cigarettes	21.7	39.0	28.6	33.6	21.4	35.9	31.4	16.6	33.0	25.4	26.5	16.0	32.6	25.9
Marijuana or Hashish	10.4	36.5	23.2	25.7	10.1	34.8	25.1	10.5	33.8	22.0	25.5	10.5	33.5	23.8
Inhalants	15.2	8.7	10.0	12.4	15.1	8.1	11.5	12.5	8.0	11.0	8.9	12.4	8.3	10.0
Club Drugs	0.9	5.3	3.1	3.8	0.5	3.4	3.4	1.7	5.2	3.5	3.9	1.7	5.0	3.7
LSD, PCP or Mushrooms	1.2	3.5	1.1	3.8	1.2	1.9	2.5	1.9	5.4	3.2	4.7	1.9	5.2	3.9
Methamphetamine	0.0	1.2	0.3	1.2	0.0	1.3	0.7	1.3	1.3	1.2	1.3	1.2	1.3	1.3
Cocaine or Crack Cocaine	1.2	4.1	3.2	2.5	1.1	3.1	2.8	1.8	3.8	2.7	3.1	1.7	3.6	2.9
Heroin	1.1	1.0	0.9	1.3	0.8	1.1	1.1	0.9	1.1	1.0	1.1	0.9	1.1	1.0
Depressants	2.2	9.0	7.2	4.9	2.1	7.9	6.0	2.8	8.2	6.5	5.2	2.8	7.9	5.8
Prescription Pain Relievers	5.8	12.4	9.1	9.3	5.2	11.9	9.5	4.4	9.7	8.0	6.9	4.3	9.7	7.4
Prescription Amphetamines	1.0	5.5	4.1	2.7	1.6	4.7	3.6	1.6	5.2	3.9	3.3	1.6	4.9	3.6
Steroids (without a doctor's order)	1.2	1.6	0.0	3.1	1.2	1.4	1.4	0.7	0.8	0.4	1.2	0.7	0.8	0.8
Over-the-Counter Drugs	2.4	9.3	4.4	7.5	2.5	8.7	6.3	4.8	8.0	6.9	6.2	4.7	8.0	6.6
Any illicit drug	24.2	43.6	32.4	36.7	23.5	42.3	35.1	22.8	40.7	32.7	33.2	22.7	40.6	33.0
Any illicit drug other than marijuana	20.3	25.6	21.0	25.3	19.2	24.4	23.3	18.3	23.1	22.0	20.0	18.1	23.2	21.0
Alcohol only	17.8	27.5	22.0	25.1	18.4	27.0	23.3	18.7	27.0	24.8	22.2	19.3	27.0	23.4
Alcohol or any illicit drug	41.8	71.1	54.5	61.4	41.7	69.4	58.3	41.5	67.5	57.4	55.3	41.9	67.4	56.3
Any illicit drug, but no alcohol	7.7	5.9	5.6	7.8	7.4	6.3	6.7	6.3	3.8	4.5	5.3	6.1	4.1	4.9

Note: The first 14 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs.

Table 3. Percentages of Nassau County youth and Florida Statewide youth who reported having used various drugs in the past 30 days

	Nassau County							Florida Statewide 2010						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	15.8	36.3	24.1	29.8	15.8	32.8	27.3	16.8	38.0	29.4	28.3	16.9	37.0	28.8
Binge Drinking	6.6	20.3	11.1	17.4	6.6	15.7	14.3	6.9	19.6	13.0	15.2	6.8	18.3	14.1
Cigarettes	4.8	15.5	8.0	13.0	4.6	12.2	10.8	4.5	12.1	8.1	9.5	4.3	11.5	8.8
Marijuana or Hashish	5.2	17.3	9.3	13.3	6.3	14.9	12.1	5.7	18.6	11.4	14.6	5.6	18.3	13.0
Inhalants	4.5	1.2	2.7	2.0	4.7	0.8	2.6	4.8	2.0	3.6	2.8	4.7	2.2	3.2
Club Drugs	0.0	1.6	0.5	1.5	0.0	0.4	0.9	0.6	1.7	1.1	1.4	0.6	1.7	1.3
LSD, PCP or Mushrooms	0.0	1.8	0.7	1.0	0.7	0.0	1.0	0.7	1.4	0.9	1.3	0.7	1.3	1.1
Methamphetamine	0.0	0.3	0.0	0.4	0.0	0.4	0.2	0.6	0.5	0.4	0.6	0.5	0.5	0.5
Cocaine or Crack Cocaine	0.0	0.8	0.0	1.0	0.0	0.4	0.4	0.7	0.9	0.8	0.9	0.6	0.9	0.8
Heroin	0.2	0.0	0.2	0.0	0.2	0.0	0.1	0.3	0.4	0.3	0.4	0.3	0.4	0.4
Depressants	0.6	1.9	0.2	2.6	0.8	1.2	1.3	1.1	2.7	2.3	1.7	1.1	2.7	2.0
Prescription Pain Relievers	2.9	3.8	2.3	4.3	2.9	2.1	3.4	2.2	3.4	3.1	2.7	2.1	3.6	2.9
Prescription Amphetamines	1.0	2.2	0.9	2.3	1.6	1.3	1.7	0.6	1.4	1.1	1.1	0.6	1.4	1.1
Steroids (without a doctor's order)	0.7	0.0	0.0	0.6	0.6	0.0	0.3	0.3	0.4	0.1	0.6	0.2	0.4	0.3
Over-the-Counter Drugs	0.5	3.3	1.3	2.7	1.4	2.2	2.1	2.2	2.9	2.8	2.3	2.2	2.9	2.6
Any illicit drug	10.2	20.0	12.9	16.9	10.6	18.4	15.7	11.7	22.7	17.3	18.6	11.6	22.6	18.0
Any illicit drug other than marijuana	7.1	7.8	6.1	8.6	7.3	5.6	7.5	8.5	10.0	9.8	8.8	8.5	10.0	9.3
Alcohol only	8.7	21.7	15.3	17.4	8.4	20.2	16.0	10.3	21.3	17.5	15.6	10.6	20.6	16.5
Alcohol or any illicit drug	18.5	41.9	28.0	34.2	18.7	38.9	31.6	21.8	43.6	34.4	33.7	21.9	42.8	34.1
Any illicit drug, but no alcohol	3.0	5.8	4.1	4.7	3.2	6.2	4.5	5.3	5.9	5.4	5.8	5.3	6.1	5.6

Note: The first 15 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs.

Table 4. Lifetime trend in alcohol, tobacco and other drug use for Nassau County youth, 2000, 2002, 2004, 2006, 2008 and 2010

	2000			2002			2004			2006			2008			2010		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	41.8	64.8	54.0	47.4	75.3	62.6	48.6	73.3	61.9	38.3	71.1	57.3	41.2	68.8	57.0	34.5	65.2	51.8
Cigarettes	35.2	62.7	50.0	38.2	57.3	48.4	34.3	52.9	44.3	23.3	48.6	37.3	22.2	36.1	30.2	21.7	39.0	31.4
Marijuana or Hashish	13.6	42.5	29.1	17.4	40.2	30.0	18.0	39.8	29.9	15.8	35.1	26.6	12.8	35.3	25.7	10.4	36.5	25.1
Inhalants	17.3	16.4	16.8	20.0	12.6	15.9	17.8	12.0	14.7	18.2	16.7	17.2	12.7	9.1	10.6	15.2	8.7	11.5
Club Drugs	--	--	--	--	--	--	--	--	--	--	--	--	1.5	--	--	0.9	5.3	3.4
LSD, PCP or Mushrooms	--	--	--	--	--	--	--	--	--	--	--	--	2.6	--	--	1.2	3.5	2.5
Methamphetamine	4.4	6.3	5.4	2.4	3.9	3.2	4.3	4.3	4.3	0.8	0.6	0.7	0.0	1.1	--	0.0	1.2	0.7
Cocaine or Crack Cocaine	--	--	--	--	--	--	--	--	--	--	--	--	3.0	--	--	1.2	4.1	2.8
Heroin	0.9	4.1	2.6	1.8	2.2	2.0	1.5	1.9	1.7	0.0	0.6	0.3	2.2	0.0	1.0	1.1	1.0	1.1
Depressants	--	--	--	7.5	15.8	11.9	7.4	17.5	12.9	6.6	13.5	10.4	1.8	11.7	7.6	2.2	9.0	6.0
Prescription Pain Relievers	--	--	--	8.9	19.4	14.5	10.0	17.9	14.2	3.0	11.4	7.7	8.3	9.8	9.1	5.8	12.4	9.5
Prescription Amphetamines	--	--	--	3.0	7.0	5.2	4.1	6.1	5.2	0.7	4.8	3.0	2.7	2.7	2.7	1.0	5.5	3.6
Steroids (without a doctor's order)	2.7	7.7	5.3	3.1	3.0	3.0	2.1	2.2	2.2	2.0	1.0	1.4	1.2	1.2	1.2	1.2	1.6	1.4
Over-the-Counter Drugs	--	--	--	--	--	--	--	--	--	--	--	--	6.3	--	--	2.4	9.3	6.3
Any illicit drug	--	--	--	30.6	46.9	39.5	30.8	47.0	39.6	27.9	46.5	38.1	24.4	40.4	33.6	24.2	43.6	35.1
Any illicit drug other than marijuana	--	--	--	25.8	31.1	28.6	24.8	31.5	28.3	21.1	32.8	27.4	20.4	23.6	22.3	20.3	25.6	23.3
Alcohol only	--	--	--	22.5	30.2	26.7	22.9	27.8	25.6	15.0	28.8	23.6	21.7	30.9	27.0	17.8	27.5	23.3
Alcohol or any illicit drug	--	--	--	53.0	76.6	65.8	53.4	74.7	64.9	42.9	75.4	61.7	46.1	70.7	60.3	41.8	71.1	58.3
Any illicit drug, but no alcohol	--	--	--	5.8	1.3	3.3	5.1	2.1	3.5	4.6	4.3	4.4	4.9	1.7	3.1	7.7	5.9	6.7

Note: The first 14 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. Results for combinations of drugs are not presented for 2000 because new ATOD items were added between 2000 and 2002. The symbol "--" indicates that data are not available.

Table 5. Past-30-day trend in alcohol, tobacco and other drug use for Nassau County youth, 2000, 2002, 2004, 2006, 2008 and 2010

	2000			2002			2004			2006			2008			2010		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	24.3	38.7	31.9	24.6	46.8	36.8	27.1	43.4	35.9	17.9	48.6	34.9	21.2	35.2	29.3	15.8	36.3	27.3
Binge Drinking	12.6	24.9	19.3	13.0	26.8	20.7	15.6	26.8	21.6	12.7	23.0	18.3	8.1	22.1	16.2	6.6	20.3	14.3
Cigarettes	15.6	25.5	20.8	11.3	24.7	18.5	9.6	20.0	15.2	4.4	16.9	11.4	7.1	11.3	9.5	4.8	15.5	10.8
Marijuana or Hashish	8.1	16.9	12.8	9.6	19.3	15.1	9.2	18.7	14.4	6.5	13.0	10.2	8.2	11.7	10.2	5.2	17.3	12.1
Inhalants	9.6	2.7	5.9	7.5	3.9	5.6	6.9	2.1	4.3	11.0	2.0	5.8	3.7	2.7	3.1	4.5	1.2	2.6
Club Drugs	--	--	--	--	--	--	--	--	--	--	--	--	0.0	--	--	0.0	1.6	0.9
LSD, PCP or Mushrooms	--	--	--	--	--	--	--	--	--	--	--	--	0.0	--	--	0.0	1.8	1.0
Methamphetamine	2.0	1.3	1.6	1.4	1.1	1.3	1.0	0.8	0.9	0.0	0.0	0.0	0.0	1.1	0.7	0.0	0.3	0.2
Cocaine or Crack Cocaine	--	--	--	--	--	--	--	--	--	--	--	--	1.1	--	--	0.0	0.8	0.4
Heroin	0.4	0.6	0.5	0.6	1.3	1.0	0.9	0.4	0.6	0.0	0.0	0.0	0.7	0.0	0.3	0.2	0.0	0.1
Depressants	--	--	--	3.3	6.6	5.1	3.1	8.1	5.8	2.3	2.4	2.3	0.4	4.4	2.8	0.6	1.9	1.3
Prescription Pain Relievers	--	--	--	3.7	6.7	5.3	4.4	9.1	7.0	2.3	1.0	1.5	3.1	3.2	3.2	2.9	3.8	3.4
Prescription Amphetamines	--	--	--	1.1	1.2	1.1	1.0	1.5	1.3	0.0	0.6	0.3	2.3	1.0	1.5	1.0	2.2	1.7
Steroids (without a doctor's order)	0.8	1.0	0.9	1.6	1.5	1.5	0.4	0.9	0.7	0.0	0.0	0.0	0.6	0.4	0.5	0.7	0.0	0.3
Over-the-Counter Drugs	--	--	--	--	--	--	--	--	--	--	--	--	2.3	--	--	0.5	3.3	2.1
Any illicit drug	--	--	--	16.0	25.4	21.3	16.3	23.8	20.4	15.9	15.4	15.5	12.2	16.3	14.5	10.2	20.0	15.7
Any illicit drug other than marijuana	--	--	--	11.7	15.0	13.5	11.5	12.6	12.1	10.7	7.4	8.8	7.7	10.0	9.0	7.1	7.8	7.5
Alcohol only	--	--	--	13.9	25.8	20.5	16.7	23.8	20.5	7.4	34.0	22.2	12.2	23.5	18.7	8.7	21.7	16.0
Alcohol or any illicit drug	--	--	--	29.6	50.6	41.1	32.3	47.6	40.6	23.1	49.8	37.8	24.3	39.3	32.9	18.5	41.9	31.6
Any illicit drug, but no alcohol	--	--	--	4.9	3.8	4.4	5.6	4.6	5.1	5.2	1.6	3.1	3.4	3.8	3.6	3.0	5.8	4.5

Note: The first 14 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. Results for combinations of drugs are not presented for 2000 because new ATOD items were added between 2000 and 2002. The symbol "--" indicates that data are not available.

Table 6. Percentages of Nassau County youth and Florida Statewide youth who reported early ATOD use, perceived risk of harm, personal disapproval and peer approval

	Nassau County							Florida Statewide 2010						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Early ATOD use														
More than a sip of alcohol	--	24.3	26.0	23.0	--	24.1	--	--	27.1	25.3	29.0	--	27.6	--
Drinking at least once a month	--	2.1	1.9	2.5	--	2.6	--	--	5.8	5.3	6.4	--	5.9	--
Cigarettes	--	21.5	20.5	23.3	--	21.6	--	--	17.1	15.9	18.3	--	17.5	--
Marijuana	--	11.6	11.5	12.1	--	12.1	--	--	11.3	8.5	13.9	--	11.4	--
Perceive great risk of harm if...														
One or more drinks every day	43.6	42.8	46.1	40.2	45.3	41.9	43.2	43.2	42.1	46.9	38.4	44.0	41.6	42.6
Smoke a pack or more every day	65.2	66.8	67.8	65.2	67.4	66.1	66.1	66.6	66.5	69.2	64.0	67.5	66.4	66.5
Smoke marijuana regularly	68.3	47.0	59.2	53.7	69.5	47.9	56.5	66.7	44.5	59.0	49.4	66.7	44.8	54.1
Try marijuana once or twice	39.5	20.2	30.6	27.0	39.8	21.2	28.7	39.1	21.2	30.8	27.2	38.3	21.5	28.9
Think it would be wrong for someone their age to...														
Smoke cigarettes	90.4	73.3	80.3	81.8	90.7	79.0	80.8	90.1	75.0	82.1	80.9	90.1	77.1	81.5
Drink alcohol regularly	81.3	56.4	68.2	66.6	80.6	59.2	67.4	81.4	55.5	67.1	66.4	80.8	56.3	66.7
Smoke marijuana	89.6	70.9	80.6	78.2	89.5	73.2	79.1	88.5	67.8	79.4	74.2	88.4	68.2	76.8
Use other illicit drugs	97.5	96.6	97.3	96.9	97.5	97.6	97.0	96.2	93.0	95.4	93.4	96.3	93.0	94.4
Good chance of being seen as cool if...														
Drink alcohol regularly	12.4	18.6	15.7	15.5	13.1	16.7	15.8	9.1	16.0	14.3	11.8	9.3	15.8	13.0
Smoke cigarettes	8.7	1.8	4.8	4.7	8.4	2.4	4.9	7.0	6.2	6.8	6.2	7.0	6.1	6.5
Smoke marijuana	11.1	14.4	12.4	12.7	11.9	13.2	13.0	11.9	18.0	15.6	15.0	12.1	18.3	15.4

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

Table 7. Trends in early ATOD use and attitudes toward substance use for Nassau County youth, 2000, 2002, 2004, 2006, 2008 and 2010

	2000			2002			2004			2006			2008			2010		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Early ATOD use																		
Try alcohol	--	44.4	--	--	35.0	--	--	32.0	--	--	32.4	--	--	31.2	--	--	24.3	--
Regular alcohol use	--	7.0	--	--	6.9	--	--	6.4	--	--	7.3	--	--	6.6	--	--	2.1	--
Cigarettes	--	52.2	--	--	38.9	--	--	32.6	--	--	30.1	--	--	19.0	--	--	21.5	--
Marijuana	--	16.0	--	--	15.7	--	--	13.6	--	--	14.7	--	--	12.2	--	--	11.6	--
Great risk of harm																		
Daily alcohol use	43.5	46.1	44.8	32.7	33.9	33.4	36.7	31.8	34.0	36.4	34.4	34.9	40.4	31.5	35.3	43.6	42.8	43.2
Daily cigarette use	68.3	67.7	67.9	58.4	65.9	62.3	62.4	65.6	64.0	66.1	70.4	68.9	72.0	72.2	72.1	65.2	66.8	66.1
Regular marijuana use	72.5	52.9	62.0	65.2	53.3	58.7	69.4	59.4	63.9	79.3	62.1	69.9	83.9	53.4	66.3	68.3	47.0	56.5
Try marijuana	43.4	30.2	36.4	35.0	27.0	30.6	40.9	25.5	32.5	43.0	27.1	34.4	42.4	26.1	33.0	39.5	20.2	28.7
Think it wrong																		
Smoke cigarettes	84.8	61.8	72.8	82.2	63.7	72.1	78.4	62.8	69.8	89.4	64.1	75.1	87.1	68.3	76.1	90.4	73.3	80.8
Drink regularly	80.2	57.7	68.5	71.6	49.7	59.5	68.7	47.1	56.8	78.0	55.2	65.2	75.8	55.9	64.1	81.3	56.4	67.4
Smoke marijuana	91.3	69.5	80.1	83.6	65.2	73.5	85.3	72.3	78.1	91.4	75.4	82.4	87.4	73.6	79.3	89.6	70.9	79.1
Use other illicit drugs	97.4	92.5	94.8	94.1	91.0	92.3	94.7	92.7	93.6	96.9	96.6	96.8	95.9	93.0	94.2	97.5	96.6	97.0
Seen as cool																		
Drink regularly	6.3	17.9	12.4	10.1	14.0	12.2	13.5	21.0	17.6	13.1	25.2	19.9	11.5	18.8	15.8	12.4	18.6	15.8
Smoke cigarettes	7.2	11.1	9.2	8.7	5.3	6.8	9.5	5.9	7.5	11.6	4.5	7.5	5.8	3.9	4.7	8.7	1.8	4.9
Smoke marijuana	11.7	10.3	10.9	13.8	13.6	13.8	15.7	14.8	15.2	13.7	9.2	11.0	10.7	12.4	11.7	11.1	14.4	13.0

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

Table 8. Among high school drinkers, usual source of alcohol within the past 30 days, Nassau County youth and Florida Statewide, 2010

	Nassau County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bought in a store	--	7.5	4.4	11.5	--	1.5	--	--	9.2	6.3	12.5	--	8.3	--
Bought in a restaurant, bar, or club	--	1.0	2.0	0.0	--	1.5	--	--	2.4	2.3	2.4	--	2.2	--
Bought at a public event	--	0.8	1.5	0.0	--	1.2	--	--	0.4	0.3	0.6	--	0.3	--
Someone bought it for me	--	28.0	19.7	36.3	--	31.1	--	--	19.3	16.5	22.1	--	18.3	--
Someone gave it to me	--	36.8	43.0	27.7	--	34.4	--	--	41.5	47.8	35.1	--	42.8	--
Took it from a store	--	0.0	0.0	0.0	--	0.0	--	--	0.6	0.4	0.9	--	0.6	--
Took it from a family member	--	4.3	4.3	4.6	--	4.9	--	--	7.5	7.8	7.2	--	8.5	--
Some other way	--	21.7	25.1	20.0	--	25.3	--	--	19.1	18.7	19.2	--	19.0	--

Note: The symbol "--" indicates that data are not available.

Table 9. Among high school drinkers, usual drinking location within the past 30 days, Nassau County youth and Florida Statewide, 2010

	Nassau County						Florida Statewide							
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
My home	--	22.9	20.5	27.4	--	16.4	--	--	24.6	25.1	24.3	--	25.1	--
Another person's home	--	61.3	58.0	61.5	--	62.3	--	--	48.9	50.8	47.3	--	48.9	--
Car or other vehicle	--	1.4	0.0	3.1	--	0.0	--	--	1.9	1.8	2.1	--	1.9	--
Restaurant, bar, or club	--	1.8	3.6	0.0	--	2.8	--	--	4.0	4.1	3.8	--	3.6	--
Public place	--	2.5	2.8	2.4	--	3.9	--	--	5.1	4.4	5.7	--	5.3	--
Public event	--	0.0	0.0	0.0	--	0.0	--	--	1.2	1.2	1.0	--	1.3	--
School property	--	0.0	0.0	0.0	--	0.0	--	--	1.1	0.6	1.7	--	1.2	--
Some other place	--	10.1	15.1	5.6	--	14.5	--	--	13.2	12.1	14.1	--	12.8	--

Note: The symbol "--" indicates that data are not available.

Table 10. Among high school drinkers, number of drinks usually consumed per day, on the days students drank in the past 30 days, Nassau County youth and Florida Statewide, 2010

	Nassau County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
1	--	21.2	25.8	17.9	--	22.8	--	--	23.5	26.8	20.0	--	24.0	--
2	--	22.6	31.8	11.0	--	27.0	--	--	21.2	23.5	18.9	--	21.8	--
3	--	8.3	13.2	3.7	--	11.0	--	--	16.8	18.0	15.5	--	17.0	--
4	--	5.0	8.2	1.9	--	5.4	--	--	9.9	10.8	8.9	--	9.7	--
5 or more	--	42.8	21.0	65.5	--	33.7	--	--	28.6	20.9	36.8	--	27.5	--

Note: The symbol "--" indicates that data are not available.

Table 11. Percentages of Nassau County youth and Florida Statewide youth who reported engaging in delinquent behavior within the past 12 months

	Nassau County							Florida Statewide 2010						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Carrying a handgun	6.3	3.1	0.7	9.0	5.6	2.7	4.5	4.6	5.1	1.9	7.8	4.2	5.2	4.9
Selling drugs	2.3	6.8	3.3	6.5	2.6	5.7	4.9	3.3	8.5	3.8	8.7	3.1	8.8	6.3
Attempting to steal a vehicle	2.3	1.3	0.7	2.7	2.6	1.0	1.7	2.1	2.4	1.4	3.1	1.9	2.5	2.2
Being arrested	2.5	3.4	1.0	4.5	2.3	3.8	3.0	4.1	5.3	3.4	6.2	3.5	5.8	4.8
Taking a handgun to school	0.0	0.6	0.0	0.8	0.0	0.5	0.4	0.8	1.1	0.4	1.6	0.7	1.2	1.0
Getting suspended	10.5	7.7	3.1	14.7	9.6	6.9	8.9	16.2	13.6	10.7	18.7	14.7	15.0	14.7
Attacking someone with intent to harm	8.0	7.5	5.0	10.8	7.5	7.7	7.7	10.8	10.5	8.9	12.3	10.2	11.1	10.6
Being drunk or high at school	4.7	15.0	7.7	12.6	5.4	12.0	10.5	7.4	17.0	11.8	14.0	7.3	17.0	12.9

Table 12. Trends in delinquent behaviors for Nassau County youth, 2000, 2002, 2004, 2006, 2008 and 2010

	2000			2002			2004			2006			2008			2010		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Carrying a handgun	7.5	14.5	11.2	4.3	5.2	4.8	5.1	4.4	4.7	2.1	6.4	4.5	5.9	2.8	4.2	6.3	3.1	4.5
Selling drugs	3.7	11.2	7.6	5.5	9.6	7.7	4.7	9.9	7.6	3.9	3.2	3.5	4.4	3.7	4.0	2.3	6.8	4.9
Attempting to steal a vehicle	2.0	3.8	3.0	3.2	4.1	3.6	3.0	1.3	2.1	2.4	2.0	2.2	2.3	0.7	1.4	2.3	1.3	1.7
Being arrested	7.1	5.5	6.2	4.4	8.1	6.5	6.2	6.6	6.4	2.7	6.7	5.0	2.4	1.8	2.0	2.5	3.4	3.0
Taking a handgun to school	0.8	1.7	1.2	1.2	1.6	1.4	1.4	1.0	1.2	0.0	0.0	0.0	0.0	0.7	0.4	0.0	0.6	0.4
Getting suspended	11.3	15.3	13.4	13.7	14.9	14.3	21.0	16.4	18.4	16.8	11.5	13.7	6.0	12.2	9.5	10.5	7.7	8.9
Attacking someone with intent to harm	16.6	17.4	17.0	12.8	12.3	12.5	15.2	9.9	12.3	15.7	11.1	13.1	7.5	7.0	7.2	8.0	7.5	7.7
Being drunk or high at school	10.3	16.7	13.6	11.6	23.1	18.0	11.0	20.2	16.0	7.0	13.9	10.9	6.8	10.6	9.0	4.7	15.0	10.5

Table 13. Percentages of Nassau County youth and Florida Statewide youth who reported gambling and arguing about gambling in the past 12 months

	Nassau County							Florida Statewide 2010						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Gambling	52.4	48.0	37.3	64.8	52.9	46.9	49.9	54.8	50.5	42.1	62.2	54.5	51.4	52.4
Arguing about gambling	14.1	7.8	7.6	13.6	14.1	7.8	10.6	15.9	12.1	9.8	17.5	15.5	12.6	13.7

Table 14. Percentages of Nassau County youth and Florida Statewide youth who reported involvement in bullying behavior

	Nassau County							Florida Statewide 2010						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Bullying caused worry	30.2	15.9	26.8	17.0	30.6	15.3	22.2	29.8	17.8	28.0	18.2	29.6	18.1	23.0
Skipped school because of bullying	5.8	3.3	6.6	2.1	6.0	3.1	4.4	3.7	3.9	4.9	2.8	3.7	3.7	3.8
Was kicked or shoved in past 30 days	19.1	8.3	10.0	16.6	19.3	8.8	13.1	18.4	8.2	10.8	14.3	18.1	8.6	12.6
Was taunted or teased in past 30 days	39.8	20.5	31.5	26.0	40.5	20.3	29.0	36.6	21.4	28.5	27.4	36.1	22.4	28.0
Was victim of cyber bullying in past 30 days	14.1	9.6	16.6	5.3	14.5	8.6	11.6	8.6	9.3	12.3	5.8	8.5	9.5	9.0
Physically bullied others in past 30 days	11.3	7.2	4.4	14.1	11.6	6.0	9.0	13.6	8.5	8.7	12.6	12.9	9.2	10.7
Verbally bullied others in past 30 days	21.7	15.1	13.3	23.0	22.4	12.6	18.0	23.2	16.6	18.1	20.7	22.4	17.8	19.5
Cyber bullied others in past 30 days	6.6	6.1	7.1	4.8	6.3	5.2	6.3	5.7	6.3	7.2	4.9	5.5	6.5	6.0

Table 15. Percentages of Nassau County youth and Florida Statewide high school students who reported being physically or verbally bullied in the past year, by location

	Nassau County						Florida Statewide							
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Classroom (while teacher was out)	--	4.3	2.9	6.0	--	4.0	--	--	3.6	3.6	3.6	--	3.7	--
Classroom (while teacher was in)	--	7.7	8.9	6.7	--	8.4	--	--	6.6	7.2	6.0	--	6.8	--
Cafeteria	--	4.5	2.3	7.1	--	3.9	--	--	4.2	4.8	3.7	--	4.3	--
Restroom	--	1.4	0.8	2.1	--	1.3	--	--	1.4	1.3	1.5	--	1.3	--
Hallways or stairwells	--	5.6	6.7	4.5	--	5.1	--	--	5.4	6.7	4.2	--	5.6	--
Gym or locker room	--	3.0	2.5	3.7	--	1.6	--	--	2.5	1.8	3.2	--	2.4	--
Somewhere else in school	--	3.6	3.0	4.4	--	3.3	--	--	2.5	2.7	2.2	--	2.6	--
Playground or athletic field	--	1.6	1.5	1.8	--	1.9	--	--	1.5	1.2	1.7	--	1.4	--
Parking lot or car pick-up area	--	1.0	0.4	1.8	--	0.7	--	--	1.2	1.3	1.1	--	1.2	--
Bus stop	--	1.0	0.9	1.2	--	1.1	--	--	1.4	1.5	1.3	--	1.4	--
On school property outside of building	--	1.6	0.9	2.4	--	1.9	--	--	1.2	1.2	1.2	--	1.1	--
School bus	--	1.9	1.3	2.7	--	1.1	--	--	2.2	2.4	2.0	--	2.3	--
After-school activities	--	2.7	3.2	2.3	--	2.1	--	--	1.6	1.6	1.6	--	1.7	--
Field trips or off-campus events	--	1.0	0.4	1.8	--	1.1	--	--	0.6	0.6	0.7	--	0.6	--
On the way to or from school	--	1.0	1.3	0.7	--	1.3	--	--	1.3	1.4	1.1	--	1.3	--
Online, phone, or text message	--	6.2	11.1	0.6	--	7.0	--	--	5.8	9.3	2.2	--	6.1	--
Other non-school locations	--	8.3	9.6	4.7	--	8.4	--	--	5.9	7.6	4.2	--	6.2	--

Note: The symbol "--" indicates that data are not available.

Table 16. Percentages of Nassau County youth and Florida Statewide high school students who reported having seen delinquent behavior among gang members at school this school year

	Nassau County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Fighting	--	13.9	14.9	12.5	--	12.6	--	--	44.6	46.6	42.6	--	45.8	--
Stealing or robbing	--	11.6	8.8	14.5	--	11.0	--	--	28.0	26.2	29.7	--	28.5	--
Vandalism (including graffiti)	--	12.1	9.7	15.3	--	10.7	--	--	30.0	28.6	31.2	--	30.4	--
Selling drugs	--	19.1	15.8	21.9	--	17.2	--	--	33.6	31.5	35.6	--	34.1	--
Carrying weapons	--	16.5	15.4	17.6	--	17.0	--	--	19.5	18.1	20.7	--	19.5	--

Note: The symbol "--" indicates that data are not available.

Table 17. Reasons for joining a gang, among Nassau County youth and Florida Statewide high school students

	Nassau County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Never belonged to a gang	--	94.1	97.2	90.4	--	93.8	--	--	84.7	89.4	80.0	--	85.0	--
Fun and excitement	--	0.8	0.9	0.7	--	1.0	--	--	2.0	1.3	2.7	--	2.1	--
Protection	--	1.1	0.9	1.3	--	1.1	--	--	1.4	0.9	1.9	--	1.4	--
Friend or relative in a gang	--	1.4	1.9	0.8	--	1.1	--	--	1.8	1.3	2.3	--	1.8	--
Forced to join	--	0.0	0.0	0.0	--	0.0	--	--	0.4	0.3	0.6	--	0.4	--
To get respect	--	0.3	0.0	0.7	--	0.4	--	--	1.4	0.7	2.1	--	1.4	--
Money	--	0.4	0.4	0.5	--	0.3	--	--	1.3	0.6	2.1	--	1.4	--
To fit in better	--	0.6	0.0	1.3	--	0.8	--	--	0.4	0.2	0.6	--	0.4	--
Other reasons	--	1.0	1.3	0.7	--	1.4	--	--	2.2	1.3	3.2	--	2.3	--

Note: The symbol "--" indicates that data are not available.

Table 18. Percentages of Nassau County youth and Florida Statewide youth who reported participation in extracurricular activities

	Nassau County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
School Sports	43.9	50.8	44.5	51.8	45.6	49.5	47.7	35.8	39.8	34.2	41.8	35.7	40.8	38.1
Organized Sports Outside of School	46.6	29.6	35.6	38.5	47.9	29.9	37.1	44.6	25.9	29.8	38.0	43.7	26.8	34.0
School Band	17.9	6.1	11.4	11.6	17.8	6.5	11.3	15.5	6.9	10.6	10.8	15.5	7.0	10.7
School Club(s)	13.0	32.0	27.7	19.2	14.5	31.9	23.6	18.1	31.0	33.6	17.7	19.3	30.1	25.4
Community Club(s)	13.1	17.4	19.9	10.9	13.8	17.8	15.5	10.9	14.0	16.4	9.1	11.2	13.8	12.7

Table 19. Protective factor prevalence rates for Nassau County, Florida Statewide and the national normative database, 2010

Domain	Scale	Nassau County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Community	Community Rewards for Prosocial Involvement	60	72	50	61	56	63
Family	Family Opportunities for Prosocial Involvement	54	56	55	55	59	54
	Family Rewards for Prosocial Involvement	48	55	50	53	54	55
School	School Opportunities for Prosocial Involvement	43	64	46	60	57	60
	School Rewards for Prosocial Involvement	46	63	47	59	53	58
Peer and Individual	Religiosity	63	75	50	60	56	62
Average Prevalence Rate		52	64	50	58	56	59

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 20. Risk factor prevalence rates for Nassau County, Florida Statewide and the national normative database, 2010

Domain	Scale	Nassau County		Florida Statewide		National Norms	
		Middle School	High School	Middle School	High School	Middle School	High School
Community	Community Disorganization	46	36	51	50	47	47
	Transitions and Mobility	58	57	61	63	47	46
	Laws and Norms Favorable to Drug Use	50	35	44	38	42	42
	Perceived Availability of Drugs	57	38	48	37	45	45
	Perceived Availability of Handguns	39	45	25	38	25	42
Family	Poor Family Management	41	40	48	46	44	45
	Family Conflict	50	31	42	37	42	37
	Parental Attitudes Favorable toward ATOD Use	22	44	22	38	23	41
School	Poor Academic Performance	41	37	43	46	45	48
	Lack of Commitment to School	51	47	54	51	47	46
Peer and Individual	Peer Rewards for Antisocial Behavior	54	48	46	47	40	46
	Favorable Attitudes toward Antisocial Behavior	48	36	47	41	40	46
	Favorable Attitudes toward ATOD Use	42	39	41	40	39	45
	Low Perceived Risks of Drug Use	44	51	44	49	40	46
	Early Initiation of Drug Use	35	37	35	33	41	46
Average Prevalence Rate		45	41	43	44	40	45

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 21. Protective factor prevalence rate trends among middle school students for Nassau County, 2000, 2002, 2004, 2006, 2008 and 2010

Domain	Scale	Nassau County					
		2000	2002	2004	2006	2008	2010
Community	Community Rewards for Prosocial Involvement	55	50	58	55	55	60
Family	Family Opportunities for Prosocial Involvement	57	52	49	60	49	54
	Family Rewards for Prosocial Involvement	57	46	53	54	40	48
School	School Opportunities for Prosocial Involvement	52	42	45	56	40	43
	School Rewards for Prosocial Involvement	45	38	40	55	39	46
Peer and Individual	Religiosity	65	66	63	56	61	63
Average Prevalence Rate		55	49	51	56	47	52

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 22. Risk factor prevalence rate trends among middle school students for Nassau County, 2000, 2002, 2004, 2006, 2008 and 2010

Domain	Scale	Nassau County					
		2000	2002	2004	2006	2008	2010
Community	Community Disorganization	45	42	41	32	45	46
	Transitions and Mobility	43	60	59	56	56	58
	Laws and Norms Favorable to Drug Use	54	54	49	44	52	50
	Perceived Availability of Drugs	52	57	54	52	59	57
	Perceived Availability of Handguns	36	35	37	44	43	39
Family	Poor Family Management	49	56	55	40	46	41
	Family Conflict	46	47	42	43	46	50
	Parental Attitudes Favorable toward ATOD Use	22	26	27	29	20	22
School	Poor Academic Performance	53	51	53	48	35	41
	Lack of Commitment to School	45	64	63	60	61	51
Peer and Individual	Peer Rewards for Antisocial Behavior	37	51	52	44	51	54
	Favorable Attitudes toward Antisocial Behavior	40	51	55	49	52	48
	Favorable Attitudes toward ATOD Use	42	52	54	48	41	42
	Low Perceived Risks of Drug Use	40	53	47	39	37	44
	Early Initiation of Drug Use	55	55	53	41	36	35
Average Prevalence Rate		43	54	54	47	46	46

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 23. Protective factor prevalence rate trends among high school students for Nassau County, 2000, 2002, 2004, 2006, 2008 and 2010

Domain	Scale	Nassau County					
		2000	2002	2004	2006	2008	2010
Community	Community Rewards for Prosocial Involvement	63	70	69	62	60	72
Family	Family Opportunities for Prosocial Involvement	52	57	59	57	57	56
	Family Rewards for Prosocial Involvement	56	55	60	64	60	55
School	School Opportunities for Prosocial Involvement	50	45	53	68	63	64
	School Rewards for Prosocial Involvement	41	46	53	50	62	63
Peer and Individual	Religiosity	76	73	79	68	71	75
Average Prevalence Rate		56	58	62	62	62	64

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 24. Risk factor prevalence rate trends among high school students for Nassau County, 2000, 2002, 2004, 2006, 2008 and 2010

Domain	Scale	Nassau County					
		2000	2002	2004	2006	2008	2010
Community	Community Disorganization	41	36	38	40	36	36
	Transitions and Mobility	36	56	56	58	61	57
	Laws and Norms Favorable to Drug Use	34	44	41	35	35	35
	Perceived Availability of Drugs	52	54	54	52	46	38
	Perceived Availability of Handguns	52	58	57	56	48	45
Family	Poor Family Management	53	45	50	52	39	40
	Family Conflict	34	38	37	37	29	31
	Parental Attitudes Favorable toward ATOD Use	35	40	37	37	41	44
School	Poor Academic Performance	43	40	47	38	43	37
	Lack of Commitment to School	55	52	54	55	46	47
Peer and Individual	Peer Rewards for Antisocial Behavior	52	41	51	48	44	48
	Favorable Attitudes toward Antisocial Behavior	30	46	46	47	43	36
	Favorable Attitudes toward ATOD Use	43	46	51	45	42	39
	Low Perceived Risks of Drug Use	39	47	41	38	43	51
	Early Initiation of Drug Use	49	49	47	43	35	37
Average Prevalence Rate		45	47	48	46	42	43

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.