

# **2014 Florida Youth Substance Abuse Survey**

**Clay County Data Tables**



**Table 1. Major demographic characteristics of surveyed Clay County and Florida Statewide, 2014**

	Clay County		Florida Statewide	
	N	%	N	%
<b>Sex</b>				
Female	832	48.6	33,366	50.6
Male	847	49.4	31,377	47.6
<b>Race/Ethnic group</b>				
African American	203	11.9	9,713	14.7
American Indian	26	1.5	1,334	2.0
Asian	42	2.5	1,356	2.1
Hispanic/Latino	127	7.4	10,514	16.0
Native Hawaiian/Pacific Islander	9	0.5	227	0.3
Other/Multiple	320	18.7	10,781	16.4
White, non-Hispanic	963	56.2	31,356	47.6
<b>Age</b>				
10	1	0.1	66	0.1
11	122	7.1	4,444	6.7
12	366	21.4	10,292	15.6
13	444	25.9	11,827	17.9
14	327	19.1	10,782	16.4
15	153	8.9	9,199	14.0
16	110	6.4	8,050	12.2
17	104	6.1	6,988	10.6
18	70	4.1	3,537	5.4
19 or older	13	0.8	506	0.8
<b>Grade</b>				
6th	358	20.9	11,546	17.5
7th	445	26.0	12,154	18.4
8th	429	25.0	11,481	17.4
9th	168	9.8	9,454	14.3
10th	93	5.4	8,108	12.3
11th	95	5.5	7,281	11.0
12th	125	7.3	5,893	8.9
Overall Middle School	1,232	71.9	35,063	53.2
Overall High School	481	28.1	30,649	46.5
<b>Total</b>	<b>1,713</b>	<b>100.0</b>	<b>65,917</b>	<b>100.0</b>

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered). In addition, rounding can produce totals that do not equal 100%. “N” represents the number of valid cases. In this table, county data are unweighted while statewide data are weighted.

**Table 2. Percentages of Clay County and Florida Statewide youth who reported having used various drugs in their lifetimes, 2014**

	Clay County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	25.1	57.5	45.5	41.5	27.6	54.5	43.6	25.0	56.0	44.3	40.9	26.6	56.5	42.6
Blacking Out	--	19.9	17.9	21.1	--	17.2	19.9	--	18.9	19.8	18.1	--	19.5	18.9
Cigarettes	12.5	34.4	26.2	23.8	14.2	33.2	25.0	9.8	23.6	17.2	18.0	10.1	23.5	17.6
Marijuana or Hashish	8.4	37.3	24.3	25.3	11.3	35.6	25.1	8.4	33.4	22.1	23.0	9.2	34.1	22.6
Synthetic Marijuana	--	12.1	13.5	10.2	--	11.5	12.1	--	8.8	7.7	10.0	--	8.9	8.8
Inhalants	8.4	4.8	7.1	5.6	8.6	4.6	6.3	8.6	4.9	7.2	5.8	8.3	5.0	6.5
Club Drugs	1.0	2.8	1.7	2.5	1.6	1.5	2.0	1.1	4.5	2.8	3.2	1.2	4.2	3.0
LSD, PCP or Mushrooms	1.1	3.9	1.9	3.1	1.8	3.6	2.7	1.3	5.3	2.8	4.3	1.4	5.3	3.6
Methamphetamine	0.7	1.4	0.6	1.3	1.1	1.2	1.1	0.9	1.1	0.8	1.2	0.8	1.1	1.0
Cocaine or Crack Cocaine	1.1	2.6	1.6	2.0	1.5	2.5	2.0	0.9	2.5	1.6	2.1	0.9	2.4	1.9
Heroin	0.7	1.6	0.3	1.9	1.1	1.6	1.2	0.6	0.7	0.4	0.8	0.6	0.7	0.6
Depressants	2.2	8.2	7.0	4.2	2.8	7.5	5.6	1.9	6.2	5.1	3.6	2.1	6.3	4.3
Prescription Pain Relievers	3.7	9.6	8.3	5.4	4.2	9.4	7.1	3.0	7.3	5.9	5.1	3.3	7.4	5.5
Prescription Amphetamines	0.9	4.5	3.4	2.7	1.2	4.6	3.0	1.0	5.1	3.5	3.2	1.2	5.0	3.3
Steroids (without a doctor's order)	0.6	0.7	0.2	1.1	0.5	0.6	0.6	0.5	0.8	0.3	1.0	0.5	0.8	0.7
Over-the-Counter Drugs	3.1	4.4	3.8	3.9	3.1	4.5	3.8	3.4	6.1	5.1	4.8	3.5	6.2	5.0
Any illicit drug	18.0	42.6	33.3	30.5	20.0	40.6	32.0	17.9	39.3	30.7	29.4	18.7	39.9	30.0
Any illicit drug other than marijuana	13.9	21.2	19.7	15.9	13.7	21.0	18.0	13.7	19.7	17.9	16.4	13.9	19.9	17.1
Alcohol only	14.5	21.5	19.3	18.0	14.7	20.8	18.5	14.0	22.2	19.5	17.8	14.8	22.0	18.6
Alcohol or any illicit drug	32.4	64.1	52.5	48.5	34.6	61.5	50.5	31.7	61.4	50.1	47.0	33.3	61.9	48.5
Any illicit drug, but no alcohol	7.4	6.5	7.1	7.0	7.1	7.0	6.9	6.9	5.5	5.9	6.3	6.9	5.5	6.1

Note: The first 16 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

**Table 3. Percentages of Clay County and Florida Statewide youth who reported having used various drugs in the past 30 days, 2014**

	Clay County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	9.6	30.8	21.6	21.3	11.0	30.7	21.7	10.1	28.4	21.7	19.4	11.1	28.1	20.5
Binge Drinking	4.0	15.3	8.3	12.2	5.2	13.6	10.4	3.9	13.7	9.5	9.4	4.1	13.7	9.5
Cigarettes	2.5	14.1	8.2	9.9	3.4	11.4	9.1	2.0	7.1	4.4	5.3	2.1	6.8	4.9
Marijuana or Hashish	3.9	19.0	11.1	14.3	5.5	17.3	12.6	4.2	18.6	11.7	13.1	4.7	18.9	12.4
Synthetic Marijuana	--	0.8	0.6	1.0	--	0.6	0.8	--	1.4	1.2	1.6	--	1.5	1.4
Inhalants	3.3	1.1	2.5	1.4	3.1	1.3	2.0	3.1	1.3	2.3	1.9	2.8	1.5	2.1
Club Drugs	0.4	0.6	0.1	0.9	0.6	0.2	0.5	0.3	1.0	0.7	0.8	0.4	1.0	0.7
LSD, PCP or Mushrooms	0.4	1.3	0.5	1.4	0.7	0.9	0.9	0.6	1.4	0.8	1.2	0.6	1.4	1.0
Methamphetamine	0.4	0.8	0.1	1.0	0.7	0.7	0.6	0.4	0.5	0.4	0.6	0.4	0.5	0.5
Cocaine or Crack Cocaine	0.3	1.0	0.3	0.9	0.3	1.2	0.7	0.4	0.7	0.5	0.7	0.4	0.7	0.6
Heroin	0.3	0.4	0.1	0.3	0.3	0.5	0.3	0.3	0.3	0.2	0.3	0.2	0.3	0.3
Depressants	1.1	1.4	1.1	1.3	1.1	1.0	1.3	0.8	2.1	1.8	1.2	0.9	2.2	1.5
Prescription Pain Relievers	1.4	2.0	1.9	1.4	1.4	2.3	1.7	1.4	2.6	2.4	1.8	1.6	2.6	2.1
Prescription Amphetamines	0.5	1.1	0.7	1.0	0.5	1.2	0.8	0.5	1.7	1.1	1.1	0.6	1.6	1.2
Steroids (without a doctor's order)	0.2	0.4	0.1	0.6	0.2	0.6	0.4	0.2	0.3	0.1	0.4	0.2	0.3	0.3
Over-the-Counter Drugs	1.9	0.8	1.2	1.4	1.7	1.0	1.3	1.6	2.4	2.3	1.8	1.7	2.4	2.1
Any illicit drug	8.5	21.9	15.3	16.9	9.6	20.8	16.1	8.7	22.3	16.4	16.3	9.2	22.5	16.4
Any illicit drug other than marijuana	5.9	6.1	5.5	6.0	5.7	6.5	6.0	6.2	8.5	7.9	7.0	6.2	8.7	7.5
Alcohol only	6.3	15.8	12.2	11.0	6.6	16.2	11.7	6.3	14.5	11.7	10.1	6.8	14.3	10.9
Alcohol or any illicit drug	14.6	37.5	27.3	27.6	16.3	36.8	27.7	14.8	36.3	27.9	26.1	15.9	36.4	27.0
Any illicit drug, but no alcohol	5.3	6.8	6.0	6.5	5.5	6.3	6.2	4.8	8.1	6.5	6.9	4.9	8.5	6.7

Note: The first 16 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

**Table 4. Lifetime trend in alcohol, tobacco and other drug use for Clay County, 2004 to 2014**

	2004			2006			2008			2010			2012			2014		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	45.2	74.1	61.0	38.9	71.1	56.8	37.5	69.0	55.4	36.0	66.8	53.7	24.9	63.7	47.2	25.1	57.5	43.6
Blacking Out	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	19.9	19.9
Cigarettes	30.5	48.6	40.6	22.1	37.8	30.8	19.7	39.7	31.1	20.9	40.2	31.9	12.5	35.1	25.5	12.5	34.4	25.0
Marijuana or Hashish	14.5	40.7	29.2	11.7	32.7	23.5	10.2	36.6	25.3	11.6	38.1	26.8	9.2	38.2	25.9	8.4	37.3	25.1
Synthetic Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	20.8	20.8	--	12.1	12.1
Inhalants	20.3	11.5	15.5	15.0	13.5	14.1	11.7	10.0	10.7	10.5	9.7	10.1	8.3	6.5	7.3	8.4	4.8	6.3
Club Drugs	--	--	--	--	--	--	2.0	--	2.0	2.3	5.1	3.9	0.4	5.5	3.4	1.0	2.8	2.0
LSD, PCP or Mushrooms	--	--	--	--	--	--	2.1	--	2.1	3.0	5.3	4.3	0.8	7.1	4.5	1.1	3.9	2.7
Methamphetamine	2.3	2.6	2.4	2.0	2.6	2.4	1.3	1.5	1.4	1.2	1.5	1.4	0.3	1.0	0.7	0.7	1.4	1.1
Cocaine or Crack Cocaine	--	--	--	--	--	--	2.0	--	2.0	2.0	4.1	3.2	1.0	4.0	2.7	1.1	2.6	2.0
Heroin	0.1	0.7	0.5	1.8	1.6	1.7	1.0	1.2	1.1	1.1	0.9	1.0	0.9	1.3	1.1	0.7	1.6	1.2
Depressants	5.0	11.9	8.9	4.5	9.5	7.3	4.0	11.9	8.5	3.6	11.3	8.0	2.6	10.8	7.4	2.2	8.2	5.6
Prescription Pain Relievers	8.7	14.9	12.3	7.0	13.1	10.4	7.2	14.7	11.5	5.1	13.6	10.0	3.8	12.6	8.9	3.7	9.6	7.1
Prescription Amphetamines	4.6	6.6	5.8	3.1	7.7	5.7	2.3	8.1	5.6	1.6	6.7	4.5	1.2	5.6	3.7	0.9	4.5	3.0
Steroids (without a doctor's order)	1.4	1.0	1.2	1.1	1.1	1.2	0.9	1.3	1.1	0.5	0.6	0.6	1.3	0.5	0.8	0.6	0.7	0.6
Over-the-Counter Drugs	--	--	--	--	--	--	4.5	--	4.5	4.8	10.1	7.8	3.9	7.2	5.8	3.1	4.4	3.8
Any illicit drug	29.4	46.8	39.0	24.7	39.7	33.0	20.9	42.5	33.2	21.0	44.7	34.6	18.8	44.5	33.6	18.0	42.6	32.0
Any illicit drug other than marijuana	24.6	28.1	26.6	20.6	25.5	23.3	17.3	26.2	22.4	16.5	26.6	22.3	13.8	24.7	20.1	13.9	21.2	18.0
Alcohol only	21.9	30.7	26.7	20.6	33.8	28.0	21.0	28.9	25.5	20.0	25.4	23.1	13.7	24.0	19.7	14.5	21.5	18.5
Alcohol or any illicit drug	51.0	77.3	65.4	45.3	73.4	60.8	41.7	70.9	58.4	40.6	69.9	57.4	32.3	68.4	53.1	32.4	64.1	50.5
Any illicit drug, but no alcohol	5.9	3.3	4.5	6.3	2.7	4.2	4.4	2.4	3.2	4.9	3.0	3.8	7.7	4.8	6.0	7.4	6.5	6.9

Note: The first 16 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

**Table 5. Past-30-day trend in alcohol, tobacco and other drug use for Clay County, 2004 to 2014**

	2004			2006			2008			2010			2012			2014		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	23.4	44.5	35.1	19.0	45.4	33.7	17.2	41.7	31.2	16.6	41.3	30.8	10.4	35.2	24.7	9.6	30.8	21.7
Binge Drinking	8.0	27.1	18.6	7.8	24.0	16.8	7.7	23.7	16.8	6.6	22.9	16.0	3.4	18.7	12.2	4.0	15.3	10.4
Cigarettes	9.5	18.6	14.5	6.1	15.3	11.2	6.9	18.0	13.2	5.9	16.9	12.2	2.9	12.1	8.2	2.5	14.1	9.1
Marijuana or Hashish	7.8	16.2	12.4	6.5	13.2	10.3	5.1	19.7	13.4	4.8	21.3	14.3	4.8	19.8	13.5	3.9	19.0	12.6
Synthetic Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	4.3	4.3	--	0.8	0.8
Inhalants	8.1	3.5	5.5	5.9	1.9	3.6	4.8	2.5	3.5	3.5	1.7	2.5	2.9	1.8	2.3	3.3	1.1	2.0
Club Drugs	--	--	--	--	--	--	0.7	--	0.7	0.8	0.9	0.9	0.0	1.0	0.6	0.4	0.6	0.5
LSD, PCP or Mushrooms	--	--	--	--	--	--	0.9	--	0.9	1.1	1.3	1.2	0.3	1.4	1.0	0.4	1.3	0.9
Methamphetamine	0.3	0.6	0.5	1.3	0.4	0.7	0.4	0.4	0.4	0.5	1.0	0.8	0.2	0.1	0.2	0.4	0.8	0.6
Cocaine or Crack Cocaine	--	--	--	--	--	--	0.9	--	0.9	1.1	0.8	0.9	0.4	0.8	0.6	0.3	1.0	0.7
Heroin	0.0	0.0	0.0	0.7	0.0	0.3	0.2	0.3	0.3	0.7	0.3	0.5	0.4	0.4	0.4	0.3	0.4	0.3
Depressants	1.4	4.5	3.1	2.8	4.1	3.5	2.1	5.3	3.9	1.9	3.3	2.7	0.5	2.5	1.6	1.1	1.4	1.3
Prescription Pain Relievers	3.3	5.9	4.7	3.4	5.1	4.3	2.6	6.2	4.7	2.6	4.1	3.5	1.1	3.3	2.4	1.4	2.0	1.7
Prescription Amphetamines	1.4	2.0	1.7	1.4	2.1	1.8	0.8	2.6	1.9	0.4	2.0	1.3	0.4	1.5	1.0	0.5	1.1	0.8
Steroids (without a doctor's order)	0.9	0.3	0.6	0.4	0.9	0.8	0.3	0.7	0.5	0.2	0.0	0.1	0.3	0.0	0.1	0.2	0.4	0.4
Over-the-Counter Drugs	--	--	--	--	--	--	2.5	--	2.5	1.8	3.4	2.7	1.5	1.7	1.6	1.9	0.8	1.3
Any illicit drug	15.8	20.8	18.4	13.3	17.1	15.4	10.6	24.0	18.2	9.2	24.3	17.8	8.8	24.7	18.0	8.5	21.9	16.1
Any illicit drug other than marijuana	11.4	9.9	10.5	10.9	9.3	10.0	8.5	11.6	10.2	7.2	10.7	9.2	5.6	9.1	7.6	5.9	6.1	6.0
Alcohol only	14.2	29.2	22.6	12.2	30.4	22.4	10.7	23.2	17.8	11.0	22.2	17.4	6.7	18.5	13.5	6.3	15.8	11.7
Alcohol or any illicit drug	29.5	49.3	40.4	24.9	47.2	37.4	21.0	46.6	35.7	19.8	45.9	34.7	15.2	42.7	31.0	14.6	37.5	27.7
Any illicit drug, but no alcohol	6.0	4.8	5.3	6.3	2.2	4.1	4.0	5.5	4.9	3.4	4.4	4.0	5.0	7.5	6.4	5.3	6.8	6.2

Note: The first 16 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

**Table 6. Percentages of Clay County and Florida Statewide youth who reported early ATOD use, perceived risk of harm, personal disapproval, parental disapproval and peer disapproval, 2014**

	Clay County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<b>Early ATOD use</b>														
More than a sip of alcohol	--	27.1	26.3	28.2	--	26.1	27.1	--	21.8	20.5	23.2	--	21.7	21.8
Drinking at least once a month	--	6.0	5.1	7.1	--	4.7	6.0	--	3.9	3.9	3.9	--	3.9	3.9
Smoke cigarettes	--	20.6	20.1	21.6	--	20.9	20.6	--	11.9	10.7	13.1	--	11.9	11.9
Smoke marijuana	--	13.2	10.5	16.0	--	12.2	13.2	--	11.4	9.1	13.6	--	11.4	11.4
<b>Great risk of harm</b>														
1 or 2 drinks nearly every day	43.9	37.0	43.9	35.9	42.3	40.9	39.9	45.7	40.0	45.4	39.7	45.4	39.9	42.5
5+ drinks once or twice a week	62.3	52.2	60.8	53.1	61.1	54.8	56.5	58.8	51.4	57.7	51.7	58.8	51.5	54.6
1+ packs of cigarettes per day	73.2	66.6	70.3	68.8	73.6	65.8	69.4	68.0	70.0	69.5	68.9	68.9	69.8	69.1
Marijuana once or twice a week	58.1	26.7	41.1	39.2	55.4	29.2	40.1	53.8	25.4	39.2	36.3	51.8	25.1	37.7
Try marijuana once or twice	41.1	15.1	24.7	27.8	38.0	17.4	26.2	37.1	16.3	25.5	25.3	35.4	16.0	25.3
Use prescription drugs	77.0	70.9	75.5	72.0	76.2	71.8	73.5	71.7	70.8	72.3	70.3	72.0	70.7	71.2
<b>Think it would be wrong to...</b>														
Smoke cigarettes	94.9	75.1	84.7	82.5	94.3	76.2	83.5	94.7	83.9	88.7	88.5	94.6	85.0	88.6
Drink alcohol regularly	89.7	59.6	75.9	69.5	87.7	61.4	72.3	88.2	61.7	72.7	73.8	87.0	62.1	73.2
Smoke marijuana	90.1	59.7	75.0	70.6	87.9	62.2	72.6	89.4	62.2	75.2	72.8	88.1	62.0	74.0
Use other illicit drugs	98.1	92.7	96.8	93.4	97.5	92.1	95.0	97.4	92.9	95.2	94.5	97.2	92.9	94.8
<b>Parents think it would be wrong to...</b>														
1 or 2 drinks nearly every day	97.3	89.9	93.8	92.3	96.8	91.6	93.0	97.1	92.7	94.7	94.5	96.9	93.1	94.6
Smoke cigarettes	98.3	91.4	94.1	94.3	98.5	93.3	94.3	98.5	95.6	97.1	96.6	98.5	96.4	96.9
Smoke marijuana	96.7	84.7	89.7	89.9	95.9	86.8	89.7	96.9	88.9	92.9	91.8	96.7	89.1	92.3
Use prescription drugs	98.4	97.0	96.6	98.7	98.3	97.3	97.6	98.3	97.2	97.3	98.1	98.2	97.2	97.7
<b>Friends think it would be wrong to...</b>														
1 or 2 drinks nearly every day	92.1	72.4	84.2	77.3	90.4	73.9	80.7	90.3	76.5	84.0	81.0	89.6	76.5	82.5
Smoke tobacco	94.6	73.0	83.6	80.7	93.1	74.6	82.1	94.2	83.3	89.4	86.7	93.8	84.1	88.0
Smoke marijuana	90.4	56.9	73.3	69.7	86.9	59.1	71.0	87.9	59.0	72.8	70.2	86.0	58.9	71.5
Use prescription drugs	97.2	90.7	93.2	94.3	97.1	91.3	93.5	96.1	90.9	93.8	92.6	95.8	91.0	93.1

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.



**Table 7. Trends in early ATOD use and attitudes toward substance use for Clay County, 2004 to 2014**

	2004			2006			2008			2010			2012			2014		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
<b>Early ATOD use</b>																		
Try alcohol	--	32.8	32.8	--	35.5	35.5	--	31.1	31.1	--	28.8	28.8	--	28.1	28.1	--	27.1	27.1
Drink monthly	--	4.6	4.6	--	6.4	6.4	--	5.5	5.5	--	5.7	5.7	--	5.6	5.6	--	6.0	6.0
Smoke cigarettes	--	33.1	33.1	--	24.6	24.6	--	21.2	21.2	--	21.4	21.4	--	16.4	16.4	--	20.6	20.6
Smoke marijuana	--	14.9	14.9	--	15.1	15.1	--	11.4	11.4	--	13.4	13.4	--	14.5	14.5	--	13.2	13.2
<b>Great risk of harm</b>																		
Daily alcohol use	39.1	37.9	38.4	44.0	37.5	40.3	43.5	38.7	40.7	46.2	39.8	42.5	49.1	35.4	41.2	43.9	37.0	39.9
5+ drinks weekly	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	62.3	52.2	56.5
Daily cigarette use	66.5	70.3	68.5	68.6	65.8	67.1	71.3	67.6	69.2	71.2	66.0	68.2	72.6	70.3	71.3	73.2	66.6	69.4
Marijuana weekly*	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	58.1	26.7	40.1
Try marijuana	41.2	22.6	31.1	45.5	25.0	34.1	45.3	22.5	32.2	40.9	20.5	29.2	39.2	18.8	27.4	41.1	15.1	26.2
Prescription drugs	--	--	--	--	--	--	--	--	--	--	--	--	--	70.7	70.7	77.0	70.9	73.5
<b>Think it wrong</b>																		
Smoke cigarettes	82.6	67.9	74.3	89.2	70.7	78.9	89.0	67.7	76.8	88.3	69.3	77.4	93.7	73.0	81.8	94.9	75.1	83.5
Drink regularly	72.5	45.9	57.9	80.6	52.0	64.7	81.2	51.1	64.0	82.3	52.2	65.1	88.9	56.9	70.5	89.7	59.6	72.3
Smoke marijuana	85.9	73.0	78.7	91.9	74.2	82.0	91.3	68.2	78.1	89.2	65.1	75.4	90.6	63.7	75.1	90.1	59.7	72.6
Use other illicit drugs	96.4	92.2	94.0	96.3	95.4	95.8	96.4	92.5	94.2	95.8	93.7	94.6	97.9	93.3	95.3	98.1	92.7	95.0
<b>Parents think it wrong</b>																		
Daily alcohol use*	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	97.3	89.9	93.0
Smoke cigarettes	95.5	89.9	92.4	96.5	93.3	94.7	97.1	89.8	93.0	97.0	89.4	92.7	97.7	89.1	92.7	98.3	91.4	94.3
Smoke marijuana	95.6	92.7	94.0	96.5	96.1	96.3	98.1	90.9	94.1	97.7	90.4	93.5	97.8	87.2	91.6	96.7	84.7	89.7
Prescription drugs	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	98.4	97.0	97.6
<b>Friends think it wrong</b>																		
Daily alcohol use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	92.1	72.4	80.7
Smoke tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	94.6	73.0	82.1
Smoke marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	90.4	56.9	71.0
Prescription drugs	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	97.2	90.7	93.5

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

\* In 2014, the description of marijuana use in the risk of harm question was changed from "regularly" to "once or twice a week." Also, in 2014, the description of alcohol use in the parent disapproval question was changed from "regularly" to "nearly every day." For these items, care should be exercised when comparing 2014 data to previous years.

**Table 8. Among high school drinkers, usual source of alcohol within the past 30 days, Clay County and Florida Statewide youth, 2014**

	Clay County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bought in a store	--	5.2	3.2	8.0	--	5.1	5.2	--	8.1	4.9	11.7	--	8.1	8.1
Bought in a restaurant, bar, or club	--	0.0	0.0	0.0	--	0.0	0.0	--	1.7	2.2	1.2	--	1.7	1.7
Bought at a public event	--	0.5	1.0	0.0	--	0.0	0.5	--	0.8	0.7	1.0	--	0.8	0.8
Someone bought it for me	--	13.9	8.6	19.8	--	13.2	13.9	--	17.5	16.3	19.1	--	17.6	17.5
Someone gave it to me	--	46.0	56.6	33.0	--	48.0	46.0	--	43.0	48.6	36.3	--	43.0	43.0
Took it from a store	--	0.0	0.0	0.0	--	0.0	0.0	--	0.3	0.2	0.5	--	0.3	0.3
Took it from a family member	--	15.2	17.8	10.9	--	19.2	15.2	--	11.0	11.5	10.5	--	11.0	11.0
Some other way	--	19.2	12.8	28.4	--	14.4	19.2	--	17.5	15.6	19.7	--	17.5	17.5

Note: The symbol "--" indicates that data are not available.

**Table 9. Among high school drinkers, usual drinking location within the past 30 days, Clay County and Florida Statewide youth, 2014**

	Clay County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
My home	--	40.8	45.1	35.9	--	39.0	40.8	--	32.5	33.4	31.5	--	32.5	32.5
Another person's home	--	41.5	44.5	38.6	--	42.0	41.5	--	46.3	46.4	46.2	--	46.3	46.3
Car or other vehicle	--	2.6	0.0	6.1	--	3.5	2.6	--	1.6	1.6	1.6	--	1.6	1.6
Restaurant, bar, or club	--	0.9	0.0	2.1	--	0.6	0.9	--	2.7	3.4	1.9	--	2.7	2.7
Public place	--	0.0	0.0	0.0	--	0.0	0.0	--	3.9	4.1	3.6	--	3.9	3.9
Public event	--	0.4	0.8	0.0	--	0.6	0.4	--	1.6	1.7	1.3	--	1.6	1.6
School property	--	0.0	0.0	0.0	--	0.0	0.0	--	1.2	0.9	1.6	--	1.2	1.2
Some other place	--	13.8	9.6	17.3	--	14.3	13.8	--	10.3	8.6	12.3	--	10.3	10.3

Note: The symbol "--" indicates that data are not available.

**Table 10. Among high school drinkers, number of drinks usually consumed per day, on the days students drank in the past 30 days, Clay County and Florida Statewide youth, 2014**

	Clay County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
1	--	25.6	38.0	11.4	--	25.9	25.6	--	26.1	29.4	22.0	--	26.0	26.1
2	--	21.6	20.8	24.0	--	22.5	21.6	--	22.5	23.9	20.7	--	22.4	22.5
3	--	15.9	10.7	20.6	--	14.0	15.9	--	16.6	17.1	16.3	--	16.7	16.6
4	--	14.5	12.4	16.4	--	15.3	14.5	--	10.6	11.4	9.9	--	10.7	10.6
5 or more	--	22.3	18.0	27.6	--	22.3	22.3	--	24.2	18.2	31.1	--	24.2	24.2

Note: The symbol "--" indicates that data are not available.

**Table 11. Percentages of Clay County and Florida Statewide youth who reported drinking alcohol, smoking marijuana, or using another drug to get high before or during school in the past 12 months, 2014**

	Clay County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Drinking alcohol	2.9	5.8	4.6	4.3	2.8	6.1	4.6	3.6	7.3	6.0	5.4	3.7	7.7	5.7
Smoking marijuana	3.8	13.1	8.9	9.5	4.7	10.7	9.2	4.1	13.7	8.7	10.5	4.3	14.2	9.6
Used another drug to get high	1.7	3.9	3.0	2.8	1.8	3.7	2.9	1.8	4.1	3.1	3.1	1.9	4.3	3.1

**Table 12. Percentages of Clay County and Florida Statewide youth who reported engaging in delinquent behavior within the past 12 months, 2014**

	Clay County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Carrying a handgun	6.8	6.6	3.1	10.5	6.8	6.1	6.7	5.1	5.4	2.7	7.8	4.9	5.6	5.3
Selling drugs	2.0	7.0	3.4	6.4	2.7	6.5	4.9	2.1	6.9	3.1	6.6	2.1	7.3	4.9
Attempting to steal a vehicle	1.1	1.0	0.9	1.2	1.0	0.5	1.0	1.1	1.5	0.9	1.8	1.0	1.7	1.4
Being arrested	2.7	3.5	3.2	2.9	2.8	2.5	3.2	2.2	3.3	2.1	3.5	1.8	3.7	2.8
Taking a handgun to school	0.6	1.0	0.6	1.1	0.9	0.4	0.8	0.6	0.8	0.4	1.0	0.5	0.9	0.7
Getting suspended	8.2	8.7	6.0	11.1	8.1	9.1	8.5	11.0	9.7	7.4	12.9	10.1	10.7	10.3
Attacking someone with intent to harm	6.2	6.9	5.8	7.5	5.7	7.3	6.6	6.7	7.0	6.1	7.7	6.5	7.6	6.9

**Table 13. Trends in delinquent behaviors for Clay County, 2004 to 2014**

	2004			2006			2008			2010			2012			2014		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Carrying a handgun	4.6	5.4	5.0	4.4	4.9	4.7	3.9	5.9	5.0	5.0	4.9	5.0	4.1	6.6	5.5	6.8	6.6	6.7
Selling drugs	2.4	10.3	6.9	2.8	8.3	5.9	2.9	9.4	6.6	3.4	12.3	8.5	1.7	10.4	6.7	2.0	7.0	4.9
Attempting to steal a vehicle	4.2	3.6	3.8	1.7	3.6	2.8	2.7	2.6	2.6	0.7	2.9	2.0	0.7	2.2	1.6	1.1	1.0	1.0
Being arrested	4.7	6.0	5.5	4.0	5.7	5.0	4.5	7.8	6.4	4.4	7.0	5.9	1.9	4.5	3.4	2.7	3.5	3.2
Taking a handgun to school	1.3	1.7	1.5	0.7	1.3	1.1	0.7	1.0	0.9	0.9	1.5	1.2	0.1	1.5	0.9	0.6	1.0	0.8
Getting suspended	11.1	10.9	10.9	11.9	17.3	14.9	11.7	13.9	13.0	17.1	15.5	16.2	7.1	12.3	10.1	8.2	8.7	8.5
Attacking someone with intent to harm	14.6	13.0	13.7	13.4	13.9	13.7	11.2	13.2	12.3	10.3	10.8	10.6	7.0	10.6	9.1	6.2	6.9	6.6

**Table 14. Percentages of Clay County and Florida Statewide youth who reported gambling and arguing about gambling in the past 12 months, 2014**

	Clay County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Gambling	49.0	51.4	40.1	60.0	49.7	51.7	50.4	48.5	45.9	36.4	57.4	48.5	46.3	47.0
Arguing about gambling	12.4	11.4	9.0	14.8	12.6	12.8	11.9	13.1	11.1	9.3	14.4	13.0	11.4	12.0



**Table 15. Percentages of Clay County and Florida Statewide youth who reported involvement in bullying behavior, 2014**

	Clay County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bullying caused worry	42.4	28.8	46.3	22.6	41.1	29.7	34.6	42.3	27.5	44.1	24.2	41.6	27.6	33.9
Skipped school because of bullying	6.0	8.8	11.9	3.1	7.1	8.4	7.6	5.6	6.2	8.7	3.3	5.7	6.4	5.9
Was kicked or shoved in past 30 days	16.5	7.3	10.1	12.1	16.9	6.0	11.2	18.1	7.5	10.7	13.3	17.2	7.8	12.1
Was taunted or teased in past 30 days	37.5	26.0	35.4	26.0	37.7	26.6	30.9	36.1	22.1	30.8	25.4	35.1	23.0	28.1
Was victim of cyber bullying in past 30 days	8.0	10.2	12.5	5.7	7.5	12.5	9.2	7.3	7.5	10.6	4.3	7.3	7.7	7.4
Physically bullied others in past 30 days	5.5	5.5	4.1	6.5	5.5	5.2	5.5	7.5	4.8	4.6	7.2	7.1	5.1	6.0
Verbally bullied others in past 30 days	15.6	11.7	12.9	13.6	15.4	11.3	13.4	14.2	10.2	11.2	12.7	13.8	10.6	12.0
Cyber bullied others in past 30 days	4.5	4.7	4.8	4.1	3.9	4.9	4.6	3.1	3.9	4.0	3.2	3.1	4.1	3.6

**Table 16. Percentages of Clay County and Florida Statewide youth who reported gang membership, 2014**

	Clay County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Have you ever belonged to a gang?	3.5	4.2	2.8	5.1	3.3	4.4	3.9	3.6	3.7	2.5	4.8	3.3	4.0	3.7
Did that gang have a name?	30.8	25.9	28.0	26.4	29.5	25.8	27.5	26.6	16.8	16.2	23.3	24.2	18.8	20.0
Are you a gang member now?	--	1.7	1.1	1.9	--	2.3	1.7	--	2.1	1.5	2.6	--	2.2	2.1

Note: The prevalence rates for “Did that gang have a name?” exclude students who reported that they have never belonged to a gang. The symbol “--” indicates that data are not available.

**Table 17. Reasons for joining a gang, reported by high school students who have belonged to a gang, among Clay County and Florida Statewide youth, 2014**

	Clay County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Fun and excitement	--	4.0	7.2	1.4	--	4.3	4.0	--	6.2	5.3	6.9	--	6.2	6.2
Protection	--	4.4	2.9	5.9	--	2.7	4.4	--	4.5	3.7	5.2	--	4.5	4.5
Friend or relative in a gang	--	6.7	5.5	7.9	--	6.4	6.7	--	4.5	3.8	5.1	--	4.5	4.5
Forced to join	--	2.9	3.9	2.2	--	0.0	2.9	--	1.6	1.9	1.4	--	1.6	1.6
To get respect	--	3.6	2.7	2.5	--	3.9	3.6	--	4.3	2.6	5.6	--	4.4	4.3
Money	--	0.6	0.0	1.2	--	0.0	0.6	--	4.6	2.4	6.2	--	4.6	4.6
To fit in better	--	0.4	0.9	0.0	--	0.5	0.4	--	1.4	1.0	1.7	--	1.4	1.4
Other reasons	--	10.1	10.3	10.4	--	10.0	10.1	--	6.6	4.9	7.9	--	6.6	6.6

Note: The symbol "--" indicates that data are not available.

**Table 18. Percentages of Clay County and Florida Statewide youth who reported participation in extracurricular activities, 2014**

	Clay County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
School Sports	37.5	40.1	35.3	42.9	37.2	42.6	39.0	35.1	40.3	34.3	41.7	35.7	40.7	38.1
Organized Sports Outside of School	46.0	27.9	33.6	38.3	46.1	26.1	35.6	44.8	26.3	31.0	37.6	43.8	26.7	34.4
School Band	12.6	8.5	9.9	10.6	12.5	8.6	10.2	14.9	7.3	11.0	10.3	14.4	7.1	10.6
School Club(s)	25.8	36.3	40.6	23.3	26.5	38.1	31.8	21.2	31.4	35.1	19.4	22.2	31.1	27.0
Community Club(s)	8.6	13.9	15.2	8.4	8.5	15.6	11.6	9.5	13.8	15.1	9.0	9.8	13.6	11.9

**Table 19. Percentages of high school students who reported *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, among Clay County and Florida Statewide youth, 2014**

	Clay County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
<b><i>Riding in a vehicle</i></b>														
Alcohol	--	17.7	19.7	15.1	--	16.6	17.7	--	18.1	20.1	16.2	--	18.1	18.1
Marijuana	--	23.7	29.3	17.7	--	22.2	23.7	--	23.5	24.4	22.7	--	23.8	23.5
<b><i>Driving a vehicle</i></b>														
Alcohol	--	3.8	4.0	3.4	--	3.5	3.8	--	6.6	6.2	6.8	--	6.3	6.6
Marijuana	--	9.6	9.7	9.6	--	7.7	9.6	--	10.9	9.6	12.2	--	10.7	10.9

Note: The symbol "--" indicates that data are not available.

Table 20. Trends for high school students *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, for Clay County, 2012 and 2014

	2004			2006			2008			2010			2012			2014		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
<b><i>Riding in a vehicle</i></b>																		
Alcohol	--	--	--	--	--	--	--	--	--	--	--	--	--	23.2	23.2	--	17.7	17.7
Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	30.7	30.7	--	23.7	23.7
<b><i>Driving a vehicle</i></b>																		
Alcohol	--	--	--	--	--	--	--	--	--	--	--	--	--	8.0	8.0	--	3.8	3.8
Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	12.5	12.5	--	9.6	9.6

Note: The symbol "--" indicates that data are not available.

**Table 21. Protective factor prevalence rates for Clay County, Florida Statewide youth and the national normative database, 2014**

Domain	Scale	Clay County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
<b>Community</b>	Community Rewards for Prosocial Involvement	53	64	48	61	56	63
<b>Family</b>	Family Opportunities for Prosocial Involvement	61	59	60	58	59	54
	Family Rewards for Prosocial Involvement	57	54	55	56	54	55
<b>School</b>	School Opportunities for Prosocial Involvement	53	71	51	62	57	60
	School Rewards for Prosocial Involvement	50	68	50	60	53	58
<b>Peer and Individual</b>	Religiosity	54	58	47	57	56	62
<b>Average Prevalence Rate</b>		<b>55</b>	<b>62</b>	<b>52</b>	<b>59</b>	<b>56</b>	<b>59</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 22. Risk factor prevalence rates for Clay County, Florida Statewide youth and the national normative database, 2014**

Domain	Scale	Clay County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
<b>Community</b>	Community Disorganization	45	47	44	46	47	47
	Transitions and Mobility	62	65	58	62	47	46
	Laws and Norms Favorable to Drug Use	35	38	36	33	42	42
	Perceived Availability of Drugs	39	37	40	31	45	45
	Perceived Availability of Handguns	26	47	24	37	25	42
<b>Family</b>	Poor Family Management	37	35	40	38	44	45
	Family Conflict	41	36	38	33	42	37
<b>School</b>	Poor Academic Performance	43	42	42	43	45	48
	Lack of Commitment to School	50	48	52	52	47	46
<b>Peer and Individual</b>	Favorable Attitudes toward Antisocial Behavior	37	37	38	36	40	46
	Favorable Attitudes toward ATOD Use	29	40	32	38	39	45
	Early Initiation of Drug Use	26	32	25	26	41	46
<b>Average Prevalence Rate</b>		<b>39</b>	<b>42</b>	<b>39</b>	<b>40</b>	<b>42</b>	<b>45</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values. The symbol "--" indicates that data are not available.



**Table 23. Protective factor prevalence rate trends among middle school students for Clay County, 2004 to 2014**

Domain	Scale	Clay County					
		2004	2006	2008	2010	2012	2014
<b>Community</b>	Community Rewards for Prosocial Involvement	55	51	51	51	56	53
<b>Family</b>	Family Opportunities for Prosocial Involvement	56	52	58	53	60	61
	Family Rewards for Prosocial Involvement	53	50	51	46	53	57
<b>School</b>	School Opportunities for Prosocial Involvement	40	44	46	49	54	53
	School Rewards for Prosocial Involvement	40	39	47	49	52	50
<b>Peer and Individual</b>	Religiosity	60	58	54	54	54	54
<b>Average Prevalence Rate</b>		<b>51</b>	<b>49</b>	<b>51</b>	<b>50</b>	<b>55</b>	<b>55</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values. The symbol "--" indicates that data are not available.

**Table 24. Risk factor prevalence rate trends among middle school students for Clay County, 2004 to 2014**

Domain	Scale	Clay County					
		2004	2006	2008	2010	2012	2014
<b>Community</b>	Community Disorganization	44	45	48	52	48	45
	Transitions and Mobility	61	64	62	64	63	62
	Laws and Norms Favorable to Drug Use	48	44	44	43	36	35
	Perceived Availability of Drugs	55	47	52	52	44	39
	Perceived Availability of Handguns	30	31	30	29	28	26
<b>Family</b>	Poor Family Management	48	47	44	45	36	37
	Family Conflict	38	45	44	46	36	41
<b>School</b>	Poor Academic Performance	47	49	42	44	41	43
	Lack of Commitment to School	63	55	57	53	46	50
<b>Peer and Individual</b>	Favorable Attitudes toward Antisocial Behavior	55	52	48	49	40	37
	Favorable Attitudes toward ATOD Use	50	43	38	38	30	29
	Early Initiation of Drug Use	54	43	36	37	24	26
<b>Average Prevalence Rate</b>		<b>52</b>	<b>46</b>	<b>44</b>	<b>44</b>	<b>37</b>	<b>39</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 25. Protective factor prevalence rate trends among high school students for Clay County, 2004 to 2014**

Domain	Scale	Clay County					
		2004	2006	2008	2010	2012	2014
<b>Community</b>	Community Rewards for Prosocial Involvement	67	62	63	62	69	64
<b>Family</b>	Family Opportunities for Prosocial Involvement	52	57	55	55	59	59
	Family Rewards for Prosocial Involvement	56	53	53	50	55	54
<b>School</b>	School Opportunities for Prosocial Involvement	58	55	60	62	65	71
	School Rewards for Prosocial Involvement	50	54	54	59	69	68
<b>Peer and Individual</b>	Religiosity	67	72	67	62	66	58
<b>Average Prevalence Rate</b>		<b>58</b>	<b>59</b>	<b>59</b>	<b>58</b>	<b>64</b>	<b>62</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values. The symbol "--" indicates that data are not available.

**Table 26. Risk factor prevalence rate trends among high school students for Clay County, 2004 to 2014**

Domain	Scale	Clay County					
		2004	2006	2008	2010	2012	2014
<b>Community</b>	Community Disorganization	42	47	45	53	46	47
	Transitions and Mobility	73	67	67	68	61	65
	Laws and Norms Favorable to Drug Use	37	38	39	41	40	38
	Perceived Availability of Drugs	48	47	46	42	41	37
	Perceived Availability of Handguns	46	50	47	43	39	47
<b>Family</b>	Poor Family Management	44	47	48	46	37	35
	Family Conflict	36	38	39	35	36	36
<b>School</b>	Poor Academic Performance	40	47	48	48	45	42
	Lack of Commitment to School	58	53	50	51	49	48
<b>Peer and Individual</b>	Favorable Attitudes toward Antisocial Behavior	50	48	49	45	41	37
	Favorable Attitudes toward ATOD Use	44	39	43	42	42	40
	Early Initiation of Drug Use	46	40	37	37	35	32
<b>Average Prevalence Rate</b>		<b>47</b>	<b>45</b>	<b>46</b>	<b>46</b>	<b>45</b>	<b>42</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.