

2014 Florida Youth Substance Abuse Survey

Hillsborough County Data Tables

Table 1. Major demographic characteristics of surveyed Hillsborough County and Florida Statewide, 2014

	Hillsborough County		Florida Statewide	
	N	%	N	%
Sex				
Female	874	50.8	33,366	50.6
Male	812	47.2	31,377	47.6
Race/Ethnic group				
African American	270	15.7	9,713	14.7
American Indian	18	1.0	1,334	2.0
Asian	33	1.9	1,356	2.1
Hispanic/Latino	517	30.1	10,514	16.0
Native Hawaiian/Pacific Islander	5	0.3	227	0.3
Other/Multiple	339	19.7	10,781	16.4
White, non-Hispanic	526	30.6	31,356	47.6
Age				
10	4	0.2	66	0.1
11	114	6.6	4,444	6.7
12	249	14.5	10,292	15.6
13	250	14.5	11,827	17.9
14	284	16.5	10,782	16.4
15	254	14.8	9,199	14.0
16	222	12.9	8,050	12.2
17	217	12.6	6,988	10.6
18	106	6.2	3,537	5.4
19 or older	13	0.8	506	0.8
Grade				
6th	274	15.9	11,546	17.5
7th	272	15.8	12,154	18.4
8th	269	15.6	11,481	17.4
9th	280	16.3	9,454	14.3
10th	200	11.6	8,108	12.3
11th	241	14.0	7,281	11.0
12th	183	10.6	5,893	8.9
Overall Middle School	815	47.4	35,063	53.2
Overall High School	904	52.6	30,649	46.5
Total	1,719	100.0	65,917	100.0

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered). In addition, rounding can produce totals that do not equal 100%. “N” represents the number of valid cases. In this table, county data are unweighted while statewide data are weighted.

Table 2. Percentages of Hillsborough County and Florida Statewide youth who reported having used various drugs in their lifetimes, 2014

	Hillsborough County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	24.2	59.4	44.3	43.2	25.4	61.2	43.8	25.0	56.0	44.3	40.9	26.6	56.5	42.6
Blacking Out	--	20.2	18.8	22.1	--	22.1	20.2	--	18.9	19.8	18.1	--	19.5	18.9
Cigarettes	7.9	20.5	14.7	15.0	7.3	21.7	14.9	9.8	23.6	17.2	18.0	10.1	23.5	17.6
Marijuana or Hashish	9.2	37.1	22.6	27.6	9.3	38.6	25.0	8.4	33.4	22.1	23.0	9.2	34.1	22.6
Synthetic Marijuana	--	10.8	9.4	12.5	--	11.9	10.8	--	8.8	7.7	10.0	--	8.9	8.8
Inhalants	7.7	4.9	7.2	4.8	7.8	5.2	6.1	8.6	4.9	7.2	5.8	8.3	5.0	6.5
Club Drugs	0.9	5.2	2.6	4.1	0.8	4.8	3.3	1.1	4.5	2.8	3.2	1.2	4.2	3.0
LSD, PCP or Mushrooms	0.7	5.9	2.3	5.1	0.8	6.6	3.6	1.3	5.3	2.8	4.3	1.4	5.3	3.6
Methamphetamine	0.9	1.1	0.6	1.5	0.8	1.4	1.0	0.9	1.1	0.8	1.2	0.8	1.1	1.0
Cocaine or Crack Cocaine	1.0	2.4	1.4	2.3	0.9	2.6	1.8	0.9	2.5	1.6	2.1	0.9	2.4	1.9
Heroin	0.7	0.3	0.3	0.7	0.6	0.3	0.5	0.6	0.7	0.4	0.8	0.6	0.7	0.6
Depressants	1.7	6.1	4.4	4.1	1.6	6.9	4.2	1.9	6.2	5.1	3.6	2.1	6.3	4.3
Prescription Pain Relievers	3.6	8.0	5.5	7.0	4.1	8.0	6.1	3.0	7.3	5.9	5.1	3.3	7.4	5.5
Prescription Amphetamines	0.6	5.6	3.5	3.4	1.0	5.3	3.4	1.0	5.1	3.5	3.2	1.2	5.0	3.3
Steroids (without a doctor's order)	0.3	1.1	0.3	1.2	0.4	1.0	0.7	0.5	0.8	0.3	1.0	0.5	0.8	0.7
Over-the-Counter Drugs	4.2	6.0	5.5	4.9	4.3	6.4	5.2	3.4	6.1	5.1	4.8	3.5	6.2	5.0
Any illicit drug	18.5	43.4	31.5	33.4	19.4	44.4	32.5	17.9	39.3	30.7	29.4	18.7	39.9	30.0
Any illicit drug other than marijuana	13.2	20.8	17.7	17.3	13.6	21.4	17.5	13.7	19.7	17.9	16.4	13.9	19.9	17.1
Alcohol only	14.6	20.3	18.9	15.8	14.9	20.5	17.8	14.0	22.2	19.5	17.8	14.8	22.0	18.6
Alcohol or any illicit drug	32.6	63.7	50.2	49.0	33.8	65.0	49.9	31.7	61.4	50.1	47.0	33.3	61.9	48.5
Any illicit drug, but no alcohol	8.7	4.3	6.0	5.9	8.7	3.9	6.2	6.9	5.5	5.9	6.3	6.9	5.5	6.1

Note: The first 16 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 3. Percentages of Hillsborough County and Florida Statewide youth who reported having used various drugs in the past 30 days, 2014

	Hillsborough County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	8.9	29.3	19.2	21.7	9.9	29.6	20.3	10.1	28.4	21.7	19.4	11.1	28.1	20.5
Binge Drinking	3.0	14.2	8.4	10.3	3.1	14.6	9.2	3.9	13.7	9.5	9.4	4.1	13.7	9.5
Cigarettes	1.9	5.1	2.9	4.3	1.8	5.4	3.7	2.0	7.1	4.4	5.3	2.1	6.8	4.9
Marijuana or Hashish	4.3	19.2	11.3	14.6	4.2	20.5	12.8	4.2	18.6	11.7	13.1	4.7	18.9	12.4
Synthetic Marijuana	--	1.7	0.9	2.5	--	2.1	1.7	--	1.4	1.2	1.6	--	1.5	1.4
Inhalants	3.6	2.5	2.9	2.9	3.5	2.7	3.0	3.1	1.3	2.3	1.9	2.8	1.5	2.1
Club Drugs	0.2	1.0	0.4	0.8	0.1	0.9	0.6	0.3	1.0	0.7	0.8	0.4	1.0	0.7
LSD, PCP or Mushrooms	0.6	1.4	0.8	1.2	0.5	1.7	1.1	0.6	1.4	0.8	1.2	0.6	1.4	1.0
Methamphetamine	0.5	0.9	0.5	1.0	0.4	1.1	0.7	0.4	0.5	0.4	0.6	0.4	0.5	0.5
Cocaine or Crack Cocaine	0.1	0.4	0.3	0.3	0.1	0.5	0.3	0.4	0.7	0.5	0.7	0.4	0.7	0.6
Heroin	0.5	0.0	0.2	0.2	0.4	0.0	0.2	0.3	0.3	0.2	0.3	0.2	0.3	0.3
Depressants	0.8	1.9	1.3	1.6	0.7	2.3	1.4	0.8	2.1	1.8	1.2	0.9	2.2	1.5
Prescription Pain Relievers	1.8	3.9	2.5	3.6	2.2	3.4	3.0	1.4	2.6	2.4	1.8	1.6	2.6	2.1
Prescription Amphetamines	0.4	2.2	1.2	1.7	0.4	1.9	1.4	0.5	1.7	1.1	1.1	0.6	1.6	1.2
Steroids (without a doctor's order)	0.0	0.3	0.2	0.2	0.2	0.0	0.2	0.2	0.3	0.1	0.4	0.2	0.3	0.3
Over-the-Counter Drugs	2.2	2.1	2.2	2.2	2.3	1.8	2.2	1.6	2.4	2.3	1.8	1.7	2.4	2.1
Any illicit drug	8.8	23.7	16.5	18.4	9.2	24.7	17.2	8.7	22.3	16.4	16.3	9.2	22.5	16.4
Any illicit drug other than marijuana	6.6	10.4	8.2	9.5	6.7	10.3	8.7	6.2	8.5	7.9	7.0	6.2	8.7	7.5
Alcohol only	5.9	14.1	10.1	11.1	6.1	14.4	10.6	6.3	14.5	11.7	10.1	6.8	14.3	10.9
Alcohol or any illicit drug	14.4	37.7	26.4	28.8	14.9	38.9	27.4	14.8	36.3	27.9	26.1	15.9	36.4	27.0
Any illicit drug, but no alcohol	5.5	8.3	7.4	7.0	5.1	9.4	7.1	4.8	8.1	6.5	6.9	4.9	8.5	6.7

Note: The first 16 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 4. Lifetime trend in alcohol, tobacco and other drug use for Hillsborough County, 2004 to 2014

	2004			2006			2008			2010			2012			2014		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	42.3	74.5	59.7	36.1	65.3	52.0	36.8	65.1	52.0	30.3	69.1	51.5	28.5	60.9	46.2	24.2	59.4	43.8
Blacking Out	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	20.2	20.2
Cigarettes	21.0	47.8	35.6	17.6	35.9	27.7	18.5	36.0	27.9	13.8	34.6	25.1	10.4	23.0	17.3	7.9	20.5	14.9
Marijuana or Hashish	11.2	38.4	25.9	9.0	29.5	20.4	10.9	32.6	22.4	9.8	39.4	26.0	8.7	32.6	21.9	9.2	37.1	25.0
Synthetic Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	13.8	13.8	--	10.8	10.8
Inhalants	15.4	11.8	13.6	12.7	13.4	13.2	15.3	11.0	13.0	10.1	9.1	9.5	10.2	5.9	7.9	7.7	4.9	6.1
Club Drugs	--	--	--	--	--	--	1.8	--	1.8	1.7	4.5	3.3	1.0	5.0	3.2	0.9	5.2	3.3
LSD, PCP or Mushrooms	--	--	--	--	--	--	1.7	--	1.7	2.2	4.9	3.7	1.0	4.8	3.1	0.7	5.9	3.6
Methamphetamine	2.0	3.3	2.7	1.2	2.4	1.9	1.3	1.0	1.1	1.3	1.0	1.1	0.8	1.0	0.9	0.9	1.1	1.0
Cocaine or Crack Cocaine	--	--	--	--	--	--	2.0	--	2.0	1.4	3.5	2.5	1.2	2.4	1.9	1.0	2.4	1.8
Heroin	1.2	0.3	0.7	0.6	0.5	0.5	1.0	0.9	0.9	0.7	1.1	0.9	0.6	1.5	1.1	0.7	0.3	0.5
Depressants	2.6	14.1	8.9	1.7	8.5	5.5	2.5	9.3	6.1	3.0	10.3	7.0	2.5	6.7	4.8	1.7	6.1	4.2
Prescription Pain Relievers	4.6	12.2	8.8	3.1	10.5	7.2	5.9	11.3	8.8	4.0	11.7	8.2	4.3	9.9	7.4	3.6	8.0	6.1
Prescription Amphetamines	2.8	7.1	5.1	1.1	5.9	3.8	2.0	6.2	4.2	2.0	6.4	4.4	0.8	3.9	2.5	0.6	5.6	3.4
Steroids (without a doctor's order)	1.2	1.4	1.4	0.5	1.3	0.9	1.0	1.9	1.5	0.7	0.9	0.8	0.5	0.8	0.7	0.3	1.1	0.7
Over-the-Counter Drugs	--	--	--	--	--	--	6.6	--	6.6	4.5	8.6	6.7	4.3	8.5	6.6	4.2	6.0	5.2
Any illicit drug	22.7	45.1	34.7	21.2	38.0	30.6	24.5	40.3	32.9	21.7	46.6	35.2	19.7	41.6	31.7	18.5	43.4	32.5
Any illicit drug other than marijuana	18.0	27.2	23.0	16.9	25.8	21.9	19.5	24.2	22.0	17.9	26.3	22.5	15.1	22.8	19.3	13.2	20.8	17.5
Alcohol only	24.2	32.1	28.5	21.3	31.5	26.7	19.8	28.9	24.7	15.4	25.5	20.9	15.0	23.6	19.7	14.6	20.3	17.8
Alcohol or any illicit drug	46.5	77.0	62.9	42.2	69.1	56.8	43.9	69.2	57.4	36.9	71.9	56.0	34.5	65.0	51.2	32.6	63.7	49.9
Any illicit drug, but no alcohol	5.2	2.6	3.8	6.3	3.9	5.0	7.4	4.2	5.7	6.9	3.3	4.9	6.1	4.5	5.2	8.7	4.3	6.2

Note: The first 16 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 5. Past-30-day trend in alcohol, tobacco and other drug use for Hillsborough County, 2004 to 2014

	2004			2006			2008			2010			2012			2014		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	19.9	45.1	33.4	15.2	37.5	27.5	17.8	40.2	29.8	14.1	41.2	29.0	12.8	28.0	21.1	8.9	29.3	20.3
Binge Drinking	8.3	22.9	16.3	4.7	20.2	13.1	5.2	20.1	13.1	6.8	22.4	15.3	4.6	14.1	9.8	3.0	14.2	9.2
Cigarettes	6.8	18.8	13.4	4.2	12.6	8.9	5.1	10.8	8.1	4.2	11.4	8.1	1.9	8.1	5.3	1.9	5.1	3.7
Marijuana or Hashish	4.9	19.0	12.6	3.8	14.5	9.8	5.4	18.6	12.4	5.2	21.9	14.3	4.5	18.2	12.1	4.3	19.2	12.8
Synthetic Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	5.4	5.4	--	1.7	1.7
Inhalants	6.7	2.8	4.6	4.2	3.0	3.6	6.4	1.6	3.9	3.9	2.5	3.1	5.1	1.4	3.0	3.6	2.5	3.0
Club Drugs	--	--	--	--	--	--	0.7	--	0.7	0.9	1.6	1.3	0.5	1.5	1.1	0.2	1.0	0.6
LSD, PCP or Mushrooms	--	--	--	--	--	--	0.4	--	0.4	1.0	1.8	1.4	0.7	0.8	0.7	0.6	1.4	1.1
Methamphetamine	1.2	0.8	1.0	0.4	0.9	0.7	0.5	0.2	0.3	0.4	0.6	0.5	0.5	0.5	0.5	0.5	0.9	0.7
Cocaine or Crack Cocaine	--	--	--	--	--	--	0.7	--	0.7	0.8	0.6	0.7	0.3	0.5	0.4	0.1	0.4	0.3
Heroin	0.2	0.0	0.1	0.3	0.2	0.3	0.5	0.5	0.5	0.3	0.3	0.3	0.1	0.4	0.3	0.5	0.0	0.2
Depressants	1.3	5.8	3.9	0.8	2.7	1.9	1.5	3.2	2.4	1.3	4.0	2.8	1.3	2.8	2.1	0.8	1.9	1.4
Prescription Pain Relievers	2.5	4.6	3.7	1.5	2.6	2.2	4.0	5.0	4.5	1.8	3.6	2.8	1.6	3.3	2.5	1.8	3.9	3.0
Prescription Amphetamines	0.7	2.1	1.5	0.6	1.0	0.9	1.1	1.6	1.4	0.6	1.9	1.3	0.0	1.3	0.7	0.4	2.2	1.4
Steroids (without a doctor's order)	0.3	0.7	0.5	0.5	1.1	0.9	0.8	0.8	0.8	0.3	0.3	0.3	0.2	0.3	0.2	0.0	0.3	0.2
Over-the-Counter Drugs	--	--	--	--	--	--	3.6	--	3.6	2.0	3.1	2.6	1.5	3.7	2.7	2.2	2.1	2.2
Any illicit drug	10.8	22.6	17.2	9.0	18.1	14.1	13.2	22.9	18.4	11.3	26.5	19.6	10.5	24.0	17.9	8.8	23.7	17.2
Any illicit drug other than marijuana	8.8	11.1	10.1	7.0	9.0	8.3	10.2	10.6	10.4	8.6	10.9	9.8	7.5	10.3	9.1	6.6	10.4	8.7
Alcohol only	13.6	26.7	20.6	10.7	23.1	17.6	11.3	22.7	17.4	8.9	20.9	15.5	8.1	13.1	10.9	5.9	14.1	10.6
Alcohol or any illicit drug	24.4	49.5	37.8	19.6	40.7	31.3	24.4	44.9	35.4	19.9	47.1	34.7	18.6	36.6	28.5	14.4	37.7	27.4
Any illicit drug, but no alcohol	5.2	4.6	4.8	4.4	3.5	4.0	7.0	5.1	6.0	6.0	6.2	6.1	6.1	8.9	7.7	5.5	8.3	7.1

Note: The first 16 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 6. Percentages of Hillsborough County and Florida Statewide youth who reported early ATOD use, perceived risk of harm, personal disapproval, parental disapproval and peer disapproval, 2014

	Hillsborough County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Early ATOD use														
More than a sip of alcohol	--	23.7	21.5	25.7	--	25.4	23.7	--	21.8	20.5	23.2	--	21.7	21.8
Drinking at least once a month	--	3.9	4.3	3.3	--	4.1	3.9	--	3.9	3.9	3.9	--	3.9	3.9
Smoke cigarettes	--	11.2	9.4	13.0	--	13.0	11.2	--	11.9	10.7	13.1	--	11.9	11.9
Smoke marijuana	--	11.6	7.4	15.7	--	12.9	11.6	--	11.4	9.1	13.6	--	11.4	11.4
Great risk of harm														
1 or 2 drinks nearly every day	45.9	40.3	45.7	39.2	44.7	39.5	42.8	45.7	40.0	45.4	39.7	45.4	39.9	42.5
5+ drinks once or twice a week	58.1	51.0	58.3	49.9	57.1	51.4	54.1	58.8	51.4	57.7	51.7	58.8	51.5	54.6
1+ packs of cigarettes per day	69.6	73.1	72.7	69.9	69.0	72.7	71.5	68.0	70.0	69.5	68.9	68.9	69.8	69.1
Marijuana once or twice a week	52.6	24.5	39.0	35.1	49.8	24.8	37.1	53.8	25.4	39.2	36.3	51.8	25.1	37.7
Try marijuana once or twice	36.4	15.2	25.9	23.5	33.4	15.7	24.7	37.1	16.3	25.5	25.3	35.4	16.0	25.3
Use prescription drugs	69.4	70.4	71.1	67.9	69.9	69.6	69.9	71.7	70.8	72.3	70.3	72.0	70.7	71.2
Think it would be wrong to...														
Smoke cigarettes	95.2	85.5	89.2	90.5	95.4	84.9	89.9	94.7	83.9	88.7	88.5	94.6	85.0	88.6
Drink alcohol regularly	87.8	58.1	69.5	73.6	87.4	56.7	71.6	88.2	61.7	72.7	73.8	87.0	62.1	73.2
Smoke marijuana	88.8	62.5	74.6	73.5	88.1	62.4	74.4	89.4	62.2	75.2	72.8	88.1	62.0	74.0
Use other illicit drugs	97.5	94.0	95.7	95.2	97.6	93.2	95.5	97.4	92.9	95.2	94.5	97.2	92.9	94.8
Parents think it would be wrong to...														
1 or 2 drinks nearly every day	96.1	91.6	93.5	93.4	95.6	91.6	93.5	97.1	92.7	94.7	94.5	96.9	93.1	94.6
Smoke cigarettes	98.1	96.5	97.1	97.0	98.1	96.5	97.1	98.5	95.6	97.1	96.6	98.5	96.4	96.9
Smoke marijuana	96.2	88.6	91.5	92.1	95.8	88.1	91.8	96.9	88.9	92.9	91.8	96.7	89.1	92.3
Use prescription drugs	97.7	97.2	97.7	97.2	97.7	97.2	97.4	98.3	97.2	97.3	98.1	98.2	97.2	97.7
Friends think it would be wrong to...														
1 or 2 drinks nearly every day	90.1	77.1	83.4	82.5	89.5	76.4	83.0	90.3	76.5	84.0	81.0	89.6	76.5	82.5
Smoke tobacco	95.3	85.6	91.4	88.5	95.5	84.6	90.0	94.2	83.3	89.4	86.7	93.8	84.1	88.0
Smoke marijuana	88.0	57.7	71.1	71.6	86.0	58.2	71.4	87.9	59.0	72.8	70.2	86.0	58.9	71.5
Use prescription drugs	96.6	90.5	93.6	92.7	96.6	89.7	93.3	96.1	90.9	93.8	92.6	95.8	91.0	93.1

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

Table 7. Trends in early ATOD use and attitudes toward substance use for Hillsborough County, 2004 to 2014

	2004			2006			2008			2010			2012			2014		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Early ATOD use																		
Try alcohol	--	40.1	40.1	--	36.1	36.1	--	31.4	31.4	--	30.9	30.9	--	24.4	24.4	--	23.7	23.7
Drink monthly	--	8.7	8.7	--	6.5	6.5	--	5.7	5.7	--	7.8	7.8	--	3.8	3.8	--	3.9	3.9
Smoke cigarettes	--	31.6	31.6	--	25.6	25.6	--	21.0	21.0	--	20.3	20.3	--	14.2	14.2	--	11.2	11.2
Smoke marijuana	--	14.4	14.4	--	13.4	13.4	--	11.2	11.2	--	12.4	12.4	--	12.1	12.1	--	11.6	11.6
Great risk of harm																		
Daily alcohol use	43.5	34.2	38.4	46.2	43.3	44.7	44.5	43.2	43.8	46.5	43.9	45.1	48.4	40.4	44.0	45.9	40.3	42.8
5+ drinks weekly	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	58.1	51.0	54.1
Daily cigarette use	69.5	68.1	68.7	65.4	68.5	67.2	66.4	68.9	67.7	67.2	67.2	67.2	70.1	70.0	70.1	69.6	73.1	71.5
Marijuana weekly*	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	52.6	24.5	37.1
Try marijuana	46.1	20.9	32.6	43.7	26.5	34.4	42.6	21.9	31.5	40.0	18.0	27.9	41.9	18.8	29.2	36.4	15.2	24.7
Prescription drugs	--	--	--	--	--	--	--	--	--	--	--	--	--	68.3	68.3	69.4	70.4	69.9
Think it wrong																		
Smoke cigarettes	88.4	62.6	74.7	90.0	72.1	80.1	89.1	71.4	79.4	89.8	73.8	81.1	95.5	79.4	86.6	95.2	85.5	89.9
Drink regularly	81.1	45.9	62.5	83.6	53.9	67.5	81.9	54.8	67.0	84.1	53.4	67.3	87.3	59.9	72.2	87.8	58.1	71.6
Smoke marijuana	90.9	67.4	78.5	91.7	73.9	81.9	89.0	70.6	78.9	88.9	63.5	74.9	89.9	67.2	77.4	88.8	62.5	74.4
Use other illicit drugs	97.4	92.5	94.8	97.3	94.9	95.9	95.7	93.3	94.4	95.9	91.8	93.6	97.0	95.6	96.2	97.5	94.0	95.5
Parents think it wrong																		
Daily alcohol use*	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	96.1	91.6	93.5
Smoke cigarettes	96.8	89.5	92.6	96.8	91.6	93.9	95.3	92.7	94.0	97.1	92.1	94.4	98.4	93.8	95.8	98.1	96.5	97.1
Smoke marijuana	97.7	93.1	95.1	97.3	94.4	95.7	95.2	91.9	93.5	97.3	89.3	93.1	96.7	89.8	92.9	96.2	88.6	91.8
Prescription drugs	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	97.7	97.2	97.4
Friends think it wrong																		
Daily alcohol use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	90.1	77.1	83.0
Smoke tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	95.3	85.6	90.0
Smoke marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	88.0	57.7	71.4
Prescription drugs	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	96.6	90.5	93.3

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

* In 2014, the description of marijuana use in the risk of harm question was changed from "regularly" to "once or twice a week." Also, in 2014, the description of alcohol use in the parent disapproval question was changed from "regularly" to "nearly every day." For these items, care should be exercised when comparing 2014 data to previous years.

Table 8. Among high school drinkers, usual source of alcohol within the past 30 days, Hillsborough County and Florida Statewide youth, 2014

	Hillsborough County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bought in a store	--	5.4	3.6	6.3	--	4.7	5.4	--	8.1	4.9	11.7	--	8.1	8.1
Bought in a restaurant, bar, or club	--	0.9	1.3	0.5	--	0.9	0.9	--	1.7	2.2	1.2	--	1.7	1.7
Bought at a public event	--	0.0	0.0	0.0	--	0.0	0.0	--	0.8	0.7	1.0	--	0.8	0.8
Someone bought it for me	--	23.2	19.3	28.0	--	22.2	23.2	--	17.5	16.3	19.1	--	17.6	17.5
Someone gave it to me	--	39.6	43.6	34.7	--	38.9	39.6	--	43.0	48.6	36.3	--	43.0	43.0
Took it from a store	--	0.0	0.0	0.0	--	0.0	0.0	--	0.3	0.2	0.5	--	0.3	0.3
Took it from a family member	--	14.4	19.2	9.7	--	16.0	14.4	--	11.0	11.5	10.5	--	11.0	11.0
Some other way	--	16.5	12.9	20.7	--	17.3	16.5	--	17.5	15.6	19.7	--	17.5	17.5

Note: The symbol "--" indicates that data are not available.

Table 9. Among high school drinkers, usual drinking location within the past 30 days, Hillsborough County and Florida Statewide youth, 2014

	Hillsborough County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
My home	--	35.4	42.8	27.4	--	35.0	35.4	--	32.5	33.4	31.5	--	32.5	32.5
Another person's home	--	45.4	44.3	47.9	--	48.2	45.4	--	46.3	46.4	46.2	--	46.3	46.3
Car or other vehicle	--	1.5	1.1	2.0	--	1.2	1.5	--	1.6	1.6	1.6	--	1.6	1.6
Restaurant, bar, or club	--	1.1	0.5	1.8	--	0.7	1.1	--	2.7	3.4	1.9	--	2.7	2.7
Public place	--	2.8	2.6	2.3	--	2.2	2.8	--	3.9	4.1	3.6	--	3.9	3.9
Public event	--	1.4	1.0	1.9	--	0.8	1.4	--	1.6	1.7	1.3	--	1.6	1.6
School property	--	1.5	0.0	3.0	--	0.8	1.5	--	1.2	0.9	1.6	--	1.2	1.2
Some other place	--	10.7	7.6	13.7	--	11.2	10.7	--	10.3	8.6	12.3	--	10.3	10.3

Note: The symbol "--" indicates that data are not available.

Table 10. Among high school drinkers, number of drinks usually consumed per day, on the days students drank in the past 30 days, Hillsborough County and Florida Statewide youth, 2014

	Hillsborough County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
1	--	28.7	28.7	27.7	--	28.9	28.7	--	26.1	29.4	22.0	--	26.0	26.1
2	--	22.2	27.4	16.4	--	20.4	22.2	--	22.5	23.9	20.7	--	22.4	22.5
3	--	17.3	17.9	17.2	--	18.8	17.3	--	16.6	17.1	16.3	--	16.7	16.6
4	--	11.3	8.2	14.8	--	10.1	11.3	--	10.6	11.4	9.9	--	10.7	10.6
5 or more	--	20.5	17.7	23.9	--	21.7	20.5	--	24.2	18.2	31.1	--	24.2	24.2

Note: The symbol "--" indicates that data are not available.

Table 11. Percentages of Hillsborough County and Florida Statewide youth who reported drinking alcohol, smoking marijuana, or using another drug to get high before or during school in the past 12 months, 2014

	Hillsborough County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Drinking alcohol	4.8	7.1	6.2	6.1	4.1	8.5	6.1	3.6	7.3	6.0	5.4	3.7	7.7	5.7
Smoking marijuana	5.2	15.6	10.7	11.9	4.4	18.1	11.2	4.1	13.7	8.7	10.5	4.3	14.2	9.6
Used another drug to get high	1.6	5.2	3.8	3.5	1.5	6.1	3.7	1.8	4.1	3.1	3.1	1.9	4.3	3.1

Table 12. Percentages of Hillsborough County and Florida Statewide youth who reported engaging in delinquent behavior within the past 12 months, 2014

	Hillsborough County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Carrying a handgun	4.9	5.8	3.3	7.8	4.3	6.5	5.4	5.1	5.4	2.7	7.8	4.9	5.6	5.3
Selling drugs	2.5	6.9	3.3	7.2	2.1	8.2	5.1	2.1	6.9	3.1	6.6	2.1	7.3	4.9
Attempting to steal a vehicle	1.4	0.7	0.5	1.7	1.2	0.8	1.0	1.1	1.5	0.9	1.8	1.0	1.7	1.4
Being arrested	2.0	3.9	2.5	3.8	1.6	4.3	3.1	2.2	3.3	2.1	3.5	1.8	3.7	2.8
Taking a handgun to school	0.9	0.2	0.6	0.3	0.7	0.4	0.5	0.6	0.8	0.4	1.0	0.5	0.9	0.7
Getting suspended	12.2	11.9	9.2	14.9	11.4	13.4	12.0	11.0	9.7	7.4	12.9	10.1	10.7	10.3
Attacking someone with intent to harm	8.1	9.0	7.8	9.2	7.7	10.6	8.6	6.7	7.0	6.1	7.7	6.5	7.6	6.9

Table 13. Trends in delinquent behaviors for Hillsborough County, 2004 to 2014

	2004			2006			2008			2010			2012			2014		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Carrying a handgun	4.5	4.8	4.6	5.0	7.6	6.5	4.3	6.1	5.3	4.5	5.7	5.1	4.1	6.1	5.2	4.9	5.8	5.4
Selling drugs	3.9	9.6	7.2	2.7	6.6	5.0	3.4	9.5	6.6	3.7	9.2	6.6	2.3	7.4	5.1	2.5	6.9	5.1
Attempting to steal a vehicle	3.3	2.5	2.8	2.3	3.3	2.8	2.0	2.4	2.2	1.6	1.9	1.8	2.7	1.4	2.0	1.4	0.7	1.0
Being arrested	5.6	6.2	6.0	5.2	6.8	6.0	4.2	6.9	5.6	4.8	4.7	4.7	3.1	3.6	3.4	2.0	3.9	3.1
Taking a handgun to school	1.1	0.9	1.0	0.7	0.8	0.8	0.7	1.2	1.0	0.7	0.9	0.8	1.0	0.9	0.9	0.9	0.2	0.5
Getting suspended	16.6	17.0	16.9	18.9	20.5	19.8	17.4	17.5	17.4	18.5	15.1	16.7	16.9	14.8	15.7	12.2	11.9	12.0
Attacking someone with intent to harm	12.4	13.6	13.1	13.3	15.9	14.9	12.9	13.3	13.1	11.8	11.0	11.4	9.6	9.9	9.7	8.1	9.0	8.6

Table 14. Percentages of Hillsborough County and Florida Statewide youth who reported gambling and arguing about gambling in the past 12 months, 2014

	Hillsborough County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Gambling	51.5	49.7	39.5	62.3	52.3	49.6	50.5	48.5	45.9	36.4	57.4	48.5	46.3	47.0
Arguing about gambling	16.0	12.1	11.4	16.3	15.2	13.2	13.9	13.1	11.1	9.3	14.4	13.0	11.4	12.0

Table 15. Percentages of Hillsborough County and Florida Statewide youth who reported involvement in bullying behavior, 2014

	Hillsborough County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bullying caused worry	45.0	26.5	44.7	25.1	44.8	26.2	34.9	42.3	27.5	44.1	24.2	41.6	27.6	33.9
Skipped school because of bullying	3.5	6.2	7.5	2.2	4.6	6.1	5.0	5.6	6.2	8.7	3.3	5.7	6.4	5.9
Was kicked or shoved in past 30 days	15.8	9.1	12.4	11.8	15.7	9.3	12.2	18.1	7.5	10.7	13.3	17.2	7.8	12.1
Was taunted or teased in past 30 days	33.9	20.8	28.8	25.0	34.0	21.6	26.7	36.1	22.1	30.8	25.4	35.1	23.0	28.1
Was victim of cyber bullying in past 30 days	6.3	9.3	11.3	4.3	7.0	9.1	7.9	7.3	7.5	10.6	4.3	7.3	7.7	7.4
Physically bullied others in past 30 days	7.1	5.9	3.8	8.7	7.3	6.1	6.4	7.5	4.8	4.6	7.2	7.1	5.1	6.0
Verbally bullied others in past 30 days	13.1	11.5	10.6	13.7	14.0	10.8	12.2	14.2	10.2	11.2	12.7	13.8	10.6	12.0
Cyber bullied others in past 30 days	3.4	4.2	4.4	3.5	3.4	5.1	3.9	3.1	3.9	4.0	3.2	3.1	4.1	3.6

Table 16. Percentages of Hillsborough County and Florida Statewide youth who reported gang membership, 2014

	Hillsborough County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Have you ever belonged to a gang?	4.4	3.8	3.8	4.5	3.8	4.8	4.1	3.6	3.7	2.5	4.8	3.3	4.0	3.7
Did that gang have a name?	35.7	19.5	23.1	27.4	32.3	23.4	24.5	26.6	16.8	16.2	23.3	24.2	18.8	20.0
Are you a gang member now?	--	1.7	2.4	1.1	--	2.1	1.7	--	2.1	1.5	2.6	--	2.2	2.1

Note: The prevalence rates for “Did that gang have a name?” exclude students who reported that they have never belonged to a gang. The symbol “--” indicates that data are not available.

Table 17. Reasons for joining a gang, reported by high school students who have belonged to a gang, among Hillsborough County and Florida Statewide youth, 2014

	Hillsborough County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Fun and excitement	--	7.0	6.9	7.6	--	7.2	7.0	--	6.2	5.3	6.9	--	6.2	6.2
Protection	--	5.6	5.8	5.7	--	7.2	5.6	--	4.5	3.7	5.2	--	4.5	4.5
Friend or relative in a gang	--	3.0	3.6	2.7	--	3.9	3.0	--	4.5	3.8	5.1	--	4.5	4.5
Forced to join	--	1.7	2.4	1.2	--	2.2	1.7	--	1.6	1.9	1.4	--	1.6	1.6
To get respect	--	3.8	3.5	4.4	--	5.0	3.8	--	4.3	2.6	5.6	--	4.4	4.3
Money	--	4.4	1.7	7.1	--	4.8	4.4	--	4.6	2.4	6.2	--	4.6	4.6
To fit in better	--	1.6	1.5	1.7	--	2.0	1.6	--	1.4	1.0	1.7	--	1.4	1.4
Other reasons	--	9.9	9.1	10.7	--	11.4	9.9	--	6.6	4.9	7.9	--	6.6	6.6

Note: The symbol "--" indicates that data are not available.

Table 18. Percentages of Hillsborough County and Florida Statewide youth who reported participation in extracurricular activities, 2014

	Hillsborough County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
School Sports	35.1	38.9	33.3	41.2	36.1	36.8	37.2	35.1	40.3	34.3	41.7	35.7	40.7	38.1
Organized Sports Outside of School	43.6	28.4	30.0	40.6	43.8	28.3	35.3	44.8	26.3	31.0	37.6	43.8	26.7	34.4
School Band	17.5	6.6	11.8	10.9	16.8	6.5	11.5	14.9	7.3	11.0	10.3	14.4	7.1	10.6
School Club(s)	19.8	36.4	38.4	19.5	21.3	34.8	28.9	21.2	31.4	35.1	19.4	22.2	31.1	27.0
Community Club(s)	8.9	12.0	13.2	7.8	9.2	10.4	10.6	9.5	13.8	15.1	9.0	9.8	13.6	11.9

Table 19. Percentages of high school students who reported *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, among Hillsborough County and Florida Statewide youth, 2014

	Hillsborough County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
<i>Riding in a vehicle</i>														
Alcohol	--	19.2	21.1	17.9	--	19.7	19.2	--	18.1	20.1	16.2	--	18.1	18.1
Marijuana	--	25.6	24.6	26.7	--	26.7	25.6	--	23.5	24.4	22.7	--	23.8	23.5
<i>Driving a vehicle</i>														
Alcohol	--	5.9	5.7	6.3	--	5.9	5.9	--	6.6	6.2	6.8	--	6.3	6.6
Marijuana	--	11.3	8.2	14.6	--	11.6	11.3	--	10.9	9.6	12.2	--	10.7	10.9

Note: The symbol "--" indicates that data are not available.

Table 20. Trends for high school students *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, for Hillsborough County, 2012 and 2014

	2004			2006			2008			2010			2012			2014		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
<i>Riding in a vehicle</i>																		
Alcohol	--	--	--	--	--	--	--	--	--	--	--	--	--	21.6	21.6	--	19.2	19.2
Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	25.7	25.7	--	25.6	25.6
<i>Driving a vehicle</i>																		
Alcohol	--	--	--	--	--	--	--	--	--	--	--	--	--	5.9	5.9	--	5.9	5.9
Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	10.0	10.0	--	11.3	11.3

Note: The symbol "--" indicates that data are not available.

Table 21. Protective factor prevalence rates for Hillsborough County, Florida Statewide youth and the national normative database, 2014

Domain	Scale	Hillsborough County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Community	Community Rewards for Prosocial Involvement	44	62	48	61	56	63
Family	Family Opportunities for Prosocial Involvement	57	61	60	58	59	54
	Family Rewards for Prosocial Involvement	55	57	55	56	54	55
School	School Opportunities for Prosocial Involvement	56	64	51	62	57	60
	School Rewards for Prosocial Involvement	50	61	50	60	53	58
Peer and Individual	Religiosity	44	61	47	57	56	62
Average Prevalence Rate		51	61	52	59	56	59

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 22. Risk factor prevalence rates for Hillsborough County, Florida Statewide youth and the national normative database, 2014

Domain	Scale	Hillsborough County		Florida Statewide		National Norms	
		Middle School	High School	Middle School	High School	Middle School	High School
Community	Community Disorganization	45	48	44	46	47	47
	Transitions and Mobility	66	64	58	62	47	46
	Laws and Norms Favorable to Drug Use	37	33	36	33	42	42
	Perceived Availability of Drugs	42	32	40	31	45	45
	Perceived Availability of Handguns	23	40	24	37	25	42
Family	Poor Family Management	39	36	40	38	44	45
	Family Conflict	41	32	38	33	42	37
School	Poor Academic Performance	40	42	42	43	45	48
	Lack of Commitment to School	52	49	52	52	47	46
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	41	36	38	36	40	46
	Favorable Attitudes toward ATOD Use	36	37	32	38	39	45
	Early Initiation of Drug Use	27	27	25	26	41	46
Average Prevalence Rate		41	40	39	40	42	45

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values. The symbol "--" indicates that data are not available.

Table 23. Protective factor prevalence rate trends among middle school students for Hillsborough County, 2004 to 2014

Domain	Scale	Hillsborough County					
		2004	2006	2008	2010	2012	2014
Community	Community Rewards for Prosocial Involvement	49	48	50	50	55	44
Family	Family Opportunities for Prosocial Involvement	56	51	57	55	62	57
	Family Rewards for Prosocial Involvement	51	48	50	49	53	55
School	School Opportunities for Prosocial Involvement	47	49	44	47	51	56
	School Rewards for Prosocial Involvement	46	47	40	50	53	50
Peer and Individual	Religiosity	55	49	49	50	50	44
Average Prevalence Rate		51	49	48	50	54	51

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values. The symbol "--" indicates that data are not available.

Table 24. Risk factor prevalence rate trends among middle school students for Hillsborough County, 2004 to 2014

Domain	Scale	Hillsborough County					
		2004	2006	2008	2010	2012	2014
Community	Community Disorganization	48	52	52	50	45	45
	Transitions and Mobility	66	68	65	66	62	66
	Laws and Norms Favorable to Drug Use	46	42	44	40	37	37
	Perceived Availability of Drugs	48	44	55	43	39	42
	Perceived Availability of Handguns	24	24	26	24	20	23
Family	Poor Family Management	49	49	47	48	43	39
	Family Conflict	44	44	46	41	35	41
School	Poor Academic Performance	47	45	45	41	38	40
	Lack of Commitment to School	55	52	57	54	48	52
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	50	49	50	46	41	41
	Favorable Attitudes toward ATOD Use	45	42	43	37	35	36
	Early Initiation of Drug Use	46	43	41	31	29	27
Average Prevalence Rate		46	44	46	42	39	41

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 25. Protective factor prevalence rate trends among high school students for Hillsborough County, 2004 to 2014

Domain	Scale	Hillsborough County					
		2004	2006	2008	2010	2012	2014
Community	Community Rewards for Prosocial Involvement	63	63	59	60	61	62
Family	Family Opportunities for Prosocial Involvement	55	53	54	55	56	61
	Family Rewards for Prosocial Involvement	57	51	56	51	52	57
School	School Opportunities for Prosocial Involvement	57	55	56	59	60	64
	School Rewards for Prosocial Involvement	56	55	53	55	57	61
Peer and Individual	Religiosity	61	62	61	62	60	61
Average Prevalence Rate		58	57	57	57	58	61

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values. The symbol "--" indicates that data are not available.

Table 26. Risk factor prevalence rate trends among high school students for Hillsborough County, 2004 to 2014

Domain	Scale	Hillsborough County					
		2004	2006	2008	2010	2012	2014
Community	Community Disorganization	46	52	50	55	49	48
	Transitions and Mobility	68	68	70	68	65	64
	Laws and Norms Favorable to Drug Use	38	35	37	42	35	33
	Perceived Availability of Drugs	47	44	44	40	31	32
	Perceived Availability of Handguns	47	47	45	39	34	40
Family	Poor Family Management	49	50	50	48	43	36
	Family Conflict	38	38	39	39	37	32
School	Poor Academic Performance	45	46	43	51	43	42
	Lack of Commitment to School	51	47	49	61	48	49
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	50	48	49	43	41	36
	Favorable Attitudes toward ATOD Use	49	40	41	43	38	37
	Early Initiation of Drug Use	45	39	38	38	27	27
Average Prevalence Rate		49	43	44	48	42	40

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.